



West Virginia Department of Health & Human Resources
Berkeley County Health Department

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of **Priority** items and 10 calendar days for **Priority Foundation** items or **HACCP** Plan deviations. (§ 64 C.S.R. 17-3.1.j.)

OBSERVATION TOTALS: _____ PRIORITY: 1 PRIORITY FOUNDATION: 0
CORE: 6 TOTAL: 7

ESTABLISHMENT: Heritage Hall PERMIT NO.: _____ DATE: 9/27/2019
ADDRESS: 8539 Winchester Ave CITY: Inwood STATE: WV ZIP: 25428
PERSON IN CHARGE/TITLE: Bonnie Butler TELEPHONE: _____
RECEIVED BY (SIGNATURE): [Signature] SANITARIAN (SIGNATURE): [Signature]
INSPECTION TYPE: ROUTINE FOLLOW-UP COMPLAINT OTHER: _____ TIME: 9:30 am

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
			6-501.11	Hole in ceiling needs repaired. Water line break.
			6-501.11	Holes in walls in bathrooms need sealed (Hand soap dispensers replaced)
			6-501.11	Chemical storage shelving needs replaced/repainted (Rust)
✓			4-602.11	Onion Slicer needs cleaned.
			6-501.11	Door Knob needs repaired to middle room area (booster seats)
			6-501.11	Ceiling leaks/Spots need repaired (Paint bubbling/water stains)
			6-501.111	Grate in beer keg cooler area (small red).

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
Dishwashing	50 ppm						
Superior	41°						
Victory	36°						