

West Virginia Department of Health & Human Resources

Berkeley County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Tillburg lane Group Home	Facility Type Food Service Establishment	
Licensee Name Stonebrook	Facility Telephone # 304	
Facility Address 30 Tillsburg Lane Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 04/05/2017	Total Time Spent 0.88

Equipment Temperatures	
Description Refrigerator	Temperature (Fahrenheit) 37

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
bottle	chem		+200	bleach	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 1
Repeated # 0
4-501.114 - MANUAL AND MECHANICAL WAREWASHING EQUIPMENT - SANITIZER NOT BEING USED PER MANUFACTURER
<i>This is a critical violation</i>
OBSERVATION: Sanitizer +200 ppm

Observed Non-Critical Violations
Total # 0
Repeated # 0

Inspection Outcome

Comments

Disclaimer

Person in Charge


Kassandra Tanner

Sanitarian


Glenn GCO Ondick