
NORTH DELTA WATER AGENCY SACRAMENTO RIVER AT RIO VISTA 14-DAY MEAN ELECTRICAL CONDUCTIVITY

	1.3 1.2 1.1	WQ Criteria Based on DWR's May 1, 2021 Bulletin 120 SRI 50% Probability Forecast of 6.73 MAF, the NDWA WQ Criteria for the Sacramento River at Rio Vista is :		(1.20 mS/cm)
	1.0 0.9	 0.87 mS/cm for Apr 1 - Aug 15 1.20 mS/cm for Aug 16 - Jan 31 		
/			(0.87 mS/cm)	J
SOND(0.8 0.7 0.6 0.5			
CAL (ay Me	0.6			
CTRIC (14-D	0.5			
ELEO	0.4			
	0.3			
	0.2			
	0.1			
	0.0	y-21		
	4	1-Apr-21	1-Jun-21 1-Jul-21	1-Aug-21

NORTH DELTA WATER AGENCY SACRAMENTO RIVER AT THREE-MILE SLOUGH 14-DAY MEAN ELECTRICAL CONDUCTIVITY




SACRAMENTO RIVER AT EMMATON

NORTH DELTA WATER AGENCY MOKELUMNE RIVER AT TERMINUS (STATEN ISLAND) 14-DAY MEAN ELECTRICAL CONDUCTIVITY

	1.2	WQ Criteria Based on DWR's May 1, 2	2021 Bulletin 120				(1.10 mS/cm)
	1.1	SRI 50% Probability Fore the NDWA WQ Criteria fo <i>River at Terminus</i> is:	cast of 6.73 MAF,				
	1.0	0.53 mS/cm for Apr 1 - Aug 15					
	0.9	1.10 mS/cm for Aug 16	Jan 31				
	0.0						
F >	0.8						
E E E							
DO NS/c	0.7						
ELECTRICAL CONDUCTIVITY (14-Day Mean mS/cm)	0.6						
N C	0.0			(0.53 m	S/cm)		
-Day	0.5						-
H H H H H H H H H H H H H H H H H H H							
Щ	0.4						
	0.3						
	0.2						
	0.1						
	0.0			<u> </u>	<u> </u>	<u> </u>	
	1-Anr-21			1-Jun-21	1-Jul-21	1-Aug-21	
	1-A			7	,	1-A	

— MOKELUMNE RIVER AT TERMINUS — NDWA CONTRACT CRITERIA

NORTH DELTA WATER AGENCY SAN JOAQUIN RIVER AT SAN ANDREAS LANDING 14-DAY MEAN ELECTRICAL CONDUCTIVITY



NORTH DELTA WATER AGENCY STEAMBOAT SLOUGH AT SUTTER SLOUGH 14-DAY MEAN ELECTRICAL CONDUCTIVITY

0.8	· ·			
0.7	WQ Criteria Based on DWR's May 1, 2021 Bulletin 120 SRI 50% Probability Forecast of 6.73 MAF, the NDWA WQ Criteria for Steamboat Slough at Sutter Slough is: 0.53 mS/cm for Apr 1 - Aug 15			
	0.60 mS/cm for Aug 16 - Jan 31			(0.60 mS/cm)
0.6		(0.53 mS/cm)		
0.5				
(14-Day Mean mS/cm) (14-Day Mean mS/cm) (14-Day Mean mS/cm) (14-Day Mean mS/cm)				
) ĕ 0.4				
] ∠ (
4-Day N				
<u>4</u> こ 0.3				
J				
0.2				
0.1	When data is not available for this for Station B91479			
0.1	representative data is provided when possible from a			
	gauge at Sacramento River below Georgiana Slough			
	(CDEC ID SUS).	J		
0.0				
	1-Apr-21 1-May-21	-Jun-21	- <u>-</u>	
	Apr	n		6nv
			<u> </u>	4 -

-----STEAMBOAT SLOUGH AT SUTTER SLOUGH ------NDWA CONTRACT CRITERIA

NORTH DELTA WATER AGENCY SACRAMENTO RIVER AT WALNUT GROVE 14-DAY MEAN ELECTRICAL CONDUCTIVITY

0.7	WQ Criteria Based on DWR's May 1, 2021 Bulletin 120 SRI 50% Probability Forecast of 6.73 MAF, the NDWA WQ Criteria for <i>Sacramento River</i> at Walnut Grove is:		
0.6	0.53 mS/cm for Apr 1 - Aug 15 0.60 mS/cm for Aug 16 - Jan 31		(0.60 mS/cm)
		(0.53 mS/cm)	
(u 0.5 (u 1)			
(14-Day Mean mS/cm) 00 2			
(14-Da 6.0			
0.2			
0.1	When data is not available for this Station B91650, representative data is provided when possible from a gauge at Sacramento River below Georgiana Slough (CDEC ID GES).		
0.0	μ δ δ	21	21
	1-Apr-21 1-May-21	1-Jun-21 1-Jul-21	-Aug-21

-----SACRAMENTO RIVER AT WALNUT GROVE -------NDWA CONTRACT CRITERIA

NORTH DELTA WATER AGENCY MOKELUMNE RIVER NEAR WALNUT GROVE 14-DAY MEAN ELECTRICAL CONDUCTIVITY

