

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of **Priority** items and 10 calendar days for **Priority Foundation** items or **HACCP** Plan deviations. (§ 64 C.S.R. 17-3.1.j.)

OBSERVATION TOTALS

PRIORITY: 0
CORE: 9

PRIORITY FOUNDATION: 0
TOTAL: 9

ESTABLISHMENT: Buffalo Wild Wings PERMIT NO.: _____ DATE: 7/2/2021
 ADDRESS: 796 Foxcroft Ave suite 205 CITY: Martinsburg STATE: WV ZIP: 25401
 PERSON IN CHARGE/TITLE: DAN Sweeney, Director of OPS TELEPHONE: 304-264-9453
 RECEIVED BY (SIGNATURE): [Signature] SANITARIAN (SIGNATURE): [Signature]
 INSPECTION TYPE: ROUTINE FOLLOW-UP COMPLAINT OTHER: _____ TIME: 1:10am

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
		✓	6-501.12	Fans in Produce Walk-in need cleaning
		✓	6-501.11	Wall coving beside mop sink needs repair
		✓	6-501.11	Missing & damaged tile in water softener area needs replaced
		✓	6-501.12	Drains under 3-Bay & vegetable wash sinks need cleaned
		✓	6-501.12	Drains by the back drink station need cleaned
		✓	6-501.11	Glass chiller shelves need replaced - paint chipping, exposing rust
		✓	6-501.13	Floor (behind equipment) needs cleaned throughout kitchen
		✓	6-501.13	Floor needs cleaned behind the bar, under bar equipment - sinks + ice holder
		✓	6-501.11	Server station drink station has a leak
				* Establishment may re-open

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
Walk-in Fridge	31°	Southwest Station Cooler	37°	Condiment cooler	37°		
Bacon & Cheese fridge shelves	38°	Walk-in (Produce)	37°	Peltfield Freezer	16°		
Fries Freezer shelves	5°	Walk-in Freezer	19°	Beer Walk-in	36°		
Grill Station Cooler	39°	Fries Freezer shelves	5°	Glass Chiller	11°		