UPDATED 2017

Minimum Requirements for New Commercial Buildings

| | REQUIRED DOCUMENTS MUST BE SUBMITTED AT TIME OF PERMIT APPLICATION | | | |
|-----|---|-----|--------|---------|
| 1. | Copy of the recorded deed (if metes and bounds) or legal description and County Property Records Card. | Yes | No | N/A |
| 2. | Florida Energy Efficiency Forms: Provide two (2) complete sets of energy calculations on the appropriate forms. All sheets shall contain the signatures of the person who performed the calculations, owner/agent, architect, electrical, mechanical, plumbing, and lighting designers. Provide two (2) copies of load calculations. | Yes | No | N/A |
| 3. | Fire Marshall plan review form shall be complete. MSDS shall be provided for storage of hazardous materials in "H" occupancies. | Yes | No | N/A |
| 4. | Two copies of the approved site plans. | Yes | No | N/A |
| 5. | Restaurants are required to submit two (2) copies of plans approved by Department of Business and Professional Regulation, Division of Hotels and Restaurants. | Yes | No | N/A |
| 6. | Contact the appropriate state agency if you plan on installing any underground storage tanks (352) 343-3776 | Yes | No | N/A |
| 7. | Sanitary sewer/water receipt: If sanitary sewer/water service is not available, provide a copy of septic tank permit/well permit. Contact State of Florida Health Department NOTE: Septic tank /well is not an option; if facilities are available, the plumbing systems shall be connected to the available services. | Yes | No | N/A |
| 8. | Flood Protection: Flood Damage Control Regulations and minimum standards under the National Flood Insurance Program require new construction, substantial improvements and remodeling projects to be protected from flood damage. Pursuant to these regulations, the following information must be included with plans submitted for approval for structures built within the Special Flood Hazard Area (for greater detail, please refer to the Flood Plain Coordinator): verification of grade and structural related elevations; certification of materials, ventilation and floodproofing techniques, area identified for remodeling and the value of construction; and added engineer certifications for construction within a floodway or velocity zone and for commercial construction below the base flood elevation. | Yes | No | N/A |
| 9. | Two (2) copies of pre-engineered building shop drawings. Shop drawings shall be signed and sealed by a design professional and shall indicate the design criteria clearly indicated; i.e., wind loading, floor and roof live and dead loads. | Yes | No | N/A |
| 10. | State Health Department permit is required to install water distribution systems serving multiple buildings or if water line is $1\frac{1}{4}$ " or larger. | Yes | No | N/A |
| | PLANS AND SPECIFICATIONS | | - | - |
| 1. | Plans and specifications: Three (3) copies of drawings to scale (¹ / ₄ " = 1') with sufficient clarity and detail to indicate the nature and scope of work. Such drawings shall contain information, in the form of notes or otherwise, as to the quality of materials, where the quality is essential to conforming with the technical codes of the 2014 Florida Building, Plumbing, Mechanical, Fuel Gas, 2011 National Electrical Codes, and the 2014 Florida Fire Prevention Code. All drawings, specifications and accompanying data shall bear the name and signature of the person(s) responsible for the design. | Yes | N o | N/ A |
| 2. | The following information related to wind loads shall be shown on the construction plans: Basic wind speed, mph, (km/hr). Wind importance factor (I) and building category per FBC requirements. Wind exposure – if more than one (1) wind exposure is utilized, the wind exposure and applicable wind direction shall be indicated. The applicable internal pressure coefficient. Components and Cladding. The design wind pressures in terms of psf, (kN/m2) to be used for the design of exterior component and cladding materials not specifically designed by the registered design professional. | Yes | No | N/A |

| | PLANS AND SPECIFICATIONS New Commercial Buildings | To Be Each I Be Ci Apr | Box S | hall As |
|-----|---|---------------------------------|-------|------------|
| 3. | Occupancy group and special occupancy shall be noted. | Yes | No | N/A |
| | Minimum type of construction shall be noted as determined by Table 601 and 602 | Yes | No | N/A |
| 4. | Detail(s) Provided showing compliance with table 601 | Yes | No | N/A |
| | Detail(s) provided showing compliance with table 602. | Yes | No | N/A |
| 5. | Provide the maximum area as provided by applicable sections of chapter 5 FBC and any required calculations justifying any area of increase. | Yes | No | N/A |
| 6. | Allowable Height/Actual Height including calculations per chapter 5. | Yes | No | N/A |
| 7. | Designed Occupant Load per table 1004.1.2 FBC. | Yes | No | N/A |
| 8. | Method of treating mixed uses per section 508 FBC. Please provided written description of how this is being treated, Non-separated, separated mixed use (provide ration sum), or separated buildings. | Yes | No | N/A |
| 9. | Minimum plumbing fixtures Required/Provided per section 403 FPC. | Yes | No | N/A |
| 10. | Fire resistant construction requirements shall be shown and shall include the following components: Fire resistant separations. (Table 706.4 FBC) Fire resistant protection for type of construction.(Table 601 & Table 602) Protection of openings and penetrations of rated walls.(t. 716.5) Listed assemblies of rated walls, floors/ceilings, and shaft enclosures. Calculated fire resistance.(section 722) Incidental usage separation (509) | Yes | No | N/A |
| ID | IDENTIFY THE FOLLOWING ON SCALED, DIMENSIONED FLOOR AND CEILING PLANS OR ON A SCALED DIMENSIONED CODE ANALYSIS DIAGRAM FOR 11 - 20 | | | |
| 11. | Buildings on the same lot or fire area (section 705.3 and 503.1.2) | Yes | No | N/A |
| 12. | Each tenant space if the project is in a shopping center or other use with multiple tenants (chapter 4). | Yes | No | N/A |
| 13. | The use of each room or space (t. 1004.1 and t. 302) | Yes | No | N/A |
| 14. | Square footage and design occupant load per room. Give actual design number and tabular area per Table 1004.1.2 and Table 302.1.1 where applicable. | Yes | No | N/A |
| 15. | Existing, demolition and proposed construction ares | Yes | No | N/A |
| 16. | Fire-resistive rated construction, including fire wall, fire partitions, fire barriers, smoke barriers, shaft enclosures, horizontal assemblies, fire separation assemblies, incidental use area and smoke partitions per chapter 7. | Yes | No | N/A |
| 17. | Sprinkler, fire alarm and detection systems, and fire suppression equipment locations per chapter 9 | Yes | No | N/A |
| 18. | Fire extinguishing cabinet and stand pipe cabinet locations 905.7 | Yes | No | N/A |
| 19. | Egress capacity, proposed egress and egress direction at every point chapter 10 | Yes | No | N/A |
| 20. | Exit signage and emergency lighting locations, sections 1011 and 1006 | Yes | No | N/A |

A DIMENSIONED SITE LAYOUT PLAN THAT INCLUDES ALL OF THE FOLLOWING 21-26

| | | | | 1 |
|-----|---|-----|----|-----|
| 21. | Established street grades, proposed finished grades and ground floor elevations. | Yes | No | N/A |
| 22. | The slopes of paving on the accessible route. | Yes | No | N/A |
| 23. | Overall dimensions of all buildings on the site | Yes | No | N/A |
| 24. | Footprints of all construction to be demolished, to remain, or to be constructed | Yes | No | N/A |
| 25. | The distance from the building footprint(s) to property lines and any adjacent buildings drawn in accordance with an accurate boundary line survey. | Yes | No | N/A |
| 26. | Accessible parking | Yes | No | N/A |
| | A DOOR SCHEDULE THAT PROVIDES ALL OF THE FOLLOWING 27-31 | | | |
| 27. | All door sizes | Yes | No | N/A |
| 28. | Hardware type (locks, latches, handles, closers, panic and fire exit hardware, operating devices, access control systems) | Yes | No | N/A |
| 29. | Door fire rating expressed in hours or minutes if rated | Yes | No | N/A |
| 30. | Glazing type | Yes | No | N/A |
| 31. | Product Approval requirements for exterior doors. | Yes | No | N/A |
| 32. | Building Sections locating floor/ceiling and roof/ceiling assemblies with details, design numbers and specifications | Yes | No | N/A |
| 33. | Typical wall sections and partition types All fire rated walls must be labeled as to the type (fire partition, fire barrier, smoke barrier, shaft enclosure, horizontal assembly, fire separation assembly, fire wall, smoke partition), provided with design numbers and specifications (U.L. Gypsum Association, etc.), drawn full height with cross sections of all fire rated assemblies including all material used in the assembly, support and termination details must be included. | Yes | No | N/A |
| 34. | Stair and ramp sections | Yes | No | N/A |
| 35. | Through penetration and fire stopping systems with details, design numbers and specifications. | Yes | No | N/A |
| 36. | If this project is an alteration, identify all walls and other structural framing that will be affected by the alteration. If the framing or foundation systems will be altered, provide complete foundation and framing plans with the design loads listed. Framing plans should provide beam, joist, rafter and truss sizes and layouts. Foundation plans should show footing depths, sizes and design bearing capacity. | Yes | No | N/A |
| 37. | Interior wall finish requirements (section 803 and t. 803.9) | Yes | No | N/A |

| 6 | r | r | r | |
|-----|---|-----|----|-----|
| 38. | Floor live loads, including concentrated loads | Yes | No | N/A |
| 39. | Roof live loads and dead loads | Yes | No | N/A |
| 40. | Effective wind loads/pressures for the main wind force resisting system and components and cladding (windward, leeward, uplift, component and cladding pressures section 1609) | Yes | No | N/A |
| 41. | Rain load including the ds and dh used for calculation per section 1611 | Yes | No | N/A |
| 42. | Basic Wind Speed section, including risk category, exposure group, and internal pressure coefficient 1609 FBC | Yes | No | N/A |
| 43. | Cable safeguard barrier plans per 1618.6 | Yes | No | N/A |
| 44. | Compliance statement per 110.8.4.4 FBC | Yes | No | N/A |
| 45. | Threshold Inspection Plan and Shoring Plan where required by 109.3.6 FBC | Yes | No | N/A |
| 46 | Special Inspector Credentials | Yes | No | N/A |
| 47. | Provide structural calculations | Yes | No | N/A |
| | ELECTRICAL REQUIREMENTS | | | · |
| 48. | Electrical plans shall comply with the 2011 National Electrical Code and shall include the following: Designer name and registration number shall be on all plans. Type, location, and capacity of all service equipment. Size and length of wiring enclosures, including dimensions of junction boxes. The number, size, and type of all conductors to be installed in wiring enclosures. The location of every proposed outlet, including switches. The location, voltage, horsepower, kilowatt, or similar rating of every motor or generator. Location and wattage of every transformer or other appliance to be installed. Details of panelboard, switchboard, and distribution centers, showing type and arrangement of switches, over-current devices, and general control equipment. Panelboard or switchboard schedules showing wattage or amperage and the number of active or branch circuits to be installed, and the number of spare or branch circuits for future use. The location of every electrical outlet with size of conductor and raceway. The load calculation sheet, and method used to perform the calculation. Conduit type and conductors installed. Derating calculations if applicable. Identification of all Hazardous locations. Identification of all rooms as they apply to the requirements of NFPA 70 | Yes | No | N/A |

| | GAS REQUIREMENTS | | | | | |
|-----|---|-----|----|-----|--|--|
| 49. | Gas plans shall include the following: Designer name and registration number shall be on all plans. Gas piping layout.with all lengths, and size changes. Venting. Gas riser diagram/shut-offs and pipe sizes. Type of gas. Appliances.along with BTU rating Fireplaces. Chimneys and vents. L P tank locations. | Yes | No | N/A | | |
| | MECHANICAL PLANS | | | | | |
| 50. | Designer name and registration number Duct size and type for both Return and Supply Damper locations, along with the type of damper. Equipment location and required access widths CFM at each register for both Return and Supply Typical Duct Installation requirements, insulation attachment and support Exhaust duct type, size, location, termination and roof penetration detail Make up air size and location. Fresh air location, size and volume. Location must be indicated on the plan per 403 FMC Attachment of mechanical equipment must be indicated per the wind zone indicated. Combustion air size, location. Required clearances of specific appliances | | | | | |