## Cage# 6R0R0 DUNS# 141956438 WOSB

# DMT TSSI GSA Schedule as of 06/03/2016

| ITEM#         | NAME                  | SPECS  |
|---------------|-----------------------|--|
|               | 2411 DNAT 2           | 24.5"Lx25"Dx48"H-240 lbs; STD DMT WORKSTATION  |
| DMTUPB24-     | 24" DMT 3<br>Drawer   | CONFIGURATION: FLIP UP LID WITH PALSTIC TILT BINS, REMOVABLE FRONT TABLE RATED AT 300LBS, THREE DRAWERS,                         |
| 3DR           | Workstation           | ABS LAM PLY, 4 SWIVEL CASTERS (FRONT TWO WITH BREAKS)  |
|               |                       | 24.5"Lx25"Dx48"H-240 lbs; STD DMT WORKSTATION  |
|               | 24" DMT 4             | CONFIGURATION: FLIP UP LID WITH PALSTIC TILT BINS,   |
| DMTUPB24-     | Drawer                | REMOVABLE FRONT TABLE RATED AT 300LBS, Four DRAWERS,   |
| 4DR           | Workstation           | ABS LAM PLY, 4 SWIVEL CASTERS (FRONT TWO WITH BREAKS)  |
|               |                       | 37.5"Lx25"Dx48"H-280 lbs; STD DMT WORKSTATION  |
|               | 36" DMT 3             | CONFIGURATION: FLIP UP LID WITH PALSTIC TILT BINS,   |
| DMTUPB36-     | Drawer                | REMOVABLE FRONT TABLE RATED AT 300LBS, THREE DRAWERS,  |
| 3DR           | Workstation           | ABS LAM PLY, 4 SWIVEL CASTERS (FRONT TWO WITH BREAKS)  |
|               |                       | 37.5"Lx25"Dx48"H-280 lbs; STD DMT WORKSTATION  |
|               | 36"DMT 4              | CONFIGURATION: FLIP UP LID WITH PALSTIC TILT BINS,   |
| DMTUPB36-     | Drawer                | REMOVABLE FRONT TABLE RATED AT 300LBS, FOUR DRAWERS,   |
| 4DR           | Workstation           | ABS LAM PLY, 4 SWIVEL CASTERS (FRONT TWO WITH BREAKS)  |
|               |                       | DMT Medical Examiner's 36" Workstation with 4 Drawer, 36"L X   |
|               | 36" DMT               | 27"D X 48"H - Aluminum (silver) Channels and grey fiberglass   |
|               | Coroners/             | panels for Blood and other biological contaminates; non  |
| DMTUPB36-     | Medical<br>Examiner's | porous, Powerstrip, LED Light, 6" ballon all-terrain casters, 1 - 12 Gauge 304 Stainless Steel tables in removeable front panel. |
| 4DRME1T       | Workstation           | 20x30 each. Legs adjust from 31" to 40"  |
| IBINITEET     | VVOIRStation          |  |
|               | 4011 53 47 6          | 48"Lx25"Dx48"H-320 lbs; STD DMT WORKSTATION  |
|               | 48" DMT 6             | CONFIGURATION: FLIP UP LID WITH PALSTIC TILT BINS,   |
| DMTUPB48-6    | Drawer<br>Workstation | REMOVABLE FRONT TABLE RATED AT 300LBS, SIX DRAWERS, ABS LAM PLY, 4 SWIVEL CASTERS (FRONT TWO WITH BREAKS)                        |
| 5141101 540 0 | VVOIRSCACIOII         | 7.55 E (WITEL, 7 SWIVEL CASTERS (INCINITIVO WITH BREAKS)   |
|               |                       | 48"Lx25"Dx48"H-320 lbs; STD DMT WORKSTATION  |
|               | 48" DMT 8             | CONFIGURATION: FLIP UP LID WITH PALSTIC TILT BINS,   |
|               | Drawer                | REMOVABLE FRONT TABLE RATED AT 300LBS, EIGHT DRAWERS,  |
| DMTUPB48-8    | Workstation           | ABS LAM PLY, 4 SWIVEL CASTERS (FRONT TWO WITH BREAKS)  |



| 1         | İ            |   |
|-----------|--------------|---|
|           |              | 48"Lx25"Dx48"H-320 lbs; STD DMT WORKSTATION                         |
|           | 48" DMT 10   | CONFIGURATION: FLIP UP LID WITH PALSTIC TILT BINS,                  |
| DMTUPB48- | Drawer       | REMOVABLE FRONT TABLE RATED AT 300LBS, TEN DRAWERS,                 |
| 10        | Workstation  | ABS LAM PLY, 4 SWIVEL CASTERS (FRONT TWO WITH BREAKS)               |
|           |              |   |
|           |              | 48"Lx25"Dx48"H-395 lbs; STD DMT Workstation                         |
|           |              | CONFIGURATION: FLIP UP LID WITH PALSTIC TILT BINS,                  |
|           |              | REMOVABLE FRONT TABLE RATED AT 300LBS, THREE DRAWERS,               |
|           | 48" DMT      | ABS LAM PLY, 4 SWIVEL CASTERS (FRONT TWO WITH BREAKS);              |
| DMTUPB-   | Med Ref      | MEDICAL GRADE LOCKING REFRIGERATOR WITH EXTERNAL                    |
| 48MR      | Workstation  | DIGITAL THERMOMETER   |
|           |              | DMT Medical Examiner's 48" Workstation with 8 Drawer, 48"L X        |
|           | 48" 8        | 27"D X 48"H - Aluminum (silver) Channels and grey fiberglass        |
|           | Drawer       | panels for Blood and other biological contaminates; non             |
|           | Medical      | porous, Powerstrip, LED Light, 6" ballon all-terrain casters, 2 -   |
| DMTUPB48- | Examiner's   | 12 Gauge 304 Stainless Steel tables in removeable front panel.      |
| 8DRME2T   | Workstation  | 20x30 each. Legs adjust from 31" to 40"                             |
|           |              | 60"Lx25"Dx48"H-395 lbs; STD DMT WORKSTATION                         |
|           | 60" DMT 6    | CONFIGURATION: FLIP UP LID WITH PALSTIC TILT BINS,                  |
| DMTUPB60- | Drawer       | REMOVABLE FRONT TABLE RATED AT 300LBS, SIX DRAWERS,                 |
| 6DR       | Workstation  | ABS LAM PLY, 4 SWIVEL CASTERS (FRONT TWO WITH BREAKS)               |
|           |              |   |
|           |              | 60"Lx25"Dx48"H-395 lbs; STD DMT WORKSTATION                         |
|           | 60" DMT 8    | CONFIGURATION: FLIP UP LID WITH PALSTIC TILT BINS,                  |
| DMTUPB60- | Drawer       | REMOVABLE FRONT TABLE RATED AT 300LBS, EIGHT DRAWERS,               |
| 8DR       | Workstation  | ABS LAM PLY, 4 SWIVEL CASTERS (FRONT TWO WITH BREAKS)               |
|           |              | CONT. 35 IID. 40 III JOS III. CTD DAAT WORKSTATION                  |
|           | CO!! DNAT 10 | 60"Lx25"Dx48"H-395 lbs; STD DMT WORKSTATION                         |
| DNATHDDCO | 60" DMT 10   | CONFIGURATION: FLIP UP LID WITH PALSTIC TILT BINS,                  |
| DMTUPB60- | Drawer       | REMOVABLE FRONT TABLE RATED AT 300LBS, TEN DRAWERS,                 |
| 10DR      | Workstation  | ABS LAM PLY, 4 SWIVEL CASTERS (FRONT TWO WITH BREAKS)               |
|           |              | DMT Medical Examiner's 60" Workstation with 9 Drawer, 60"L X        |
|           |              | 27"D X 56"H, 48" H Workspace - Anodized aluminum (silver)           |
|           | 60" 9        | Channels and grey fiberglass panels for Blood and other             |
|           | Drawer       | biological contaminates; non porous, Powerstrip, LED Light, 6"      |
|           | Medical      | ballon all-terrain casters, 2 - 12 Gauge 304 Stainless Steel tables |
| DMTUPB60- | Examiner's   | in removeable front panel. 20x30 each. Legs adjust from 31" to      |
| 9DRME2T   | Workstation  | 40"   |



| DMTUPB72-<br>6DR  | 72" DMT 6<br>Drawer<br>Workstation  | 72"Lx25"Dx48"H-425 lbs; STD DMT WORKSTATION<br>CONFIGURATION: FLIP UP LID WITH PALSTIC TILT BINS,<br>REMOVABLE FRONT TABLE RATED AT 300LBS, SIX DRAWERS,<br>ABS LAM PLY, 4 SWIVEL CASTERS (FRONT TWO WITH BREAKS)  |
|-------------------|-------------------------------------|--|
| DMTUPB72-<br>8DR  | 72" DMT 8<br>Drawer<br>Workstation  | 72"Lx25"Dx48"H-425 lbs; STD DMT WORKSTATION CONFIGURATION: FLIP UP LID WITH PALSTIC TILT BINS, REMOVABLE FRONT TABLE RATED AT 300LBS, EIGHT DRAWERS, ABS LAM PLY, 4 SWIVEL CASTERS (FRONT TWO WITH BREAKS)   |
| DMTUPB72-<br>10DR | 72" DMT 10<br>Drawer<br>Workstation | 72"Lx25"Dx48"H-425 lbs; STD DMT WORKSTATION CONFIGURATION CONFIGURATION: FLIP UP LID WITH PALSTIC TILT BINS, REMOVABLE FRONT TABLE RATED AT 300LBS, SIX DRAWERS, ABS LAM PLY, 4 SWIVEL CASTERS (FRONT TWO WITH BREAKS)   |
| DMTUPB-<br>72MR   | 48" DMT<br>Med Ref<br>Workstation   | 48"Lx25"Dx48"H-395 lbs; STD DMT WORKSTATION CONFIGURATION CONFIGURATION: FLIP UP LID WITH PALSTIC TILT BINS, REMOVABLE FRONT TABLE RATED AT 300LBS, THREE DRAWERS, ABS LAM PLY, 4 SWIVEL CASTERS (FRONT TWO WITH BREAKS); MEDICAL GRADE LOCKING REFRIGERATOR WITH EXTERNAL DIGITAL THERMOMETER |
| DMTUPB-<br>24PS   | 24" DMT<br>Pack &<br>Stack Case     | 24"Lx25"Dx26"H-95 lbs; ROLLING, STACKABLE, TOP LOADING TRUNK WITH FOUR CASTERS   |
| DMTUPB-<br>30PS   | 30" DMT<br>Pack &<br>Stack Case     | 30"Lx25"Dx26"H-110 lbs; ROLLING, STACKABLE, TOP LOADING TRUNK WITH FOUR CASTERS  |
| DMTUPB-<br>36PS   | 36" DMT<br>Pack &<br>Stack Case     | 36"Lx25"Dx26"H-110 lbs; ROLLING, STACKABLE, TOP LOADING TRUNK WITH FOUR CASTERS  |
| DMTUPB-<br>45PS   | 45" DMT<br>Pack &<br>Stack Case     | 45"Lx25"Dx26"H-130 lbs; ROLLING, STACKABLE, TOP LOADING TRUNK WITH FOUR CASTERS  |
| DMTUPB-<br>50PS   | 50" DMT<br>Pack &<br>Stack Case     | 50"Lx25"Dx26"H-140 lbs; ROLLING, STACKABLE, TOP LOADING TRUNK WITH FOUR CASTERS  |



|                    |              | 48"Lx31"Dx42"H-320 lbs; ROLLING WORKSTATION WITH LARGE  |
|--------------------|--------------|---|
| DMTUPBHICS-        |              | FLIP UP WHITE ERASE BOARD; TWO DRAWERS; TWO SHELVES ON FRONT; REAR REMOVABLE LARGE TABLE, SURGE           |
| 2DR                | HICS         | PROTECTOR; TWO SHELVES.   |
|                    |              | 48"Lx31"Dx42"H-320 lbs; ROLLING WORKSTATION WITH LARGE  |
| DNATHDDLIICC       |              | FLIP UP WHITE ERASE BOARD; FOUR DRAWERS; TWO SHELVES  |
| DMTUPBHICS-<br>4DR | HICS         | ON FRONT; REAR REMOVABLE LARGE TABLE, SURGE PROTECTOR; TWO SHELVES.                                       |
|                    | 11100        | The real of the street each   |
|                    |              | GEDUNK; ROLLING REHAB/REFRESHMENT CART; CONFIGURED  |
|                    |              | WITH A 4.5 CU FT REFRIGERATOR; MICROWAVE; COFFEE  |
|                    |              | MAKER; DRAWER STORAGE; TWO REMOVABLE TABLES; ATTACHED HD POWER STRIP FOR APPLIANCES. CAN BE               |
| DMTUPB-GED         | Gedunk       | CONFIGURED WITH A WIDE VAREITY OF APPLIANCES  |
|                    |              | 36"Lx26"Dx26"H-325 lbs; HD DESK SYSTEM; FRONT TABLE   |
| DMTUPB-            |              | ATTACHES TO SIDE OF CASE FOR DESK; THREE DRAWERS; ABS   |
| MD36               | Mobi Desk    | LAM PLY, 4 SWIVEL CASTERS (FRONT TWO WITH BREAKS)   |
|                    |              |   |
| DMTUPB-            |              | 36"Lx26"Dx26"H-325 lbs; HD DESK SYSTEM; FRONT TABLE ATTACHES TO SIDE OF CASE FOR DESK; THREE DRAWERS; ABS |
| MD48               | Mobi Desk    | LAM PLY, 4 SWIVEL CASTERS (FRONT TWO WITH BREAKS)   |
|                    |              | 72"Lx26"Dx26"H-325 lbs; HD DESK SYSTEM; FRONT TABLE   |
| DMTUPB-            |              | ATTACHES TO SIDE OF CASE FOR DESK; THREE DRAWERS; ABS   |
| MD72               | Mobi Desk    | LAM PLY, 4 SWIVEL CASTERS (FRONT TWO WITH BREAKS)   |
|                    |              | DMT 72" Custom FAC Desk: 72" L x 33" H x 30" L ;black with two  |
|                    |              | black table skirts, 1 Hubble plug, cat5 interface, 6" all locking   |
|                    |              | casters, mica surface on table and top of case, six cable ports,  |
| DMT72FACITD        | FAC Desk     | fully mobile table, Carpet lined drawers, Laptop and Monitor Inserts; 1/2" dark grey panel                |
| DIVITIZIACITO      | Custom       | miscros, 1/2 dain grey paner  |
| DMTUPBCPC          | Printer Case | Custom Printer Case   |
|                    | White        |   |
| DMTUPB-WEB         | Board        | ADDITIONS TO DMT Workstation ITEMS  |
|                    |              |   |
| DMTUPB-TB          | Tilt Bin     | ADDITIONS TO DMT Workstation ITEMS  |



| DMTUPB-AL- |              |  |
|------------|--------------|--|
| AD         | Aluminum     | ADDITIONS TO DMT Workstation ITEMS       |
|            |              |  |
| DMTUPB-SPS | Power Strip  | ADDITIONS TO DMT Workstation ITEMS       |
| DMTUPB-    |              |  |
| TABLE      | Table        | ADDITIONS TO DMT Workstation ITEMS       |
|            |              |  |
| DMTUPB-HP  | Hubble Plug  | ADDITIONS TO DMT Workstation ITEMS       |
|            |              |  |
| DMTUPB-LED | LED lights   | ADDITIONS TO DMT Workstation ITEMS       |
|            | Drawer       |  |
| DMTUPB-DD  | divider      | ADDITIONS TO DMT Workstation ITEMS       |
|            | Medical      |  |
| DMTUPB-SMR | Refrigerator | ADDITIONS TO DMT Workstation ITEMS       |
| DMTUPB-    | Add          |  |
| HAND       | Handles      | ADDITIONS TO DMT Workstation ITEMS       |
|            | HG power     |  |
| DMTUPB-HPS | strip        | ADDITIONS TO DMT Workstation ITEMS       |
| DMTUPB-SST | SS Table     | Stainless Steel Table w/ Adjustable legs |

|             | DMI-Deployable Medical Inflatable Heavy Duty Shelters | Sq. Ft |
|-------------|---|--------|
|             | DMI Shelter (White) 2 arches 2 doors, 18'4 x 8'10 x   |        |
| DMT- DMI2-W | 9'2 w/ Master Blaster/Hose Kit                        | 160    |
|             | DMI Shelter (Sand) 2 arches 2 doors, 18'4 x 8'10 x    |        |
| DMT- DMI2-S | 9'2 w/ Master Blaster/Hose Kit                        | 160    |
|             | DMI Shelter (White) 3 arches 2 doors, 18'4 x 16'10 x  |        |
| DMT- DMI3-W | 9'2 w/ Master Blaster/Hose Kit                        | 310    |
|             | DMI Shelter (Sand) 3 arches 2 doors, 18'4 x 16'10 x   |        |
| DMT- DMI3-S | 9'2 w/ Master Blaster/Hose Kit                        | 310    |
|             | DMI Shelter (White) 4 arches 2 doors, 18'4 x 24'9 x   |        |
| DMT-DMI4-W  | 9'2 w/Master Blaster/Hose Kit                         | 450    |
|             | DMI Shelter (Sand) 4 arches 2 doors, 18'4 x 24'9 x    |        |
| DMT-DMI4-S  | 9'2 w/Master Blaster/Hose Kit                         | 450    |
|             | DMI Shelter (White) 5 arches 2 doors, 18'4 x 32'7 x   |        |
| DMT-DMI5-W  | 9'2 w/Master Blaster/Hose Kit                         | 600    |
|             | DMI Shelter (Sand) 5 arches 2 doors, 18'4 x 32'7 x    |        |
| DMT-DMI5-S  | 9'2 w/Master Blaster/Hose Kit                         | 600    |
|             |   |        |



Fax 480-247-4894

## Emergency Preparedness, Response, and Recovery

## Cage# 6R0R0 DUNS# 141956438 WOSB

|  | DMI Wide Shelter(Sand) 5 arches 2 doors, 20'4 x 32.7 x  |  |
|--|---|--|
| DMT-DMI5W-S  | 10'2 w/Master Blaster/Hose Kit  | 660  |
|  | DMI Wide (White) 6 arches 2 doors, 20'4 x 40'8 x  |  |
| DMT-DMI6W-W  | 10'2 w/Master Blaster/Hose Kit  | 840  |
| DMT DMICH C  | DMI Wide (Sand) 6 arches 2 doors, 20'4 x 40'8 x   | 0.40   |
| DMT-DMI6W-S  | 10'2 w/Master Blaster/Hose Kit  | 840  |
| DMIDOOR  | DMI Soft Zipper Door  |  |
|  | DMI Shelters are available in the following colors: White,  |  |
|  | Orange, Sand and Green; Green and Orange Special Order  |  |
|  | Interior Liners for DMI Shelters  |  |
| DMT-DTIS3  | DMI Inner insulation sheet cotton for DMI3  |  |
| DMT-DTIS4  | DMI Inner insulation sheet cotton for DMI4  |  |
| DMT-DTIS5  | DMI Inner insulation sheet cotton for DMI5  |  |
| DMT-DTIS5W   | DMI Inner insulation sheet cotton for DMI5W   |  |
| DMT-DTIS6W   | DMI Inner insulation sheet cotton for DMI6W   |  |
| DMT-DTIS6WC  | DMI Inner insulation sheet cotton for DMI6W (Camel)   |  |
| DMT-DSC  | DMI Divider sheet cotton for 3-4-5 arches   |  |
| DMT-DSHC   | DMI Half Divider Sheet cotton for 3-4-5 arches (each)   |  |
| DMT-GRAB   | DMI Replacement Air Beam  |  |
|  | DMI Repair/Replacement Kit (4-purlins,4-shelter inflation   |  |
| DMT-DMI-SRPK   | valves,4-plastic inflation hose valves, 6-air beam  |  |
| DMT-DMI-SKPK<br>DMT-DMIRK  | replacement pins)<br>DMI Repair Kit   |  |
| DMT-DMIRK DMT-DMIHDOOR   | DMI Heavy-duty Hard Door System   |  |
| DITI DITITIDOOK  | RDI - Rapid Deployable Inflatable Lightweight Ripstop   |  |
|  |   |  |
|  | Fabric Shelters   | Sq. Ft   |
|  |   | Sq. Ft   |
| DMT-RDI3-W   | Fabric Shelters  RDI3 (White) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit  | Sq. Ft<br>172  |
|  | Fabric Shelters  RDI3 (White) 3 arches - 15'1 x 13'1 x 9'2 w/Master  Blaster/Hose Kit  RDI3 (Orange) 3 arches - 15'1 x 13'1 x 9'2 w/Master  | 172  |
| DMT-RDI3-W<br>DMT-RDI3-O   | Fabric Shelters  RDI3 (White) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit  RDI3 (Orange) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit  |  |
| DMT-RDI3-O   | Fabric Shelters  RDI3 (White) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit  RDI3 (Orange) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit  RDI4 (White) 4 arches - 15'1 x 19'4 x 9'2 w/Master  | 172<br>172   |
|  | Fabric Shelters  RDI3 (White) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit  RDI3 (Orange) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit  RDI4 (White) 4 arches - 15'1 x 19'4 x 9'2 w/Master Blaster/Hose Kit   | 172  |
| DMT-RDI3-O<br>DMT-RDI4-W   | Fabric Shelters  RDI3 (White) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit RDI3 (Orange) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit RDI4 (White) 4 arches - 15'1 x 19'4 x 9'2 w/Master Blaster/Hose Kit RDI4 (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Master   | 172<br>172<br>258                                    |
| DMT-RDI3-O   | Fabric Shelters  RDI3 (White) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit RDI3 (Orange) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit RDI4 (White) 4 arches - 15'1 x 19'4 x 9'2 w/Master Blaster/Hose Kit RDI4 (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Master Blaster/Hose Kit  | 172<br>172   |
| DMT-RDI3-O<br>DMT-RDI4-W   | Fabric Shelters  RDI3 (White) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit RDI3 (Orange) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit RDI4 (White) 4 arches - 15'1 x 19'4 x 9'2 w/Master Blaster/Hose Kit RDI4 (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Master   | 172<br>172<br>258                                    |
| DMT-RDI3-O DMT-RDI4-W DMT-RDI4-O DMT-RDI3-WI   | Fabric Shelters  RDI3 (White) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit RDI3 (Orange) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit RDI4 (White) 4 arches - 15'1 x 19'4 x 9'2 w/Master Blaster/Hose Kit RDI4 (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Master Blaster/Hose Kit RDI3S (White) 3 arches 15'1 x 13'1 x 9'2 w/Internal  | 172<br>172<br>258<br>258                             |
| DMT-RDI3-O DMT-RDI4-W DMT-RDI4-O   | RDI3 (White) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit RDI3 (Orange) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit RDI4 (White) 4 arches - 15'1 x 19'4 x 9'2 w/Master Blaster/Hose Kit RDI4 (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Master Blaster/Hose Kit RDI3S (White) 3 arches 15'1 x 13'1 x 9'2 w/Internal Inflator RDI3S (Orange) 3 arches 15'1 x 13'1 x 9'2 w/Internal Inflator  | 172<br>172<br>258<br>258                             |
| DMT-RDI3-O DMT-RDI4-W DMT-RDI4-O DMT-RDI3-WI DMT-RDI3-OI   | RDI3 (White) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit RDI3 (Orange) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit RDI4 (White) 4 arches - 15'1 x 19'4 x 9'2 w/Master Blaster/Hose Kit RDI4 (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Master Blaster/Hose Kit RDI3S (White) 3 arches 15'1 x 13'1 x 9'2 w/Internal Inflator RDI3S (Orange) 3 arches 15'1 x 13'1 x 9'2 w/Internal Inflator RDI4S (White) 4 arches - 15'1 x 19'4 x 9'2 w/Internal  | 172<br>172<br>258<br>258<br>172<br>172               |
| DMT-RDI3-O DMT-RDI4-W DMT-RDI4-O DMT-RDI3-WI   | RDI3 (White) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit RDI3 (Orange) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit RDI4 (White) 4 arches - 15'1 x 19'4 x 9'2 w/Master Blaster/Hose Kit RDI4 (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Master Blaster/Hose Kit RDI3S (White) 3 arches 15'1 x 13'1 x 9'2 w/Internal Inflator RDI3S (Orange) 3 arches 15'1 x 13'1 x 9'2 w/Internal Inflator RDI4S (White) 4 arches - 15'1 x 19'4 x 9'2 w/Internal Inflator   | 172<br>172<br>258<br>258<br>172                      |
| DMT-RDI3-O DMT-RDI4-W DMT-RDI4-O DMT-RDI3-WI DMT-RDI3-OI DMT-RDI4-WI                                     | RDI3 (White) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit RDI3 (Orange) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit RDI4 (White) 4 arches - 15'1 x 19'4 x 9'2 w/Master Blaster/Hose Kit RDI4 (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Master Blaster/Hose Kit RDI3S (White) 3 arches 15'1 x 13'1 x 9'2 w/Internal Inflator RDI3S (Orange) 3 arches 15'1 x 13'1 x 9'2 w/Internal Inflator RDI4S (White) 4 arches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI4S (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Internal  | 172<br>172<br>258<br>258<br>172<br>172<br>258        |
| DMT-RDI3-O DMT-RDI4-W DMT-RDI4-O DMT-RDI3-WI DMT-RDI3-OI DMT-RDI4-WI DMT-RDI4-OI                         | Fabric Shelters  RDI3 (White) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit RDI3 (Orange) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit RDI4 (White) 4 arches - 15'1 x 19'4 x 9'2 w/Master Blaster/Hose Kit RDI4 (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Master Blaster/Hose Kit RDI3S (White) 3 arches 15'1 x 13'1 x 9'2 w/Internal Inflator RDI3S (Orange) 3 arches 15'1 x 13'1 x 9'2 w/Internal Inflator RDI4S (White) 4 arches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI4S (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI4S (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Internal Inflator  | 172<br>172<br>258<br>258<br>172<br>172               |
| DMT-RDI3-O DMT-RDI4-W DMT-RDI4-O DMT-RDI3-WI DMT-RDI3-OI DMT-RDI4-WI DMT-RDI4-OI DMT-RDICC-W             | RDI3 (White) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit RDI3 (Orange) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit RDI4 (White) 4 arches - 15'1 x 19'4 x 9'2 w/Master Blaster/Hose Kit RDI4 (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Master Blaster/Hose Kit RDI3S (White) 3 arches 15'1 x 13'1 x 9'2 w/Internal Inflator RDI3S (Orange) 3 arches 15'1 x 13'1 x 9'2 w/Internal Inflator RDI4S (White) 4 arches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI4S (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI4S (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI4S (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI4S (Orange) 4 orches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI4S (Orange) 4 orches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI4S (Orange) 4 orches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI4S (Orange) 4 orches - 15'1 x 19'4 x 9'2 w/Internal Inflator   | 172<br>172<br>258<br>258<br>172<br>172<br>258        |
| DMT-RDI3-O DMT-RDI4-W DMT-RDI4-O DMT-RDI3-WI DMT-RDI3-OI DMT-RDI4-WI DMT-RDI4-OI                         | RDI3 (White) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit RDI3 (Orange) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit RDI4 (White) 4 arches - 15'1 x 19'4 x 9'2 w/Master Blaster/Hose Kit RDI4 (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Master Blaster/Hose Kit RDI3S (White) 3 arches 15'1 x 13'1 x 9'2 w/Internal Inflator RDI3S (Orange) 3 arches 15'1 x 13'1 x 9'2 w/Internal Inflator RDI4S (White) 4 arches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI4S (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI4S (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI4S (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI4S (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI connecting Corridor (shelter to shelter) RDI connecting Corridor (shelter to shelter)   | 172<br>172<br>258<br>258<br>172<br>172<br>258        |
| DMT-RDI3-O DMT-RDI4-W DMT-RDI4-O DMT-RDI3-WI DMT-RDI3-OI DMT-RDI4-WI DMT-RDI4-OI DMT-RDICC-W             | RDI3 (White) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit RDI3 (Orange) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit RDI4 (White) 4 arches - 15'1 x 19'4 x 9'2 w/Master Blaster/Hose Kit RDI4 (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Master Blaster/Hose Kit RDI3S (White) 3 arches 15'1 x 13'1 x 9'2 w/Internal Inflator RDI3S (Orange) 3 arches 15'1 x 13'1 x 9'2 w/Internal Inflator RDI4S (White) 4 arches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI4S (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI4S (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI4S (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI4S (Orange) 4 orches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI4S (Orange) 4 orches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI4S (Orange) 4 orches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI4S (Orange) 4 orches - 15'1 x 19'4 x 9'2 w/Internal Inflator   | 172<br>172<br>258<br>258<br>172<br>172<br>258<br>258 |
| DMT-RDI3-O DMT-RDI4-W DMT-RDI4-O DMT-RDI3-WI DMT-RDI3-OI DMT-RDI4-WI DMT-RDI4-OI DMT-RDICC-W             | RDI3 (White) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit RDI3 (Orange) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit RDI4 (White) 4 arches - 15'1 x 19'4 x 9'2 w/Master Blaster/Hose Kit RDI4 (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Master Blaster/Hose Kit RDI3S (White) 3 arches 15'1 x 13'1 x 9'2 w/Internal Inflator RDI3S (Orange) 3 arches 15'1 x 13'1 x 9'2 w/Internal Inflator RDI4S (White) 4 arches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI4S (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI4S (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI4S (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI5 (Orange) 5 arches 15'1 x 19'4 x 9'2 w/Internal Inflator RDI4S (Orange) 6 arches 15'1 x 19'4 x 9'2 w/Internal Inflator RDI5 (Orange) 7 arches 15'1 x 19'4 x 9'2 w/Internal Inflator RDI5 (Orange) 7 arches 15'1 x 19'4 x 9'2 w/Internal Inflator RDI5 (Orange) 8 arches 15'1 x 19'4 x 9'2 w/Internal Inflator   | 172<br>172<br>258<br>258<br>172<br>172<br>258        |
| DMT-RDI3-O DMT-RDI4-W DMT-RDI4-O DMT-RDI3-WI DMT-RDI3-OI DMT-RDI4-WI DMT-RDI4-OI DMT-RDICC-W             | RDI3 (White) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit RDI3 (Orange) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit RDI4 (White) 4 arches - 15'1 x 19'4 x 9'2 w/Master Blaster/Hose Kit RDI4 (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Master Blaster/Hose Kit RDI3S (White) 3 arches 15'1 x 13'1 x 9'2 w/Internal Inflator RDI3S (Orange) 3 arches 15'1 x 13'1 x 9'2 w/Internal Inflator RDI4S (White) 4 arches - 15'1 x 13'1 x 9'2 w/Internal Inflator RDI4S (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Internal RDI4S (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Internal RDI4S (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Internal RDI4S (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Internal RDI4S (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Internal RDI4S (Orange) 4 arches - 15'1 | 172<br>172<br>258<br>258<br>172<br>172<br>258<br>258 |
| DMT-RDI3-O DMT-RDI4-W DMT-RDI4-O DMT-RDI3-WI DMT-RDI3-OI DMT-RDI4-WI DMT-RDI4-OI DMT-RDICC-W DMT-RDICC-O | RDI3 (White) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit RDI3 (Orange) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit RDI4 (White) 4 arches - 15'1 x 19'4 x 9'2 w/Master Blaster/Hose Kit RDI4 (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Master Blaster/Hose Kit RDI3S (White) 3 arches 15'1 x 13'1 x 9'2 w/Internal Inflator RDI3S (Orange) 3 arches 15'1 x 13'1 x 9'2 w/Internal Inflator RDI4S (White) 4 arches - 15'1 x 13'1 x 9'2 w/Internal Inflator RDI4S (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI4S (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI4S (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI4S (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI connecting Corridor (shelter to shelter) White RDI connecting Corridor (shelter to shelter) Orange RDI Shelters are available in Orange and White only Decontamination Shelters & Accessories DMI 42 2-3 line Mass Casualty Decon Shelter System  | 172<br>172<br>258<br>258<br>172<br>172<br>258<br>258 |
| DMT-RDI3-O DMT-RDI4-W DMT-RDI4-O DMT-RDI3-WI DMT-RDI3-OI DMT-RDI4-WI DMT-RDI4-OI DMT-RDICC-W DMT-RDICC-O | RDI3 (White) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit RDI3 (Orange) 3 arches - 15'1 x 13'1 x 9'2 w/Master Blaster/Hose Kit RDI4 (White) 4 arches - 15'1 x 19'4 x 9'2 w/Master Blaster/Hose Kit RDI4 (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Master Blaster/Hose Kit RDI3S (White) 3 arches 15'1 x 13'1 x 9'2 w/Internal Inflator RDI3S (Orange) 3 arches 15'1 x 13'1 x 9'2 w/Internal Inflator RDI4S (White) 4 arches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI4S (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI4S (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI4S (Orange) 4 arches - 15'1 x 19'4 x 9'2 w/Internal Inflator RDI connecting Corridor (shelter to shelter) White RDI connecting Corridor (shelter to shelter) Orange RDI Shelters are available in Orange and White only Decontamination Shelters & Accessories DMI 42 2-3 line Mass Casualty Decon Shelter System w/Master Blaster/Hose Kit  | 172<br>172<br>258<br>258<br>172<br>172<br>258<br>258 |

jrg@disastermedtech.com

Auburn, AL 36831



| DMT-DMIDS-DSL3   | DMI 42 2-3 line Mass Casualty Decon Shelter System w/Master Blaster/Hose Kit,LOS-WH Water Heater,Elevation Grids,Waste Water Pump and 24'Non-Ambulatory Conveyor System.  |       |
|--|---|-------|
| DMT-DMIDS-L1   | MDS-1L single-line Decon Shelter w/Master Blaster/Hose Kit (6'x12', 75lbs. 9 nozzles) MDS-1L single-line Decon Shelter w/Master Blaster/Hose Kit (6'x12', 75lbs. 9 nozzles),  | 72    |
| DMT-DMIDS-DSL1 DMT-DWHP105 DMT-DWHP200 DMT-DWHD500 DMT-DWHD500MH DMT-DDI DMT-DWP DMT-DWB-150 DMT-DWB-150 DMT-DWB-1200 DMT-DWB-1200 DMT-DWB-1800 DMT-DEG-23 DMT-DEG-23 DMT-DEG-24 DMT-DEG-256 DMT-DPNAC12 DMT-DPNAC16 DMT-DPNAC20 | 1- Waste Water Pump and 1-LOS-PWH Propane Water Heater 5175 Propane Water Heater 105,000 BTU Single Outlet 200,000 BTU PROPANE FIRED WATER HEATER 500,000 BTU DIESEL FIRED WATER HEATER 500NX4 32 GPM, 500,000 BTU Water Heater - McHenry Detergent Injector 110V Electric Waste Water Pump (19gpm max) Water Supply Adaptor Kit 150 - Gallon Waste Water Bladder 300 - Gallon Waste Water Bladder 600 - Gallon Waste Water Bladder 1200 - Gallon Waste Water Bladder 1200 - Gallon Waste Water Bladder 1800 - Gallon Waste Water Bladder Elevation Grids/Tiles (2' x 3') Elevation Grids/Tiles (2' x 4') Elevation Grids/Tiles (2' x 56') Patient Non-Ambulatory conveyor System 8' Patient Non-Ambulatory conveyor System 12' Patient Non-Ambulatory conveyor System 16' Patient Non-Ambulatory conveyor System 20' | 72    |
| DMT-DPNAC24  | Patient Non-Ambulatory conveyor System 24'  |       |
|  | DMT DMI Incident Command Systems  | Sq.Ft |
| DMT-DMI3-SCS   | Small Incident Command System includes: 1-DMI3 Shelter, 1- 3.5 Ton Mobile HVAC, 1-Internal Insulating Liner, 1- Entrance Module, 2- LED Light Fixtures, 1- (2)Light Case. Med. Incident Command System includes: 1-DMI4 Shelter, 1- 5 Ton Mobile HVAC, 1-Internal Insulating Liner, 1-  | 310   |
| DMT-DMI4-MCS   | Entrance Module, 3- LED Light Fixtures, 1- (4)Light Case. Large Incident Command System includes: 1-DMI5 Shelter, 1- 5 Ton Mobile HVAC, 1-Internal Insulating Liner, 1- Entrance Module, 4- LED Light Fixtures, 1-  | 450   |
| DMT-DMI5-LCS   | (4)Light Case.  | 600   |
|  | DMI Medical Surge Systems   | Sq.Ft |
| DMT-DMI4M10  | 10 Bed DMI Medical Surge System Includes: 1-DMI4 Shelter, 1-Internal Insulating Liner, 1-Entrance Module, 1-5 Ton Mobile HVAC, 8-LED Light Fixtures, 2- (4)Light Cases.   | 450   |



| DMI5M25  | 25 Bed DMI Medical Surge System Includes: 2-DMI5 Shelters, 2-Internal Insulating Liners, 1-Entrance Module, 1- Universal Connector, 2-5 Ton Mobile HVAC, 20-LED Light Fixtures, 5- (4)Light Cases.  | 1200  |
|--|---|-------|
|  | DMI Drive-Thru Shelter  |       |
| DMT-DMILGDT  | DMI5 Shelter (Sand) 20'4" x 32'7" x 10'2" w/Master<br>Blaster/Hose Kit<br>Emergency Opening Man Door on side of shelter (zipper or  |       |
| DMT-SEOMD<br>DMT-SDTPRGD   | velcro slit) Removable Gable Doors (Each End) w/DriveThru Pad   |       |
|  | DMI Inflatable Isolation Shelter Systems  | Sq.Ft |
| DMT-DMI5ISB  | DMI Inflatable Shelter System: 1- DMI5 Shelter, 1- Insulating Liner, 1- Electrical Distribution Kit, 4- LED 24" Light Fixtures, 1- DI-5.0RSS (60,000 BTU) Portable 5 Ton AC/Heat Pump. TAG Negative Pressure System (Add to above system): 1- PASS-Mini Portable Air System Unit, 1- TAGID Internal Room Divider, 1- Clear Vinyl Negative Air Pressure                | 600   |
| DMT-DMI5ISN  | Chamber, 1- TAGEM-W Entrance Module with Air Lock System.   |       |
|  | Total Cost for a Complete Negative Pressure System  |       |
|  | Portable Heating & Cooling  |       |
| DMT-ECU-ECM150 DMT-ECU-DDAK  DMT-ECU-EAH125  DMT-ECU-EAH2 DMT-ECU-EAH2.5             | 1.1 (12,000btu) Ton Internal AC/Heat Pump (Recommend 1- ECM150 for every 125-150 SqFt)  Duel Duct Adaptor Kit (Y connector & 12"x20' Flex Duct)  1.25 (15,000btu) Ton External AC/Heat Pump (120V/60hz/single phase)  2.0 (24,000btu) Ton External AC/Heat Pump & 17,732btu Resistance Heater (200-230V/60hz/Single Phase)  2.5 (30,000btu) Ton External AC/Heat Pump |       |
| DMT-ECU-EAH3.5<br>DMT-ECU-REAH2.5<br>DMT-ECU-REAH3.5<br>DMTIS3.5MU<br>DMT-ECU-REAH50 | 3.5 (42,000btu) Ton External AC/Heat Pump 2.5 (30,000btu) Ton External AC/Heat Pump 3.5 (42,000btu) Ton External AC/Heat Pump 3.5 (42,000btu) Ton External Refrigeration Unit 5.0 (60,000btu) Ton External AC/Heat Pump   |       |
| DMTIS5MU<br>DMT-ECU-REAH8.5<br>DMT-ECU-REAH100<br>DMT-ECU-REAH125                    | 5.0 (60,000btu) Ton External Refrigeration Unit<br>8.5 (101,000btu) AC Unit w/ 40kw Resistance Heater<br>10 (123,000btu) AC Unit w/ 40kw Resistance Heater<br>12 (156,000btu) AC Unit w/ 50kw Resistance Heater<br>25 TON SKID MOUNT ECU ~ 296,400 BTU COOLING/72KW   |       |
| DMT-ECU-REAH25TS   | RH HEAT  25 TON TRAILER MOUNT ECU ~ 296,400 BTU   |       |
| DMT-ECU-REAH25TT<br>DMT-ECU-40FH<br>DMT-ECU-100FH<br>DMT-ECU-150FH<br>DMT-ECU-60KEH  | COOLING/72KW RH HEAT 40,000 BTU INDIRECT FIRED PROPANE HEATER 100,000 BTU INDIRECT FIRED PROPANE HEATER 150,000 BTU INDIRECT FIRED PROPANE HEATER 60KW ELECTRIC HEATER ~ 205,000 BTU  |       |



#### Cage# 6R0R0 DUNS# 141956438 WOSB

INDIRECT FIRED Multi Fuel Heater ~ 68,300 BTU/HR68,300 BTU/HR - 913 CFM - 17 Hr Run Time Per Tank - Optional Thermostat - 0.55 GPH Fuel Burn - 9.5 Gal Fuel Tank - 1.5 Amp Draw - 115V/1PH/60Hz - 71 LBS. DMT-ECU-TFPAH68 INDIRECT FIRED Multi Fuel Heater ~ 112,800 BTU/HR112,800 BTU/HR - 1060 CFM - 19 Hr Run Time Per Tank - Optional Thermostat - 0.89 GPH Fuel Burn - 17.2 Gal Fuel Tank - 2.3 Amp Draw - 115V/1PH/60Hz - 135 DMT-ECU-TFPAH112 LBS. INDIRECT FIRED Multi Fuel Heater ~ 160,400 BTU/HR160,400 BTU/HR - 1060 CFM - 13 Hr Run Time Per Tank - Optional Thermostat - 1.28 GPH Fuel Burn - 17.2 Gal Fuel Tank - 2.3 Amp Draw - 115V/1PH/60Hz - 143 DMT-ECU-TFPAH160 LBS. INDIRECT FIRED Multi Fuel Heater ~ 276,300 BTU/HR276,300 BTU/HR - 1944 CFM - 12 Hr Run Time Per Tank - Optional Thermostat - 2.24 GPH Fuel Burn - 27.72 Gal Fuel Tank - 4.6 Amp Draw - 115V/1PH/60Hz - 220 DMT-ECU-TFPAH276 LBS. INDIRECT FIRED Multi Fuel Heater ~ 460,000 BTU/HR460,000 BTU/HR - 4712 CFM - Optional Thermostat - 3.72 GPH Fuel Burn - 8.8 Amp Draw - 230V/1PH/60Hz -DMT-ECU-TFPAH460 566 LBS. DIRECT FIRED Multi Fuel Heater ~ 379,000 BTU/HR379,000 BTU/HR - 1944 CFM - 10HR Run Time Per Tank - Optional Thermostat - 2.91 GPH FUEL BURN - 27.72 GAL FUEL TANK - 4.6 Amp Draw - 115V/1PH/60Hz -190LBS. DMT-ECU-TFPAHD379 MULTI FUEL INFRARED HEATER ~ 58,000 BTU/HR58,000 BTU/HR - 8 Hr Run Time Per Tank - On Unit Thermostat -0.45 GPH Fuel Burn - 2.9 Gal Fuel Tank - 0.85 Amp Draw -DMT-ECU-TFPXL58 115V/1PH/60Hz - 40 LBS. MULTI FUEL INFRARED HEATER ~ 99,300 to 146,900 BTU/HR99,300 to 146,900 BTU/HR - 21/14 Hr Run Time Per Tank - On Unit Thermostat - 0.76/1.11 GPH Fuel Burn - 15.84 Gal Fuel Tank - 1.7 Amp Draw - 115V/1PH/60Hz -DMT-ECU-TFPXL147 152 LBS. Tri-Fuel Heater w/Thermostat, Ducting and Duct Adapter -Duct Kit DMT-ECU-TFPAHL-DK **DMT-ECU-PASS** Insulated HVAC Ducting/ 14"x25', Yellow, Insulated Ducting (Price per min.of 60 pcs.) DMT-ECU-DUCTY Interior Air Distribution Plenum 15' DMT-ECU-P15 DMT-ECU-P22 Interior Air Distribution Plenum 22' DMT-ECU-P30 Interior Air Distribution Plenum 30' Lighting DMT-SLED 60-240 VAC LED Light Fixture DMT-SLEDK 2 ea 60-240V 24" LED Light Fixture w/ protective case DMT-SLEDR 60-240V 24" LED Light Fixture (RED BLACKOUT) 2 ea 60-240V 24" LED Light Fixture (RED BLACKOUT)w/ **DMT-SLEDRK** 



#### Cage# 6R0R0 DUNS# 141956438 WOSB

| n | rΛ | TΩ | CTI | VA  | case |
|---|----|----|-----|-----|------|
| _ |    | ·· | CU  | v C | cusc |

DMT-SLEDM 60-240V 24" LED Light Fixture (DIMMABLE MEDICAL)

2 ea 60-240V 24" LED Light Fixture (DIMMABLE

DMT-SLEDMK MEDICAL)w/ protective case
DMT-SLEDC 2 Lite Soft Protective Carry Case
DMT-SLEDCC 4 Lite Soft Protective Carry Case

| DMI1-SLEDCC   | 4 Life Soft Protective Carry Case  |
|---------------|--|
|               | Connectors/Entrance Modules/Centerpoints   |
| DMT-DMITSC-W  | Trailer to Shelter Connector (White)   |
| DMT-DMITSC-G  | Trailer to Shelter Connector (Green)   |
| DMT-DMITSC-S  | Trailer to Shelter Connector (Sand)  |
| DMT-DMITSC-O  | Trailer to Shelter Connector (Orange)  |
| DMT-DMIUC-W   | Universal Corridor (White) - Connect 2 DMI Shelters                                  |
| DMT-DMIUC-G   | Universal Corridor (Green) - Connect 2 DMI Shelters                                  |
| DMT-DMIUC-S   | Universal Corridor (Sand) - Connect 2 DMI Shelters                                   |
| DMT-DMIUC-O   | Universal Corridor (Orange) - Connect 2 DMI Shelters                                 |
| DMT-DMIEM-W   | Entrance Module (White) For DMI Shelters   |
| DMT-DMIEM-G   | Entrance Module (Green) For DMI Shelters   |
| DMT-DMIEM-S   | Entrance Module (Sand) For DMI Shelters  |
| DMT-DMIEM-O   | Entrance Module (Orange) For DMI Shelters  |
|               | Inflatable Centerpoint (White) 16'5" x 16'5" (used to                                |
| DMT-CICS-W    | connect 4 Shelters) DMI or LIS   |
|               | Inflatable Centerpoint (Green) 16'5" x 16'5" (used to                                |
| DMT-CICS-G    | connect 4 Shelters) DMI or LIS   |
|               | Inflatable Centerpoint (Sand) 16'5" x 16'5" (used to                                 |
| DMT-CICS-S    | connect 4 Shelters) DMI or LIS   |
| DMT CICC O    | Inflatable Centerpoint (Orange) 16'5" x 16'5" (used to                               |
| DMT-CICS-O    | connect 4 Shelters) DMI or LIS Inflatable Centerpoint (White) 19'8" x 19'8" (used to |
| DMT-CICSL-W   | Inflatable Centerpoint (White) 19'8" x 19'8" (used to connect 4 Shelters) DMI or LIS |
| DMT-CICSE-W   | Inflatable Centerpoint (Green) 19'8" x 19'8" (used to                                |
| DMT-CICSL-G   | connect 4 Shelters) DMI or LIS   |
| Dill close c  | Inflatable Centerpoint (Sand) 19'8" x 19'8" (used to                                 |
| DMT-CICSL-S   | connect 4 Shelters) DMI or LIS   |
|               | Inflatable Centerpoint (Orange) 19'8" x 19'8" (used to                               |
| DMT-CICSL-O   | connect 4 Shelters) DMI or LIS   |
| DMT-DMIESC-3  | DMI External Shade Cover - 3 ARCH  |
|               | DMI External Shade Cover - 4 ARCH  |
| DMT-DMIESC-4  | Specify color - W, O, G, S, or Cam   |
| DMT-DMIESC-5  | DMI External Shade Cover - 5 ARCH  |
| DMT-DMIESC-6  | DMI External Shade Cover - 6 ARCH  |
|               | Inflators & Hose Kits & Boxes  |
| DMT-DMI-EIPMS | Electric Inflator w/ pressure monitoring system                                      |
| DMT-DMI-EIN   | DMI Euro Inflator (110V)   |
| DMT-DMI-MB    | Master Blaster Inflator  |
| DMT-DMI-AH2   | 2 Arch Inflator Hose   |
| DMT-DMI-AH3   | 3 Arch Inflator Hose   |
| DMT-DMI-AH4   | 4 Arch Inflator Hose   |
| DMT-DMI-AH5   | 5 Arch Inflator Hose   |



WWW.DISASTERMEDTECH.COM

## Emergency Preparedness, Response, and Recovery

| DMT-DMI-AH6    | 6 Arch Inflator Hose   |       |
|----------------|--|-------|
| DMT-DMI-DMI-SK | Internal Shower Kit for DMI Shelters duel compartments with one shower head each |       |
| DMT-DMI-RCLS   | Reusable Crates (Large Shelters)   |       |
| DMT-DMI-RCMS   | Reusable Crate (ECM Unit)  |       |
| DMT-DMI-TBM    | Mobile Tool Box for accessories  |       |
|                | LIS Large Inflatable Shelter   | Sq.Ft |
|                | LIS Large 3-piece (White) 6 arch, 4 doors, 27'8"x 41'7"x                         |       |
| DMT-LIS-W      | 13'6" w/ Electronic Self-Monitoring Inflator                                     | 1150  |
|                | LIS Large 3-piece (Green), 6 arch, 4 doors, 27'8"x 41'7"x                        |       |
| DMT-LIS-G      | 13'6" w/ Electronic Self-Monitoring Inflator                                     | 1150  |
|                | LIS Large 3-piece (Sand) 6 arch, 4 doors, 27'8"x 41'7"x                          |       |
| DMT-LIS-S      | 13'6" w/ Electronic Self-Monitoring Inflator                                     | 1150  |
|                | LIS Large 3-piece (Orange) 6 arch, 4 doors, 27'8"x 41'7"x                        |       |
| DMT-LIS-O      | 13'6" w/ Electronic Self-Monitoring Inflator                                     | 1150  |
| DMT 110 51011  | LIS Extra Mid (White) 27'x 16'2"x 13'6" Forms a                                  | 450   |
| DMT-LIS-EXW    | 27'8" x 57'9" x 13'6" Shelter  | 450   |
| DMT LIC EVC    | LIS Extra Mid (Green) 27'x 16'2"x 13'6" Forms a 27'8" x 57'9" x 13'6" Shelter    | 450   |
| DMT-LIS-EXG    | LIS Extra Mid (Sand) 27'x 16'2"x 13'6" Forms a                                   | 450   |
| DMT-LIS-EXS    | 27'8" x 57'9" x 13'6" Shelter  | 450   |
| באל בול באל    | LIS Extra Mid (Orange) 27'x 16'2"x 13'6" Forms a                                 | 430   |
| DMT-LIS-EXO    | 27'8" x 57'9" x 13'6" Shelter  | 450   |
|                | LIS Full Interior Liner Cotton Full Coverage Fire-Proof Liner                    |       |
| DMT-LIS-CC     | (Available in white or green)  |       |
| DMT-LIS-DC     | LIS Liner with Divider Connections   |       |
| DMT-LI-PMK     | LIS Pressure Monitoring Kit (2 inflators and hoses)                              |       |
|                | Misc Accessories   |       |
| DMT-SLOGO      | 3' x 3' Digital Logo Print (per location)  |       |
| DMT-PSH        | 2/4 Wheel Heavy-duty Transport Cart  |       |
| DMT-TCBC       | Battery Powered 2/4 Heavy-duty Transport Cart                                    |       |
| DMT-EDK        | Electrical Distribution Kit  |       |
| DMT-CDC        | 43 x 80 Carpeted Decon Cart  |       |

| ITEM # | SPECS   |
|--------|---|
| DMT-   | Wrappon Green Portable Toilet; Portable Self Sealing Waterless,         |
| WOGPT  | Sewerless Toilet  |
| DMT-   |   |
| wocc   | Powder Coagulan - Polymer based coagulating powder (50 pcs per box)     |
| DMT-   | Plastic Film Roll – Polyethylene disposable sealing waste bags (Approx. |
| WOPFR  | 50 uses per roll)   |
| DMT-   |   |
| WOLIB  | Lithium Ion Battery (Charge time 4hrs, Uses per charge: Approx. 50-60)  |



| DMT- |                            |
|------|----------------------------|
| WOAR | DMT-WOAR - Wrappon Armrest |