

**West Virginia Department of Health & Human
Resources
Berkeley County Health Department**



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Rocs South End BP	Facility Type Food Service Establishment	
Licensee Name R.M. Roach and Sons Inc.	Facility Telephone # 304 263-3133	
Facility Address 1004 S Winchester Ave Martinsburg, WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 01/27/2017	Total Time Spent 1.15

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Half and half machine	44/scan of 58 inside
Hot dog warmer-items	141 scan
Hot cheese machine	150
Walk in cooler	38
breakfast sandwich warmer	196

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
sanitizerbucket	chemical		200	quat	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 2 Repeated # 0 4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS <i>This is a critical violation</i> OBSERVATION: walkin shelving needs cleaned-area where food is stored mold observed</p> <p>7-102.11 - COMMON NAME <i>This is a critical violation</i> OBSERVATION: (CORRECTED DURING INSPECTION): windex spray bottle needs to be labeled</p>

Observed Non-Critical Violations

Total # 3

Repeated # 0

4-203.11 - TEMPERATURE MEASURING DEVICES, FOOD - ACCURACY

OBSERVATION: (CORRECTED DURING INSPECTION): probe thermometer needs to be calibrated

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: inside top of microwave-coating peeling

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: 3 bay sink-lower wall and floor drain need cleaned

Inspection Outcome

Comments

Disclaimer

Person in Charge



Sanitarian



Amy ARE Edwards