

Bokeley

**FOOD ESTABLISHMENT INSPECTION REPORT**

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of Priority items and 10 calendar days for Priority Foundation items or HACCP Plan deviations. (§ 64 C.S.R. 17-3.1.j.)

OBSERVATION TOTALS

PRIORITY: 1  
CORE: 4

PRIORITY FOUNDATION: 0  
TOTAL: 4

ESTABLISHMENT: Blaze Pizza PERMIT NO.: \_\_\_\_\_ DATE: February 19, 2020  
 ADDRESS: 925 Forecraft Ave CITY: Mtbg STATE: WV ZIP: 25401  
 PERSON IN CHARGE/TITLE: X / MANAGER TELEPHONE: 304-596-0699  
 RECEIVED BY (SIGNATURE): [Signature] SANITARIAN (SIGNATURE): Oney Edwards R3  
 INSPECTION TYPE: ROUTINE  FOLLOW-UP  COMPLAINT  OTHER: \_\_\_\_\_ TIME: 2:30 pm

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
X		X	6501.12	floor drain needs cleaned - 3 bay sink
		X	4602.13	pizza cookers - drip pans spilling over onto shelving - Need to be emptied on regular basis
X		X	4602.13	Expo cooler gasket needs cleaned
		X	4501.11	Several cooler gaskets need replaced (front units)

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
<u>Santitas</u>	<u>72</u>						

\* 575. Reinspection fee - 7 Day within 10 days