

**Rabbit Anti-Ep-CAM [EP155]: RM0091, RM0091RTU7**

**Intended Use:** For Research Use Only

**Description:** Ep-CAM is a highly conserved type I transmembrane glycoprotein and is expressed on most normal and malignant epithelial cells. Ep-CAM is also known as epithelial cell adhesion molecule or MOC31, Ber-EP4. It is detected at the membrane/cytoplasm of the majority of epithelial tissues (all simple, pseudo-stratified and transitional epithelial), with the exception of the adult squamous epithelium and some epithelium-derived cells, such as hepatocytes, epidermal keratinocytes, gastric parietal cells, myoepithelial cells, and thymic cortical epithelium. In tumors, Ep-CAM is over expressed by the majority of human epithelial carcinomas, except hepatocellular carcinomas (HCC).

**Specifications**


Clone: EP155  
 Source: Rabbit  
 Isotype: IgG  
 Reactivity: Human  
 Localization: Membrane  
 Formulation: Antibody in PBS pH 7.4, containing BSA and ≤ 0.09% sodium azide (NaN<sub>3</sub>)  
 Storage: Store at 2°- 8°C  
 Applications: IHC  
 Package:

Description	Catalog No.	Size
Ep-CAM Concentrated	RM0091	1 ml
Ep-CAM Prediluted	RM0091RTU7	7 ml

**IHC Procedure\***

Positive Control Tissue: Colon, thyroid  
 Concentrated Dilution: 50-200  
 Pretreatment: Proteinase K at 37°C, 5-10 minutes  
 Incubation Time and Temp: 30-60 minutes @ RT  
 Detection: Refer to the detection system manual

\* Result should be confirmed by an established diagnostic procedure.



FFPE human endometrial carcinoma stained with anti-EpCAM using DAB

**References:**

1. Multiplex flow cytometry barcoding and antibody arrays identify surface antigen profiles of primary and metastatic colon cancer cell lines. Sukhdeo K et al. PLoS One 8:e53015 2013.
2. EpCAM is a putative stem marker in retinoblastoma and an effective target for T-cell-mediated immunotherapy. Mitra M et al. Mol Vis 18:290-308 (2012).
3. Epstein-barr virus latent membrane protein 1 induces cancer stem/progenitor-like cells in nasopharyngeal epithelial cell lines. Kondo S et al. J Virol 85:11255-64 2011.
4. Expression of the GA733 gene family and its relationship to prognosis in pulmonary denocarcinoma. Kobayashi H et al. Virchows Arch 457:69-76 2010.
5. Tubocapsanolide A inhibits transforming growth factor-beta-activating kinase 1 to suppress NF-kappaB-induced CCR7. Pan MR et al. J Biol Chem 284:2746-54 2009.

Doc. 100-RM0091  
Rev. A