



For more information/product orders

Call: 877-789-7995

Email: [tevens@commconnecttv.com](mailto:tevens@commconnecttv.com)



---

# LG Commercial TV 2014 Catalog

---



For more information/product orders call: 877-789-7995  
Email: [tevens@commconnecttv.com](mailto:tevens@commconnecttv.com)





## LG Commercial TV

Represents successful business with simple, flexible and efficient management solutions.

For more information/product orders call: 877-789-7995  
Email: tevens@commconnecttv.com

# Pro:Centric<sup>®</sup> Solution

LG Pro:Centric is a middle-ware solution that makes hotel TVs to be more customizable and more efficiently manageable. Pro:Centric SMART products have premium functions with webOS user interface while Pro:Centric V products have valuable functions to cut down TCO(Total Cost of Ownership) for hotel owners and to provide feel at home connectivity for hotel guests.



## Efficient Management

With LG's various remote and self diagnosis, hotel owners and partners can save time and resource for examining the hotel TVs in rooms and other facilities.



## Convenient In-room TVs

The webOS environment provides intuitive and easy-to-use functions to hotel guests helping them to fully enjoy the contents.



# Pro:Centric<sup>®</sup> SMART

LG Pro:Centric SMART offers webOS for Commercial TV user interface and customizable tools that our partners can optimize their Hotel TVs with IP-based programs to provide premium hotel services with integrated set-top box solution.

## webOS for Commercial TV



“Revolutionary UX” of webOS is simple, but powerful. It offers incredible user experiences with intuitive user interface and fast response time.

## Simple Switching


Simple & Quick switch between services

- Different forms of content on webOS (Broadcasting, Smart Application, Smart Share, Web Browser, Input Source)
- History of previously watched contents




## Simple Customization

LG's Commercial Smart Home(Launcher based) will allow the hotels to build their own Smart Home by selecting and ordering apps.



## Simple Management

The webOS for Commercial TV provides remote diagnosis and signal monitoring via an embedded web server; enabling Partner / LG engineers to check TV or signal information easily.



For more information/product orders call: 877-789-7995  
Email: [tevens@commconnecttv.com](mailto:tevens@commconnecttv.com)

# Features

## Design the Comfort of your Guests

LG Pro:Centric Smart offers all the customizable tools that our partner can optimize Hotel TVs with IP-based programs: Flash, HTML5 and Java



## Enjoy Smarter Connectivity

Commercialized connectivity is ever revolutionized with Smart TV functions such as Smart Share and WiDi, which enables guests to play and view content from their digital devices on their in-room TVs.



## Maximize the Service within Minimized Capacity

Hotel guests can now enjoy a greater variety of applications and services with their guest room TVs. In addition, with LG's advanced History Auto Delete function, privacy of guests are strongly secured.



## Save Big on Costs

Save big on the expenses of managing the Hotel TVs with LG's unique STB integrated solution and IP over Coax.



### LY970H / LY960H webOS

#### webOS for Commercial TV

- Cinema Screen Design
- Hybrid Streaming : RF & IP
- Supporting DRM : Pro:Idiom
- Smart Share : WiFi Direct, Miracast, WiDi, MHL
- Remote Diagnosis (RF/IP)
- Remote Management
- Web Browser
- Commercial Smart Home
- Pro:Centric Application 3.0



### LY760H webOS

#### webOS for Commercial TV

- Hybrid Streaming : RF & IP
- Supporting DRM : Pro:Idiom
- Smart Share : WiFi Direct, Miracast, WiDi, MHL
- Remote Diagnosis (RF/IP)
- Remote Management
- Web Browser
- Commercial Smart Home
- Pro:Centric Application 3.0





---

## LY760V

### For EU Only

- Hybrid Streaming : RF & IP
- Supporting DRM : Pro:Idiom
- Smart Share : WiFi Direct, WiDi
- Pre-loaded App
- Smart Mirroring
- Remote Diagnosis and Control (IP)
- Web Browser



---


## LY750H

- Hybrid Streaming : RF & IP
- Supporting DRM : Pro:Idiom
- Smart Share : WiFi Direct, WiDi
- Pre-loaded App
- Smart Mirroring
- Remote Diagnosis and Control (IP)
- Web Browser




# Pro:Centric® V

LG's Pro:Centric V solution allows hoteliers to customize the in-room experience, providing an easy way to interface with program guides, internet data feeds and applications designed to connect guests to hotel services through RF or IP infrastructure.



## USB Cloning

Your ordinary USB can be the perfect device for cloning all hotel TVs with astonishing speed and ease. The USB Cloning feature allows you to simply copy the TV settings to all TVs using a USB stick, a process that is fully automated to save time without having to set each TV one by one.




## Self Diagnosis

Enables service engineers to recognize technical issues in the TV quickly and easily through a USB device. The TV stores any technical issues it encounters and can output it to a USB device. Service engineers can use the information to analyze technical issues without the actual TV.



### Traditional Process




### Self Diagnosis Process



## Lock Mode

The Lock Mode blocks external input sources for illegal communication, a useful feature for preventing misuse of TVs in facilities such as prisons, mental hospitals and other applicable public spaces.



### LY570H / LY560H

- IP Return Path (For Pro:Centric)
- EzManager 2.1
- Remote Diagnosis (RF)
- Pro:Centric Application 3.0
- External Speaker Out
- HTNG-CEC 1.3 / HDMI-CEC




### LY540H

- Remote Diagnosis (RF)
- Pro:Centric Application 3.0
- External Speaker Out
- HTNG-CEC 1.3 / HDMI-CEC



### PCS200R

- P2020 e500v2 dual core SoC
- 2GB 800MHz DDR3 SDRAM
- Real Time clock
- 4GB Micro SD Memory
- USB 2.0 ports






My Pro:Centric is one of LG's hotel TV middle-ware solution that provides flexible and open platform that hotel owners, system integrators, or contents providers can create their own hotel TV contents and built them in LG Hotel TVs. This will help cutting down the TCO(Total Cost of Ownership) not only for hotel owners but also for the Partners.



Customized contents to meet the needs of each hotels



# Features

---

## Open SDKs

My Pro:Centric supports representative SDKs such as Flash, HTML 5, and Java. With this open environment, hotel contents can be created with less restrictions.



## Cost saving

With just one Pro:Centric server, you can manage multiple numbers of in-room hotel TVs, reducing the TCO by eliminating the needs of set top boxes.



## Customized Contents

Hotel contents can be more unique and dedicated for each hotel along with less development resources.



# Commercial Lite

LG's Commercial Lite products provide benefits in saving operation cost for hotel managements while keeping the benefits of simple connection to guests' devices, securing the "at home" atmosphere for the guests.


## Self Diagnosis

Enables service engineers to recognize technical issues in the TV quickly and easily through a USB device. The TV stores any technical issues it encounters and can output it to a USB device. Service engineers can use the information to analyze technical issues without the actual TV.



## USB Cloning

Your ordinary USB can be the perfect device for cloning all hotel TVs with astonishing speed and ease. The USB Cloning feature allows you to simply copy the TV settings to all TVs using a USB stick, a process that is fully automated to save a lot of time without having to set each TV one by one.



## Welcome Screen

You no longer need to bother managing channel listings for each different signal. The one channel mapping feature allows users to edit and list the channels of their choice from any of the multiple broadcasting signals (DVB-T/C, analog or radio).



## Hotel mode / Public Display Mode

From channel selection to energy-saving features, you can control the TV settings in all the rooms from the center with Hotel Mode. Prevent misuse by customers, set volume limits, or reset to default settings for any TV. You are in control of it all.




## Multi IR

You can control a designated TV exclusively with the LG Multi IR Remote control unit. In areas where there are multiple TVs installed, such as in large lobbies, hospitals, or nursing homes, each remote can be assigned to each TV with no signal interference from other remotes. Up to nine beds can use this function simultaneously.



## Lock Mode

The Lock Mode blocks external input signals for illegal communication, a useful feature for preventing misuse of TVs in facilities such as prisons, mental hospitals and other applicable public spaces.



## LY345C / LY340C / LY330C

- 32H"/39"/42"/47"/55"/60"  
(For LY345C : 32"/39"/42"/47"/55"/60")
- Hotel Mode
- Welcome Screen
- IR Out
- One Channel Map(EU, CIS, MEA Only)
- Supports MHL
- Auto off / Auto Sleep
- USB Cloning
- Smart Energy Saving
- Anti-theft System



## LY340C / LY330C

- 22H"/28H"
- Hotel Mode
- Welcome Screen
- IR Out
- One Channel Map(EU, CIS, MEA Only)
- Supports MHL
- Auto off / Auto Sleep
- USB Cloning
- Smart Energy Saving
- Anti-theft System



# Global Line up

## EU/CIS

**LY960H** : 42"/47"/55"

**LY760H** : 32"/39"/42"/47"/55"

**LY750H** : 32"/39"/42"/47"/55"

**LY540H** : 22H"/28H"/32"/39"/42"/47"

(22H", 28H" EU Only)

**LY345C** : 32"/39"/42"/47"/55"/60"

**LY340C** : 22H"/28H"/32H" (22H, 32H EU Only)

**LY330C** : 32H"/39"/42"/47"/55"/60"

## China

**LY750H** : 42"/47"/55"

**LY540H** : 42"/47"/55"

**LY340C** : 32H"/39"/42"/47"/55"/60"

## Hongkong

**LY760C** : 42"/47"/55"

**LY340C** : 32"/42"/47"/55"

## Taiwan

**LY340C** : 32H"/42"/47"/55"

## Middle East & Africa


**LY960H** : 42"/47"/55"/60"

**LY760H** : 32"/39"/42"/47"/55"


**LY540C** : 22H"/28H"/32"/39"/42"/47"

**LY340C** : 32H"/42"/47"/55"/60"

**LY330C** : 32H"/42"/47"







## NA

**LY970H** : 47"/55"/60"

**LY760H** : 32H"/39"/42"/47"/55"

**LY570H** : 29H"/32H"/39"/42"/47"/55"

**LY560H** : 32H"/39"/42"/47"

**LY340C** : 22H"/29H"/32H"/39"/42"/47"/55"/60"/65"

## SCA

### ISDB-T

**LY760H** : 32"/42"

**LY540H** : 32H"/42"

**LY340C** : 32H"/42"/47"/55"

### ATSC (Same as NA)

**LY970H** : 47"/55"/60"

**LY760H** : 32H"/39"/42"/47"/55"

**LY570H** : 32H"/39"/42"/47"/55"

**LY560H** : 32H"/39"/42"/47"

**LY340C** : 22H"/29H"/32H"/39"/  
42"/47"/55"/60"/65"

## Asia

**LY960H** : 42"/47"/55"/60"

**LY750H** : 32"/42"/47"/55"

**LY540H** : 32H"/42"/47"/55"

**LY340C** : 32H"/42"/47"/55"/60"

**LY330C** : 22H"/28H"

For more information/product orders call: 877-789-7995  
Email: [tevans@commconnecttv.com](mailto:tevans@commconnecttv.com)

# Specifications

MODEL NAME	LY970H	LY760H	LY570H
<b>Model Information</b>			
Size	47"/55"/60"	32"/39"/42"/47"/55"	29H"/32H"/39"/42"/47"/55" (29H" : TBD)
Production Model	47/55/60 LY960H-UA	32/39/42/47/55 LY760H-UA	29H"/32H"/39"/42"/47"/55 LY570H-UA
<b>Broadcasting System</b>			
Digital	ATSC/QAM/VSF	ATSC/QAM/VSF	ATSC/QAM/VSF
Analog	NTSC	NTSC	NTSC
<b>Video</b>			
Resolution	1920 x 1080 (FHD)	1920 x 1080 (FHD)	32H" : 1366 x 768 (HD) 39"/42"/47"/55" : 1920 x 1080 (FHD)
Cinema 3D	•	-	-
<b>Audio</b>			
Audio Output	12W + 12W	10W + 10W	10W + 10W
Sound System	2.1ch	2.0ch	2.0ch
<b>Feature</b>			
Pro-Centric	P-C Smart	P-C Smart	P-C V
HCAP (GEM/FLASH/HTML)	GEM/FLASH/HTML	GEM/FLASH/HTML	GEM/FLASH
Smart	•	•	-
Commercial Smart Home	•	•	-
APP (P-C Smart)	•	•	-
Web Browser	•	•	-
Connectivity	•	•	•
SmartShare/DLNA (Movie/Photo/Music)	•(SmartShare)	•(SmartShare)	•
MHL	•	•	•
Remote Diagnosis/Self Diagnosis	•(Remote Diagnosis)	•(Remote Diagnosis)	•(Self Diagnosis)
EzManager	•	•	•
HDMI-CEC	•	•	•
HTNG-CEC	•	•	•
b-LAN	•	-	•
Built-In WiFi	•	•	-
DRM	•(ProIdiom)	•(ProIdiom)	•(ProIdiom)
Welcome Screen	•	•	•
Lock Mode	-	•	•
One Channel Map (EU/CIS/MEA Only)	•	-	-
Logical Channel Map	•	•	•
Multi IR Code	•	•	•
Hotel Mode / Public Display Mode	•	•	•
USB Cloning	•	•	•
IR Out	•	•	•(MPI only)
USB Auto Play back	-	-	-
External Power	-	-	-
External clock Ready	-	-	-
External Speaker Out	•	•	•
RJP Compatibility	•	•	•
Swivel	± 20°	± 20°	± 20°
Anti-theft System	•	•	•
Kensington Lock	•	•	•
Credenza/Security Screw Hole	•	•	•
Lock Down Plate	•	•	•
<b>Set Side</b>			
HDMI In	TBD	2	2
USB (2.0)	TBD	1	1
Ci Slot (EU/CIS/MEA Only)	TBD	-	-
Headphone Out	TBD	-	-
<b>Set Rear</b>			
RF In	TBD	1	1
AV In (Composite)	TBD	1(Sharing with Component In)	1
Component In (Y, Pb, Pr) + Audio (L/R)	TBD	1	-
Digital Audio Out (Optical)	TBD	1	1
RGB In (D-sub 15pin)	TBD	-	1
USB (2.0)	TBD	1	-
Headphone Out (3.5mm Phone Jack)	TBD	-	-
RS-232C (D-Sub 9pin)	TBD	1(SVC only)	-
HDMI In	TBD	1	1
LAN Port	TBD	2	1
RJP Interface (RJ45)	TBD	1	1
External Speaker Out (3.5mm phone jack)	TBD	1	1
<b>Power</b>			
Voltage, Hz	110 – 240V, 50/60Hz	110 – 240V, 50/60Hz	110 – 240V, 50/60Hz
Typical (Watts) Based on Energy Star 6.1 (NA Only)	TBD	TBD	32H" : 22W 39" : 32W 42" : 34W 47" : 35W 55" : TBD
Stand-by	0.5W ↓	0.5W ↓	0.5W ↓
<b>Dimension</b>			
Set (W/O, WxHxD, mm)	47" : 1061 * 623 * 55.1 55" : 1231 * 718 * 55.1 60" : 1338.4 * 778.8 * 58.1	32" : 732 * 437 * 55.5 39" : 885 * 524 * 55.5 42" : 961 * 617 * 325 47" : 1073 * 629 * 55.8 55" : 1243 * 725 * 56.8	32H" : 732 * 437 * 55.5 39" : 885 * 524 * 55.5 42" : 961 * 617 * 325 47" : 1073 * 629 * 55.8 55" : 1243 * 725 * 56.8
Set (With stand, WxHxD, mm)	TBD	32" : 732 * 482 * 282 39" : 885 * 572 * 282 42" : 961 * 617 * 325 47" : 1073 * 680 * 325 55" : 1243 * 771 * 325	32H" : 732 * 482 * 282 39" : 885 * 572 * 282 42" : 961 * 617 * 325 47" : 1073 * 680 * 325 55" : 1243 * 771 * 325
Weight (With Stand, kg)	TBD	32" : 8.9 39" : 10.9 42" : 12.6 47" : 15.7 55" : 21.4	32H" : 8.9 39" : 10.9 42" : 12.6 47" : 15.7 55" : 21.4
VESA Compatibility	400 x 400	32"/39" : 200 X 200 42"/47"/55" : 400 X 400	32H" : 200 X 200 42"/47"/55" : 400 X 400

For more information/product orders call: 877-789-7995  
Email: [tevens@commconnecttv.com](mailto:tevens@commconnecttv.com)

MODEL NAME	LY560H	LY340C	LY960H
<b>Model Information</b>			
Size	32H*/39*/42*/47*	22H*/29H*/32H*/42*/47*/55*/60*/65* (22H*/29H* : TBD)	42*/47*/55*
Production Model	32H/39/42/47 LY560H-UA	22/29H/32H/42/47/55/60/65 LY340C-UA	42/47/55 LY960H-ZA
<b>Broadcasting System</b>			
Digital	ATSC/QAM/VSF	ATSC/QAM	DVB-T2/C/S2
Analog	NTSC	NTSC	PAL/SECAM
<b>Video</b>			
Resolution	32H* : 1366 x 768 (HD) 39*/42*/47* : 1920 x 1080 (FHD)	32H* : 1266 x 768 (HD) 42*/47*/55*/60*/65* : 1920 x 1080 (FHD)	1920 x 1080 (FHD)
Cinema 3D	-	-	•
<b>Audio</b>			
Audio Output	10W + 10W	32H*/42*/47*/55*/60*/65* : 10W + 10W	12W + 12W
Sound System	2.0ch	2.0ch	2.1ch
<b>Feature</b>			
Pro:Centric	P-C V	-	P-C Smart
HCAP (GEM/FLASH/HTML)	GEM/FLASH	-	GEM/FLASH/I/HTML
Smart	-	-	•
Commercial Smart Home	-	-	•
APP (P-C Smart)	-	-	•
Web Browser	-	-	•
Connectivity	•	•	•
SmartShare/DLNA (Movie/Photo/Music)	-	-	•(SmartShare)
MHL	•	•	•
Remote Diagnosis/Self Diagnosis	•(Self Diagnosis)	•(Self Diagnosis)	•(Remote Diagnosis)
EdManager	•	•	•
HDMI-CEC	•	•	•
HTNG-CEC	•	•	•
b-LAN	-	-	-
Built-in Wifi	-	-	-
DRM	•(Pro:Idiom)	-	•(Pro:Idiom)
Welcome Screen	•	•	•
Lock Mode	•	•	-
One Channel Map (EU/CIS/MEA Only)	-	-	•
Logical Channel Map	•	•	•
Multi IR Code	•	•	•
Hotel Mode/Public Display Mode	•	•	•
USB Cloning	•	•	•
IR Out	•(MP1 only)	•	•(Phone Jack)
USB Auto Play back	-	-	-
External Power	-	-	•(RS-232C, 12V/1.0A)
External clock Ready	-	-	-
External Speaker Out	•	•(3.5mm Phone Jack)	•
RJ/P Compatibility	•	•	•
Swivel	± 20°	-	-
Anti-theft System	•	•	•
Kensington Lock	•	•	•
Credenza/Security Screw Hole	•	-	-
Lock Down Plate	•	-	-
<b>Set Side</b>			
HDMI In	2	1	TBD
USB (2.0)	1	1	TBD
CI Slot (EU/CIS/MEA Only)	-	-	TBD
Headphone Out	-	-	TBD
<b>Set Rear</b>			
RF In	1	1	TBD
AV In (Composite)	1	1(Sharing with Component in)	TBD
Component In(Y, Pb, Pr) + Audio(L/R)	-	-	1
Digital Audio Out (Optical)	1	1	TBD
RGB In (D-sub 15pin)	1	1	TBD
USB (2.0)	-	-	TBD
Headphone Out (3.5mm Phone Jack)	-	-	TBD
RS-232C (D-Sub 9pin)	-	1(Control & Service)	TBD
HDMI In	1	1	TBD
LAN Port	1	-	TBD
RJ/P Interface (RJ45)	-	-	TBD
External Speaker Out (3.5mm phone jack)	1	1	TBD
<b>Power</b>			
Voltage, Hz	110 ~ 240V, 50/60Hz	100 ~ 240V, 50/60Hz	110 ~ 240V, 50/60Hz
Typical(Watts) Based on Energy Star 6.1 (NA Only)	32H* : 22W 39* : 32W 42* : 34W 47* : 35W	32H* : 21W 42* : 33W 47* : 35W 55* : 45W	TBD
Stand-by	0.5W ↓	0.5W ↓	0.3W ↓
<b>Dimension</b>			
Set (W/O, WxHxD, mm)	32H* : 732 * 437 * 55.5 39* : 885 * 524 * 55.5 42* : 961 * 567 * 55.5 47* : 1073 * 629 * 55.8	32H* : 732 * 437 * 55.5 42* : 961 * 567 * 55.5 47* : 1073 * 629 * 55.8 55* : 1243 * 725 * 56.8 60* : 1373 * 801 * 58.8 65* : TBD	42* : 949 * 560 * 55.1 47* : 1061 * 623 * 55.1 55* : 1231 * 718 * 55.1
Set (With stand, WxHxD, mm)	32H* : 732 * 482 * 282 39* : 885 * 572 * 282 42* : 961 * 617 * 325 47* : 1073 * 680 * 325	32H* : 732 * 481 * 207 42* : 961 * 610 * 218 47* : 1073 * 676 * 255 55* : 1128 * 708 * 255 60* : 1373 * 848 * 280 65* : TBD	42* : 949 * 608 * 211 47* : 1061 * 670 * 247 55* : 1231 * 769 * 247
Weight (With Stand, kg)	32H* : 8.9 39* : 10.9 42* : 12.6 47* : 15.7	32H* : 6.2 42* : 9.5 47* : 12.7 55* : 18.4 60* : 23.5 65* : 30.5	TBD
VESA Compatibility	32H*/39* : 200 X 200 42*/47*/55* : 400 X 400	32H*/39* : 200 X 200 42*/47*/55*/60*/65* : 400 X 400	400 x 400

# Specifications

MODEL NAME	LY760H	LY750H	LY540H	LY345C/LY340C/LY330C
<b>Model Information</b>				
Size	32"/39"/42"/47"/55"	32"/39"/42"/47"/55"	EU :22H"/28H"/32"/39"/42"/47" CIS : 32"/38"/42"/47"	EU : LY340C : 22H"/28H"/32H" EU : LY330C : 32H"/39"/42"/47"/55"/60" CIS : LY345C : 32"/39"/42"/47"/55"/60" CIS : LY340C : 28H"
Production Model	32/39/42/47/55 LY760H-ZA	32/39/42/47/55 LY750H-ZA	22H/28H/32/39/42/47 LY540H-ZA	22H/28H/32H LY340C-ZA 32H/39/42/47/55/60 LY330C-ZA 32/39/42/47/55/60 LY345C-ZA 28H LY340C-ZA
<b>Broadcasting System</b>				
Digital	DVB-T2/C/S2	DVB-T/C	DVB-T2/C/S2	DVB-T2/C/S2
Analog	PAL/SECAM	PAL/SECAM	PAL/SECAM	PAL/SECAM
<b>Video</b>				
Resolution	1920 x 1080 (FHD)	1920 x 1080 (FHD)	22H"/28H" : 1366 x 768 (HD) 32"/39"/42"/47" : 1920 x 1080 (FHD)	LY345C : 1920 x 1080 (FHD) LY340C : 1366 x 768 (HD) LY330C : 22H"/28H"/32H" : 1366 x 768 (HD) LY330C : 39"/42"/47"/55"/60" : 1920 x 1080 (FHD)
Cinema 3D	-	-	-	-
<b>Audio</b>				
Audio Output	10W + 10W	10W + 10W	22H"/28H" : 5W + 5W 32"/39"/42"/47" : 10W + 10W	10W + 10W
Sound System	2.0ch	2.0ch	2.0ch	2.0ch
<b>Feature</b>				
Pro/Centric	P:C Smart	P:C Smart	P:C V	-
HCAP (GEM/FLASH/HTML)	GEM/FLASH/HTML	GEM/FLASH/HTML	GEM/FLASH	-
Smart	•	•	-	-
Commercial Smart Home	•	-	-	-
APP (P:C Smart)	•	•	-	-
Web Browser	•	•	-	-
Connectivity	•	•	•	•
SmartShare/DUNA (Movie/Photo/Music)	•(SmartShare)	•(SmartShare)	-	-
MHL	•	-	•	•
Remote Diagnosis/Self Diagnosis	•(Remote Diagnosis)	•(Remote Diagnosis)	•(Self Diagnosis)	•(Self Diagnosis)
EzManager	•	-	•	-
HDMI-CEC	•	•	•	•
HTNG-CEC	•	•	•	•
b-LAN	-	-	-	-
Built-In Wifi	•	•	-	-
DRM	•(ProIdiom)	•(ProIdiom)	-	-
Welcome Screen	•	•	•	•
Lock Mode	•	•	•	•
One Channel Map (EU/CIS/MEA Only)	•	•	•	•
Logical Channel Map	-	-	-	-
Multi IR Code	•	•	•	•
Hotel Mode/Public Display Mode	•	•	•	•
USB Cloning	•	•	•	•
IR Out	•	•	•	•
USB Auto Play back	-	-	-	-
External Power	•	•	•	•
External clock Ready	•	•	•	•
External Speaker Out	•	•	•	•(3.5mm Phone Jack)
RJP Compatibility	•	•	•	-
Swivel	-	-	-	-
Anti-theft System	-	-	-	-
Kensington Lock	•	•	•	•
Credenza/Security Screw Hole	-	-	-	-
Lock Down Plate	-	-	-	-
<b>Set Side</b>				
HDMI In	2	1	1	1
USB (2.0)	1	2	1	1
Ci Slot (EU/CIS/MEA Only)	1	1	1	1
Headphone Out	1	1	1	-
<b>Set Rear</b>				
RF In	1	1	1	1
AV In (Composite)	-	-	-	-
Component In (Y, Pb, Pr) + Audio (L/R)	-	-	1(Phone Jack)	1(Phone Jack)
Digital Audio Out (Optical)	1	1	1	1
RGB In (D-sub 15pin)	-	-	-	-
USB (2.0)	-	-	1	-
Headphone Out (3.5mm Phone Jack)	-	-	-	1
RS-232C (D-Sub 9pin)	1	1	1	1
HDMI In	1	1	1	1
LAN Port	2	2	1	-
RJP Interface (RJ45)	-	-	-	-
External Speaker Out (3.5mm phone jack)	1	2(Spk-out 1, Vol. Control 1)	2(Spk-out 1, Vol. Control 1)	1
<b>Power</b>				
Voltage, Hz	100 – 240V, 50/60Hz	100 – 240V, 50/60Hz	100 – 240V, 50/60Hz	100 – 240V, 50/60Hz
Typical (Watts)	TBD	TBD	TBD	TBD
Stand-by	0.3W	0.3W	0.3W	0.5W
<b>Dimension</b>				
Set (W/O, WxHxD, mm)	32" : 732 * 437 * 55.5 39" : 885 * 524 * 55.5 42" : 961 * 567 * 55.5 47" : 1073 * 629 * 55.8 55" : 1249 * 725 * 56.8	32" : 732 * 437 * 55.5 39" : 885 * 524 * 55.5 42" : 961 * 567 * 55.5 47" : 1073 * 629 * 55.8 55" : 1249 * 725 * 56.8	22H" : 507.6 * 315.7 * 53.1 28H" : 641.5 * 395.8 * 57.6 32" : 732 * 437 * 55.5 39" : 885 * 524 * 55.5 42" : 961 * 567 * 55.5 47" : 1073 * 629 * 55.8	32H" : 732 * 437 * 55.5 39" : 885 * 524 * 55.5 42" : 961 * 567 * 55.5 47" : 1073 * 629 * 55.8 55" : 1249 * 725 * 56.8 60" : 1373 * 801 * 58.8
Set (With stand, WxHxD, mm)	32" : 732 * 481 * 207 39" : 885 * 567 * 218 42" : 961 * 610 * 218 47" : 1073 * 676 * 255 55" : 1249 * 772 * 255	32" : 732 * 481 * 207 39" : 885 * 567 * 218 42" : 961 * 610 * 218 47" : 1073 * 676 * 255 55" : 1249 * 772 * 255	22H" : 507.6 * 355.9 * 140.5 28H" : 641.5 * 431.9 * 170 32" : 732 * 481 * 207 39" : 885 * 567 * 218 42" : 961 * 610 * 218 47" : 1073 * 676 * 255 55" : 1249 * 772 * 255	32H" : 732 * 481 * 207 39" : 885 * 567 * 218 42" : 961 * 610 * 218 47" : 1073 * 676 * 255 55" : 1249 * 772 * 255 60" : 1373 * 848 * 280
Weight (With Stand, kg)	32" : 6.2 47" : 12.7 39" : 8.3 55" : 18.4 42" : 9.5	32" : 6.2 47" : 12.7 39" : 8.3 55" : 18.4 42" : 9.5	22H" : 3.1 39" : 8.3 28H" : 4.8 42" : 9.5 32" : 6.2 47" : 12.7	32H" : 6.2 47" : 12.7 39" : 8.3 55" : 18.4 42" : 9.5 60" : 23.5
VESA Compatibility	32"/39" : 200 X 200 42"/47"/55" : 400 X 400	32"/39" : 200 X 200 42"/47"/55" : 400 X 400	22" : 75 X 75, 28" : 100 X 100 32"/39" : 200 X 200 42"/47"/55" : 400 X 400	32"/39" : 200 X 200 42"/47"/55"/60" : 400 X 400
<b>Eco (EU Only)</b>				
ErP Class		A	A+ (28",47"), A(32",39")	A+(28",47",55",60"), A(39",42")
On Power Consumption (IEC62097 Edition 2) (W)		41(32"),51(39"),55(42"),67(47"),87(55")	21(28"),41(32"),50(39"),54(47")	21(28"), 56(32"), 66(42"), 60(47"), 84(55")
Stand By (W)	TBD	0.3	0.3	0.3
Luminance Ratio (%)		65	65	65
Mercury Content (mg)		0	0	0
Presence of Lead		Yes	Yes	Yes
Average Annual Consumption (kWh)		60(32"),74(39"),80(42"),98(47"),127(55")	31(28"),60(32"),73(39"),79(47")	21(28"), 82(39"), 96(42"), 88(47"), 123(55")

For more information/product orders call: 877-789-7995  
Email: tevens@commconnecttv.com

MODEL NAME	LY750H	LY540H	LY340C/LY330C
<b>Model Information</b>			
Size	32"/42"/47"/55"	32H"/42"/47"/55"	LY340C : 32H"/42"/47"/55"/60" LY330C : 22H"/28H"
Production Model	32/42/47/55 LY750H-TA	32H/42/47/55 LY540H-TA	32H/42/47/55/60 LY340C-TA 22H/28H LY330C-TA
<b>Broadcasting System</b>			
Digital	DVB-T/C (Varied by region)	DVB-T/C (Varied by region)	DVB-T/C (Varied by region)
Analog	PAL/NTSC-M	PAL/NTSC-M	PAL/NTSC-M
<b>Video</b>			
Resolution	1920 x 1080 (FHD)	32" : 1366 x 768 (HD) 42"/47"/55" : 1920 x 1080 (FHD)	22H"/28H"/32" : 1366 x 768 (HD) 42"/47"/55"/60" : 1920 x 1080 (FHD)
Cinema 3D	-	-	-
<b>Audio</b>			
Audio Output	10W + 10W	10W + 10W	LY340C : 10W + 10W LY330C : 5W + 5W
Sound System	2.0ch	2.0 Ch	2.0ch
<b>Feature</b>			
Pro-Centric	P-C Smart	P-C V	-
HCAP (GEM/FLASH/HTML)	GEM/FLASH/HTML	GEM/FLASH	-
Smart	•	-	-
Commercial Smart Home	-	-	-
APP (P-C Smart)	•	-	-
Web Browser	•	-	-
Connectivity	•	•	•
SmartShare/DLNA (Movie/Photo/Music)	•(SmartShare)	-	-
MHL	-	-	•
Remote Diagnosis/Self Diagnosis	•(Remote Diagnosis)	•(Self Diagnosis)	•(Self Diagnosis)
EzManager	•	•	•
HDMI-CEC	•	•	•
HTING-CEC	•	•	•
b-LAN	-	-	-
Built-In Wifi	•	-	-
DRM	•(Prop:Idiom)	-	-
Welcome Screen	•	•	•
Lock Mode	•	•	•
One Channel Map (EU/CIS/MEA Only)	-	-	-
Logical Channel Map	-	-	-
Multi IR Code	•	•	•
Hotel Mode/Public Display Mode	•	•	•
USB Cloning	•	•	•
IR Out	•	•	•
USB Auto Play back	-	•	•
External Power	-	-	-
External clock Ready	-	-	-
External Speaker Out	•	•	•
RJ45 Compatibility	•	•	•
Swivel	-	-	-
Anti-theft System	•	•	•
Kensington Lock	•	•	•
Credenza/Security Screw Hole	-	-	-
Lock Down Plate	-	-	-
<b>Set Side</b>			
HDMI In	1	1	1
USB (2.0)	2	2	2
CI Slot (EU/CIS/MEA Only)	-	-	-
Headphone Out	1	1	1
<b>Set Rear</b>			
RF In	1	1	1
AV In (Composite)	-	1(Sharing with Component in)	1(Sharing with Component in)
Component In (Y, Pb, Pr) + Audio (L/R)	1(Phone Jack)	1	1
Digital Audio Out (Optical)	1	1	1
RGB In (D-sub 15pin)	1	1	1
USB (2.0)	-	-	-
Headphone Out (3.5mm Phone Jack)	-	-	-
RS-232C (D-Sub 9pin)	1	1	1
HDMI In	1	1	1
LAN Port	2	1	-
RJ45 Interface (RJ45)	-	-	-
External Speaker Out (3.5mm phone jack)	2 (Spk-out 1, Vol. Control 1)	2(Spk-out 1, Vol. Control 1)	1(Spk-out 1)
<b>Power</b>			
Voltage, Hz	100 – 240V, 50/60Hz	100 – 240V, 50/60Hz	100 – 240V, 50/60Hz
Typical (Watts)	TBD	32" : 59W 42" : 92W 47" : 90W 55" : 119W	22H" : TBD 47" : 91W 28H" : 36W 55" : TBD 32H" : 58W 60" : TBD 42" : 84W
Stand-by	0.5W ↓	0.2W ↓	22" : TBD 47" : 0.2W 28" : 0.2W 55" : TBD 32" : 0.2W 60" : TBD 42" : 0.2W
<b>Dimension</b>			
Set (W/O, WxHxD, mm)	32" : 732 * 437 * 55.5 42" : 961 * 567 * 55.5 47" : 1073 * 629 * 55.8 55" : 1243 * 725 * 56.8	32" : 732 * 437 * 55.5 42" : 961 * 567 * 55.5 47" : 1073 * 629 * 55.8 55" : 1243 * 725 * 56.8	22H" 507.6 * 315.7 * 53.1 28H" 641.5 * 395.8 * 57.6 32H" 732 * 431 * 55.5 42" 961 * 567 * 55.5 47" 1073 * 629 * 55.8 55" 1243 * 725 * 56.8 60" 1373 * 801 * 58.8
Set (With stand, WxHxD, mm)	32" : 732 * 481 * 207 42" : 961 * 610 * 218 47" : 1073 * 676 * 255 55" : 1243 * 772 * 255	32" : 732 * 481 * 207 42" : 961 * 610 * 218 47" : 1073 * 676 * 255 55" : 1243 * 772 * 255	Stand Quadrangle type 22H" 507.6 * 355.9 * 135.8 28H" 641.5 * 432 * 170 32H" 732 * 481 * 207 42" 961 * 610 * 218 47" 1073 * 676 * 255 55" 1243 * 772 * 255 60" 1373 * 848 * 280  Stand Trapezoid type (India only) 22H" 507.6 * 355.9 * 140.5 28H" 641.5 * 431.9 * 170
Weight (With Stand, kg)	32" : 6.2 42" : 9.5 47" : 12.7 55" : 18.4	32" : 6.2 42" : 9.5 47" : 12.7 55" : 18.4	22H" : 3.1 47" : 12.7 28H" : 4.5 55" : 18.4 32H" : 6.2 60" : 23.5 42" : 9.5
VESA Compatibility	32" : 200 X 200 42"/47"/55" : 400 X 400	32" : 200 X 200 42"/47"/55" : 400 X 400	22H" : 75 X 75 47" : 400 X 400 28H" : 100 X 100 55" : 400 X 400 32H" : 200 X 200 60" : 400 X 400 42" : 400 X 400

For more information/product orders call: 877-789-7995  
Email: tevas@commconnecttv.com

# Specifications

MODEL NAME	LY750H	LY540H	LY340C
<b>Model Information</b>			
Size	42"/47"/55"	42"/47"/55"	China : 32H"/39"/42"/47"/55"/60" Hongkong : 32"/42"/47"/55" Taiwan : 32H"/42"/47"/55"
Production Model	42/47/55 LY750H-CA	42/47/55 LY540H-CA	32H/32/42/47/55/60 LY340C-CA
<b>Broadcasting System</b>			
Digital	DTMB/DVB-C	China: DTMB, DVB-C Taiwan : DVB-T	China / Hongkong : DTMB, DVB-C Taiwan : DVB-T
Analog	PAL-I, PAL/SECAM BG/DK, NTSC M (AV ONLY)	China : PAL-I, PAL/SECAM BG/DK, NTSC M(AV ONLY) Taiwan : NTSC M	China / Hongkong : PAL-I, PAL/SECAM BG/DK, NTSC M(AV ONLY) Taiwan : NTSC M
<b>Video</b>			
Resolution	1920 x 1080 (FHD)	1920 x 1080 (FHD)	32H" : 1366 X 768 (HD) 32"/39"/42"/47"/55"/60" : 1920 x 1080 (FHD)
Cinema 3D	-	-	-
<b>Audio</b>			
Audio Output	10W + 10W	10W + 10W	10W + 10W
Sound System	2.0ch	2.0 Ch	2.0ch
<b>Feature</b>			
Pro-Centric	P-C Smart	P-C V	-
HCAP (GEM/FLASH/HTML)	GEM/FLASH/HTML	GEM/FLASH	-
Smart	-	-	-
Commercial Smart Home	-	-	-
APP (P-C Smart)	-	-	-
Web Browser	•	•	•
Connectivity	•	•	•
SmartShare/DLNA (Movie/Photo/Music)	•(SmartShare)	•	•
MHL	•	•	•
Remote Diagnosis/Self Diagnosis	•(Remote Diagnosis)	•(Self Diagnosis)	•(Self Diagnosis)
EzManager	•	•	•
HDMI-CEC	•	•	•
HTNG-CEC	•	•	•
b-LAN	-	-	-
Built-In Wifi	•	•	•
DRM	-	-	-
Welcome Screen	•	•	•
Lock Mode	•	•	•
One Channel Map (EU/CIS/MEA Only)	-	-	-
Logical Channel Map	-	-	-
Multi IR Code	•	•	•
Hotel Mode/Public Display Mode	•	•	•
USB Cloning	•	•	•
IR Out	•	•	•
USB Auto Play back	-	-	-
External Power	•	•	•
External clock Ready	-	-	-
External Speaker Out	•	•	•
RJP Compatibility	•	•	•
Swivel	-	-	-
Anti-theft System	•	•	•
Kensington Lock	•	•	•
Credenza/Security Screw Hole	-	-	-
Lock Down Plate	-	-	-
<b>Set Side</b>			
HDMI In	1	1	1
USB (2.0)	2	2	1
Ci Slot (EU/CIS/MEA Only)	-	-	-
Headphone Out	1	1	1
<b>Set Rear</b>			
RF In	1	1	China : 1, Hongkong / Taiwan : 2
AV In (Composite)	1	1(Sharing with Component in)	1(Sharing with Component in)
Component In (Y, Pb, Pr) + Audio (L/R)	-	1	1
Digital Audio Out (Optical)	1	1	1
RGB In (D-sub 15pin)	1	1	1
USB (2.0)	-	-	-
Headphone Out (3.5mm Phone Jack)	-	-	China : 1, Hongkong / Taiwan : -
RS-232C (D-Sub 9pin)	1	1	China : Side USB to RS232C, Hongkong / Taiwan : 1
HDMI In	1	1	1
LAN Port	2	China : -, Taiwan : 1	China : 1, Hongkong / Taiwan : -
RJP Interface (RJ45)	-	-	-
External Speaker Out (3.5mm phone jack)	2(Spk-out 1, Vol. Control 1)	1(Spk-out 1)	China : -, Hongkong / Taiwan : 1 (Spk-out 1)
<b>Power</b>			
Voltage, Hz	100 – 240V, 50/60Hz	100 – 240V, 50/60Hz	100 – 240V, 50/60Hz
Typical (Watts)	42" : 90W 47" : 95W 55" : 114W	42" : 88W 47" : 93W 55" : 111W	32H" : 47W 32" : 47W 39" : 92W 42" : 88W 47" : 93W 55" : 111W 60" : 115W
Stand-by	0.5W ↓	0.5W ↓	0.5W ↓
<b>Dimension</b>			
Set (W/O, WxHxD, mm)	42" : 961 * 567 * 55.5 47" : 1073 * 629 * 55.8 55" : 1243 * 725 * 56.8	42" : 961 * 567 * 55.5 47" : 1073 * 629 * 55.8 55" : 1243 * 725 * 56.8	32H" : 732 * 431 * 55.5 32" : 732 * 431 * 55.5 39" : 885 * 524 * 55.5 42" : 961 * 567 * 55.5 47" : 1073 * 629 * 55.8 55" : 1243 * 725 * 56.8 60" : 1373 * 801 * 58.8
Set (With stand, WxHxD, mm)	42" : 961 * 610 * 218 47" : 1073 * 676 * 255 55" : 1243 * 772 * 255	42" : 961 * 610 * 218 47" : 1073 * 676 * 255 55" : 1243 * 772 * 255	32H" : 732 * 481 * 207 32" : 732 * 481 * 207 39" : 885 * 567 * 218 42" : 961 * 610 * 218 47" : 1073 * 676 * 255 55" : 1243 * 772 * 255 60" : 1373 * 848 * 280
Weight (With Stand, kg)	42" : 9.5 47" : 12.7 55" : 18.4	42" : 9.5 47" : 12.7 55" : 18.4	32H" : TBD 32" : 6.2 39" : 6.3 42" : 9.5 47" : 12.7 55" : 18.4 60" : 23.5
VESA Compatibility	42"/47"/55" : 400 X 400	42"/47"/55" : 400 X 400	32H"/32"/39" : 200 X 200 42"/47"/55"/60" : 400 X 400

For more information/product orders call: 877-789-7995  
Email: tevens@commconnecttv.com

MODEL NAME	LY760H	LY540H	LY340C
<b>Model Information</b>			
Size	32"/42"	32H/42"	32H/42"/47"/55"
Production Model	32/42 LY760H-SA	32H/42 LY540-SA	32H/42/47/55 LY340C-SA
<b>Broadcasting System</b>			
Digital	ISDB-T	ISDB-T	ISDB-T
Analog	PAL-M/N / NTSC-M	PAL-M/N / NTSC-M	PAL-M/N / NTSC-M
<b>Video</b>			
Resolution	1920 x 1080 (FHD)	32H* : 1366 x 768 (HD) 42* : 1920 x 1080 (FHD)	32* : 1366 x 768 (HD) 42*/47*/55* : 1920 x 1080 (FHD)
Cinema 3D		-	-
<b>Audio</b>			
Audio Output	10W + 10W	10W + 10W	10W + 10W
Sound System	2.0ch	2.0ch	2.0ch
<b>Feature</b>			
Pro:Centric	P-C Smart	P-C V	-
HCAP (GEM/FLASH/HTML)	GEM/FLASH/HTML	GEM/FLASH	-
Smart	•	-	-
Commercial Smart Home	•	-	-
APP (P-C Smart)	•	-	-
Web Browser	•	-	-
Connectivity	•	•	•
SmartShare/DLNA (Movie/Photo/Music)	•(SmartShare)	-	•
MHL	•	-	•
Remote Diagnosis/Self Diagnosis	•(Remots Diagnosis)	•(Self Diagnosis)	•(Self Diagnosis)
EdManager	•	•	•
HDMI-CEC	•	•	•
HTNG-CEC	•	•	•
b-LAN	-	-	-
Built-in Wifi	•	-	-
DRM	•(Pro:Idiom)	-	-
Welcome Screen	•	•	•
Lock Mode	•	•	•
One Channel Map (EU/CIS/MEA Only)	-	-	-
Logical Channel Map	-	-	-
Multi IR Code	•	•	•
Hotel Mode/Public Display Mode	•	•	•
USB Cloning	•	•	•
IR Out	•	•	•
USB Auto Play back	-	-	•
External Power	-	-	-
External clock Ready	-	-	-
External Speaker Out	-	-	-
RJ/P Compatibility	•	•	•
Swivel	•	-	-
Anti-theft System	-	•	•
Kensington Lock	•	•	•
Credenza/Security Screw Hole	-	-	-
Lock Down Plate	-	-	-
<b>Set Side</b>			
HDMI In	1	1	1
USB (2.0)	1	2	2
CI Slot (EU/CIS/MEA Only)	-	-	-
Headphone Out	-	-	-
<b>Set Rear</b>			
RF In	1	1	1
AV In (Composite)	1(Sharing with Component in)	1(Sharing with Component in)	1(Sharing with Component in)
Component In (Y, Pb, Pr) + Audio (L/R)	1	1	1
Digital Audio Out (Optical)	1	1	1
RGB In (D-sub 15pin)	-	1	1
USB (2.0)	1	-	-
Headphone Out (3.5mm Phone Jack)	-	-	-
RS-232C (D-Sub 9pin)	1(Control & Service)	1(Control & Service)	1(Control & Service)
HDMI In	2	1	1
LAN Port	2	-	-
RJ/P Interface (RJ45)	-	-	-
External Speaker Out (3.5mm phone jack)	-	-	-
<b>Power</b>			
Voltage, Hz	110 ~ 240V, 50/60Hz	100 ~ 240V, 50/60Hz	100 ~ 240V, 50/60Hz
Typical (Watts)	TBD	32H* : 52W 42* : 81W	32* : 52W 42* : 81W 47* : TBD 55* : TBD
Stand-by	0.5W ↓	0.5W ↓	0.5W ↓
<b>Dimension</b>			
Set (W/O, WxHxD, mm)	32* : 732 * 437 * 55.5 42* : 961 * 567 * 55.5	32H* : 732 * 437 * 55.5 42* : 961 * 567 * 55.5	32* : 732 * 437 * 55.5 42* : 961 * 567 * 55.5 47* : 1073 * 629 * 55.8 55* : 1243 * 725 * 56.8
Set (With stand, WxHxD, mm)	32* : 732 * 481 * 207 42* : 961 * 610 * 218	32H* : 732 * 481 * 207 42* : 961 * 610 * 218	32* : 732 * 481 * 207 42* : 961 * 610 * 218 47* : 1073 * 676 * 255 55* : 1243 * 772 * 255
Weight (With Stand, kg)	32* : 6.2 42* : 9.5	32H* : 6.2 42* : 9.5	32* : 6.2 42* : 9.5 47* : 12.7 55* : 18.4
VESA Compatibility	32* : 200 X 200 42* : 400 X 400	32H* : 200 X 200 42* : 400 X 400	32* : 200 X 200 42*/47*/55* : 400 X 400

# Specifications

MODEL RANGE	LY960H	LY760H
<b>Model Information</b>		
Size	42"/47"/55"/60"/70"	32"/39"/42"/47"/55"
Production Model	42/47/55/60/70 LY960H-ZA	32/39/42/47/55 LY760H-ZA
<b>Broadcasting System</b>		
Digital	DVB-T2/C/S2	DVB-T2/C/S2
Analog	PAL/SECAM	PAL/SECAM
<b>Video</b>		
Resolution	1920 x 1080 (FHD)	1920 x 1080 (FHD)
Cinema 3D	•	-
<b>Audio</b>		
Audio Output	12W + 12W	10W + 10W
Sound System	2.1ch	2.0ch
<b>Feature</b>		
Pro-Centric	P-C Smart	P-C Smart
HCAP (GEM/FLASH/HTML)	GEM/FLASH/HTML	GEM/FLASH/HTML
Smart	•	•
Commercial Smart Home	•	•
APP (P-C Smart)	•	•
Web Browser	•	•
Connectivity	•	•
SmartShare/DLNA (Movie/Photo/Music)	•(SmartShare)	•(SmartShare)
MHL	•	•
Remote Diagnosis/Self Diagnosis	•(Remote Diagnosis)	•(Remote Diagnosis)
EzManager	•	•
HDMI-CEC	•	•
HTNG-CEC	•	•
b-LAN	-	-
Built-In Wifi	•	•
DRM	•(ProIdiom)	•(ProIdiom)
Welcome Screen	•	•
Lock Mode	-	•
One Channel Map (EU/CIS/MEA Only)	•	•
Logical Channel Map	•	-
Multi IR Code	•	•
Hotel Mode/Public Display Mode	•	•
USB Cloning	•	•
IR Out	•(Phone Jack)	•
USB Auto Play back	-	-
External Power	•(RS-232C, 12W/1.0A)	•
External clock Ready	-	•
External Speaker Out	•	•
RJ45 Compatibility	•	•
Swivel	•	-
Anti-theft System	•	•
Kensington Lock	•	•
Credenza/Security Screw Hole	-	-
Lock Down Plate	-	-
<b>Set Side</b>		
HDMI In	TBD	2
USB (2.0)	TBD	1
CI Slot (EU/CIS/MEA Only)	TBD	1
Headphone Out	TBD	1
<b>Set Rear</b>		
RF In	TBD	1
AV In (Composite)	TBD	-
Component In (Y, Pb, Pr) + Audio (L/R)	TBD	-
Digital Audio Out (Optical)	TBD	1
RGB In (D-sub 15pin)	TBD	-
USB (2.0)	TBD	-
Headphone Out (3.5mm Phone Jack)	TBD	-
RS-232C (D-Sub 9pin)	TBD	1
HDMI In	TBD	1
LAN Port	TBD	2
RJ45 Interface (RJ45)	TBD	-
External Speaker Out (3.5mm phone jack)	TBD	1
<b>Power</b>		
Voltage, Hz	110 – 240V, 50/60Hz	100 – 240V, 50/60Hz
Typical (Watts)	TBD	TBD
Stand-by	0.5W ↓	0.3W ↓
<b>Dimension</b>		
Set (W/O, WxHxD, mm)	42" : 949 * 560 * 55.1 47" : 1061 * 623 * 55.1 55" : 1231 * 718 * 55.1 60" : 1338.4 * 778.8 * 58.1 70" : 1574 * 916 * 60.2	32" : 732 * 437 * 55.5 39" : 885 * 524 * 55.5 42" : 961 * 567 * 55.5 47" : 1073 * 629 * 55.8 55" : 1243 * 725 * 56.8
Set (With stand, WxHxD, mm)	42" : 949 * 608 * 211 47" : 1061 * 670 * 247 55" : 1231 * 769 * 247 60" : 1338.4 * 834.7 * 288.9 70" : 1574 * 964 * 344	32" : 732 * 481 * 207 39" : 885 * 567 * 218 42" : 961 * 610 * 218 47" : 1073 * 676 * 255 55" : 1243 * 772 * 265
Weight (With Stand, kg)	TBD	32" : 6.2 39" : 8.3 42" : 9.5 47" : 12.7 55" : 18.4
VESA Compatibility	42"/47"/55"/60" : 400 X 400 70" : 600 X 400	32"/39" : 200 X 200 42"/47"/55" : 400 X 400

For more information/product orders call: 877-789-7995  
Email: [tevens@commconnecttv.com](mailto:tevens@commconnecttv.com)



MODEL NAME	LY540H	LY330C
<b>Model Information</b>		
Size	32"/42"/47"/55"	32H"/42"/47"/55"/60"
Production Model	32/42/47/55 LY540H-ZA	32H/42/47/55/60 LY330C-ZA
<b>Broadcasting System</b>		
Digital	DVB-T2/C/S2	DVB-T/C
Analog	PAL/SECAM	PAL/SECAM
<b>Video</b>		
Resolution	1920 x 1080 (FHD)	32" : 1366 x 768 (HD) 39"/42"/47"/55"/60" : 1920 x 1080 (FHD)
Cinema 3D	-	-
<b>Audio</b>		
Audio Output	10W + 10W	10W + 10W
Sound System	2.0ch	2.0ch
<b>Feature</b>		
Pro:Centric	P-C V	-
HCAP (GEM/FLASH/HTML)	GEM/FLASH	-
Smart	-	-
Commercial Smart Home	-	-
APP (P-C Smart)	-	-
Web Browser	-	-
Connectivity	•	•
SmartShare/DLNA (Movie/Photo/Music)	•	•
MHL	•	•
Remote Diagnosis/Self Diagnosis	•(Self Diagnosis)	•(Self Diagnosis)
EdManager	•	•
HDMI-CEC	•	•
HTNG-CEC	•	•
b-LAN	-	-
Built-in Wifi	-	-
DRM	-	-
Welcome Screen	•	•
Lock Mode	•	•
One Channel Map (EU/CIS/MEA Only)	•	•
Logical Channel Map	-	-
Multi IR Code	•	•
Hotel Mode/Public Display Mode	•	•
USB Cloning	•	•
IR Out	•	•
USB Auto Play back	•	•
External Power	•	-
External clock Ready	•	-
External Speaker Out	•	-
RJP Compatibility	•	•
Swivel	-	-
Anti-theft System	•	•
Kensington Lock	•	•
Credenza/Security Screw Hole	-	-
Lock Down Plate	-	-
<b>Set Side</b>		
HDMI In	1	1
USB (2.0)	1	1
CI Slot (EU/CIS/MEA Only)	1	1
Headphone Out	1	-
<b>Set Rear</b>		
RF In	1	1
AV In (Composite)	-	-
Component In (Y, Pb, Pr) + Audio (L/R)	1(Phone Jack)	1
Digital Audio Out (Optical)	1	1
RGB In (D-sub 15pin)	-	1
USB (2.0)	1	-
Headphone Out (3.5mm Phone Jack)	-	1
RS-232C (D-Sub 9pin)	1	1
HDMI In	1	1
LAN Port	1	-
RJP Interface (RJ45)	-	-
External Speaker Out (3.5mm phone jack)	2(Spk-out 1, Vol. Control 1)	1
<b>Power</b>		
Voltage, Hz	100 - 240V, 50/60Hz	100 - 240V, 50/60Hz
Typical (Watts)	TBD	TBD
Stand-by	0.5W ↓	0.5W ↓
<b>Dimension</b>		
Set (W/O, WxHxD, mm)	32" : 732 * 437 * 55.5 42" : 961 * 567 * 55.5 47" : 1073 * 629 * 55.8 55" : TBD	32H" : 732 * 437 * 55.5 39" : 885 * 524 * 55.5 42" : 961 * 567 * 55.5 47" : 1073 * 629 * 55.8 55" : 1243 * 725 * 56.8 60" : 1373 * 801 * 58.8
Set (With stand, WxHxD, mm)	32" : 732 * 481 * 207 42" : 961 * 610 * 218 47" : 1073 * 676 * 255 55" : TBD	32H" : 732 * 481 * 207 39" : 885 * 567 * 218 42" : 961 * 610 * 218 47" : 1073 * 676 * 255 55" : 1243 * 772 * 255 60" : 1373 * 848 * 280
Weight (With Stand, kg)	32" : 6.2 42" : 9.5 47" : 12.7 55" : TBD	32H" : 6.2 39" : 8.3 42" : 9.5 47" : 12.7 55" : 18.4 60" : 23.5
VESA Compatibility	32"/39" : 200 X 200 42"/47"/55" : 400 X 400	32H"/39" : 200 X 200 42"/47"/55"/60" : 400 X 400

For more information/product orders call: 877-789-7995  
Email: tevens@commconnecttv.com