

Part #	Description	M139	M195	Net Wt. (lbs.)	LIST PRICE
883-001	MP 2'x 20' Platform w/side, rear guardrails, plywood & decals	1	1	280	1,448.38
883-002	MP Removable top guardrail, 20'2",w/1- 1/4" safety pin	1	1	26.3	100.70
883-003	MP Remov. mid rail, 119",w/2- 1/4" safety pins	2	2	10.5	40.11
883-004	MP Remov. center post	1	1	6	34.14
192-086	ENTRY GATE GRAV-A-LOCK W/E-CLIP(I/Level & Old Style M.P.)				6.02
105-086	MP Spring loaded self-closing entry gate, retro fit(NOT SHOWN)				56.57
105-087	MP Gate only (NOT SHOWN)				43.00
105-088	MP Self-closing gate replacement spring, shaft & roll pin(NOT SHOWN)				15.53
192-087	MP Instruction Manual Tube W/Decal & hose clamps	1	1	4	20.76
192-122	Toe Board Bracket, 2 x 6	6	6	0.4	3.39
195-124	BOLT for ToeBroadBracket.: 1/4"x 3/4" Hex Hd.Bolt w/locknut	6	6		0.44
199-125	BOLT for ToeBoard.: 1/4"x 1" Rnd. Hd. Bolt w/lockwasher & T-nut	24	24		0.80
883-005	Front upright extension ONLY, W/O Sheave & clevis pin	1	1	37	228.52
883-006	Rear upright extension ONLY, W/O Sheave & clevis pin	1	1	39	246.73
883-007	Ladder extension	1	1	23	150.73
883-008	Extension X-brace, 168", per piece	2	2	19	94.82
883-009	Sheave(w/bronze bushing insert), 1/2"x 2-1/2"	4	4	0.5	16.13
883-009B	Bronze replacement bushing for sheave #883-009			0.1	1.59
883-010	Clevis pin, 1/2"x 1-1/4" (for upright extensions).....	2	2	0.1	1.86
883-011	Cotter pin, 5/32"x 1"	12	12		0.17
883-012	Hair pin clip	2	2	0.1	1.07
883-013	Safety pin, 3/8"	11	13	0.2	3.30
883-014	Safety pin, 3/4"	6	6	0.8	8.93
888-143	Safety pin, 1/4" x 1-3/8"	5	5	0.1	2.52
883-015	5/8"x 2-1/2" Bolt w/lcknt(adjusting arms & hairpins)	4	4	0.4	3.42
883-016	Reducer bushing(used with adjusting arms)	2	2	0.1	3.10
883-017	Clevis pin, 1/2"x 2-1/4" (for main uprights).....	2	2	0.2	1.86
883-018	Front upright, 12' ONLY, W/O Sheave & clevis pin	1		67	434.45
883-019	Front upright, 18' ONLY, W/O Sheave & clevis pin		1	98	620.58
883-020	Rear upright, 12' ONLY, W/O Sheave & clevis pin	1		69	457.54
883-021	Rear upright, 18' ONLY, W/O Sheave & clevis pin		1	99	643.65
488-022	X-brace, 187", M139	1		22	121.18
488-023	X-brace, 218-1/4", M195		1	25	133.51
488-024	Bolt, 3/8" x 2-1/4", w/locknut	2	2	0.1	1.23
488-122	X-brace, 92.63", M139	2		10	62.52
488-123	X-brace, 107.88", M 195		2	12	70.22
883-025	Adjusting arm, 128", M139	2		31	313.07
883-026	Adjusting arm, 208", M 195		2	50	396.48
883-027	Ladder, 145", 14 rungs, M 139	1		42	289.34
883-028	Ladder, 221", 21 rungs, M 195		1	60	320.46

Part #	Description	M139	M195	Net Wt. (lbs.)	LIST PRICE
200-500	MAIN PLATFORM WINCH, complete	2	2	8	107.59
192-029F	Winch 5/8" external snap ring, per winch	2	2		0.42
192-029G	Winch Bearing, per winch	2	2		8.88
200-101	Winch handle, complete w/Quick Pin				26.24
192-029I	Winch Plastic Handle Grip, per winch	1	1		7.58
200-501	Winch handle, per winch	1			15.70
200-502	1/4" Quick pin, per winch	1			2.25
200-503	5/8" E-Clip, per winch	1			0.37
200-504	Square Winch washer, per winch	1			1.39
200-505	Friction washer, per winch	1			6.78
200-506	Spool, per winch	1			42.29
200-507	Roll pin, 7/32" x 1-3/8", per winch	1			0.84
200-508	Winch spring, per winch	1			5.33
200-509	Winch shaft, per winch	1			16.20
200-510	Winch body, per winch	1			19.44
883-066	5/8" Machine Bushing	2			0.29
883-030	1/4"x 3/4" Carriage Bolt w/bent & flat wash & locknut	1			0.95
883-031	Cable, 1/8" x 35', M 139	2		1	21.51
883-032	Cable, 1/8" x 47', M 195		2	1.4	30.12
883-039	1/4" Poly rope, 16', M 139	2		0.2	4.44
883-040	1/4" Poly rope, 22', M 195		2	0.3	5.53
883-033	Cable clevis	2	2	0.2	5.81
883-034	3/8"x 1-1/2" Bolt w/lock washer & lock nut	4	4	0.1	0.79
883-035	3/8" Thick washer (Discontinued, replace w/2 of #883-042	8	8	0.1	See 883-042
883-036	Lift arm(only, incomplete) for Main platform	2	2	14.4	128.50
883-038	3/8"x 1-1/2" Roller bearing	4	4	0.2	12.56
883-024	3/8"x 3" Bolt w/locknut	2	2	0.2	1.14
192-126	#10 x 3/4" self drilling tek screw(for attaching side pulley #192-037)	4	4		0.25
192-037	1-1/2" Side pulley	2	2	0.2	21.19
883-041	1-3/4" Lift arm spring	2	2		1.50
883-042	5/16" Flat washer	2	2		0.15
883-043	Split ring	2	2		1.50
192-244	2" BALL Hitch Coupler for FRONT TONGUE, replacement			4	38.00
192-245	2-5/16" Ball Hitch Coupler for FRONT TONGUE, Add-on			9	105.00
199-044	Front tongue w/skid plate only	1	1	27	159.95
199-344	Safety Chain w/hook&7/16x2"bolt per pc.(set of 2)	1	1	3	45.95
199-045	Reach pipe, 2-1/2" ID Tube, 152-3/4", M 139	1		72	202.14
883-046	Reach pipe, 2-1/2" ID Tube, 152-1/4", M 195		1	72	201.57
883-047	Tire, 5" x 15", P205/75SR15	4	4	18	147.57
883-048	Tire rim, 5 bolt, 5" x 15" W/O valve stem	4	4	18	68.54
988-047	WIDE TIRE, 10 x 15", P275/60SR15			32	220.99
988-048	WIDE RIM, 5 bolt, 10 x 15" W/O valve stem			34	112.48
192-088	Rubber Valve stem for standard 5 x 15 tire rim	4	4	0.1	1.11
192-089	Steel Valve Stem for 10 x 15 wide tire rim			0.2	3.00

Part #	Description	M139	M195	Net Wt. (lbs.)	LIST PRICE
883-049	Canister weight, 120 lbs., M 139, Complete, Prior to 7/08			120	Call
300-001	CANISTER WEIGHT, 240 lb., M139, complete (Eff.7.08)	2		240	Call
300-011	Cannister weight, 3 required per axle, 80 lb. each (EFF. 2010)	6			Call
300-012	5/8" x 18-1/4" shaft & nut, w/4-1/8" Flag	2			Call
300-013	5/8" x 18-1/4" shaft & nut, w/7" Flag	2			Call
883-050	Saddle weight, 80 lbs., M 195				Call
300-201	SADDLE WEIGHT, 80 LBS., M 195 (Eff.10.08)		6	80	Call
883-051	1/2" Square washer(reach)	4	4	0.1	1.39
883-053	1/2"x 4" Bolt w/ lock nut(reach)	2	2	0.3	4.38
883-054	5/8"x 4-1/2" Bolt w/lock nut, (tongue bolt)	2	2	0.5	4.42
883-055	Left front/Right rear spindle w/o hub	2	2	7.2	138.87
883-056	Right front/Left rear spindle w/o hub	2	2	7.2	138.87
883-057	Hub w/brake drum , incl. cups, cones & seal	4	4	11.1	129.57
883-058	Brake band	4	4	0.7	36.75
883-061	3/8"x 3" Clevis pin	4	4	0.2	1.96
883-062	Brake adjusting bolt w/2 nuts	4	4	0.2	9.40
986-059	Brake handle w/o spring	4	4	1.5	24.70
986-060	Extension spring for brake handle	4	4	0.1	3.01
487-060	1/8"x 3/4" Cotter pin for brake spring	4	4		0.15
883-063	1-1/8" Bushing, 1 ea. per spindle & hairpin	6	6		0.50
199-069	Hair pin, Hole ID 1-1/8", FRONT AXLE	1	1	11	64.51
199-075	Front axle, MODEL 139	1		60	482.53
199-077	Front Exterior axle MODEL 195		1	63	514.92
199-079	Inner axle MODEL 195.....		2	34	129.91
199-081	REAR steering tongue	1	1	11	77.72
199-176	FRONT axle Bronze Bush, 1.315 OD x 1.128 ID	6	6		5.99
199-369	Hair pin, REAR AXLE	1	1	10	47.67
192-067	Spherical Tie Rod End	4	4	0.5	29.95
192-070	5/8"ID X 1" Ht. HAIR PIN MACHINED BUSHING	2	2	0.3	7.88
192-072	Tie rod(Length 61-1/4"), MODEL 139	2		6.3	47.52
192-074	Exterior tie rod, MODEL 195		2	7.5	47.66
883-064	1/4"x 2" Cotter pin	6	6		0.36
883-066	5/8" Machine bushing, 18 ga.				0.29
883-068	5/8" Jam nut	4	4	0.1	0.89
883-071	5/8"x 2" Bolt w/lock nut(for spherical tierod ends)	4	4	0.3	3.53
883-073	Inner tie rod , MODEL 195.....		2	5.3	24.00
883-076	Rear axle, MODEL 139	1		61	463.75
883-078	Rear Exterior axle MODEL 195		1	64	505.20
883-080	1/2"x 4" Cotterless hitch pin, M 195		2	0.3	5.74
883-082	Curved plunger	1	1	0.3	11.09
883-083	2-1/4" Spring	1	1		2.52
883-084	1/8"x 1" Cotter pin	2	2		0.16
883-169	Flat Washer, 5/8"	2	2		0.50

Part #	Description	M139	M195	Net Wt. lbs.	LIST PRICE
486-127	Large flange pop rivet, secures plywood decking	42	42		0.36
486-128	Tarp strap, Model 139	2			4.75
195-128	Ratchet Strap, Model 195		2	1.5	13.63
587-003	1/8" pop rivet(NOT SHOWN, attaches part#883-131)	4	4		0.17
587-001	Replacement plywood, priced per square foot.	40	40		Call
587-002	YELLOW paint, 1 gal. (Not Shown)				Call
888-144	YELLOW paint, 12.8 oz. spray can (Not Shown)				Call
600-600	Intermediate Level Winch			7	97.81
600-601	Flanged bronze bearing, I/L winch	1			5.07
600-602	I/L winch spool	1			38.66
600-603	I/L winch body	1			16.10
600-604	3/16" x 1" Cotter pin, I/L winch	1			0.18
192-029F	Winch 5/8" external snap ring, per winch	1			0.42
192-029G	Winch Bearing, per winch	1			8.88
192-029I	Winch Plastic Handle Grip, per winch	1			7.58
200-501	Winch handle, per winch	1			15.70
200-502	1/4" Quick pin, per winch	1			2.25
200-505	Friction washer, per winch	1			6.78
200-507	Roll pin, 7/32" x 1-3/8", per winch	1			0.84
200-508	Winch spring, per winch	1			5.33
883-030	1/4"x 3/4" Carriage Bolt w/bent & flat wash & locknut	1			0.95
883-066	5/8" Machine bushing	2			0.29
200-101	Winch handle, complete w/Quick Pin				26.24
INTERMEDIATE LEVEL PARTS FOR USE WITH I/L WINCHES					
600-663	Intermediate Level Cable, 1/8" x 23', for use with M 139	2		1	14.13
883-031	Intermediate Level Cable, 1/8" x 35', for use with M 195	2		1	21.51
600-664	Intermediate Level rope, 10', for use with M 139	2		0.5	3.01
883-039	Intermediate Level rope, 16', for use with M 195	2		0.5	4.44
600-665	1/2" Machine bushing(use with sheave on sheave block)	4			0.36
600-661	Sheave block(does not include sheave #883-009)	2		1	8.39
600-662	Link snap	2		0.5	6.90

Part #	Description	M139	M195	Net Wt. lbs.	LIST PRICE
DECALS, INSTRUCTION MANUAL, & VHS VIDEO FOR MAIN UNITS					
092-134	WARNING OVERLOAD decal (Main plat., 2"x9-1/4", MP1092)	1	1		5.03
193-134	CAUTION-This Is Not a Material Lift decal # 0194	2	2		6.71
590-165	CAUTION! LADDER EXTENSION decal, 1-1/2 X 6	1	1		4.50
590-166	EXTEND AXLE decal, 1-1/2 x 6, Green#1090		2		2.13
593-168	WINCH decal # 393A, 2-1/4" x 2"	2	2		4.50
593-169	ADJUSTING ARM decal # 393B, 6" x 4-1/4"	2	2		2.82
688-142	RUSTGO CO. decal, 3"x 15-1/2"	2	2		3.75
700-001	INSTRUCTION MANUAL decal	1	1		3.08
700-002	OSHA/ANSI Standard A92.3 Combined Decal	1	1		2.13
700-003	WARNING! M 139 LOAD LIMITS/Check w/ Your Boss decal	2	2		4.58
700-004	WARNING! M 195 LOAD LIMITS/Check w/ Your Boss decal	2	2		4.58
799-136	DANGER, ELECTROCUTION decal #799-136	3	3		2.99
799-170	LOOK UP - Electrocution Hazard decal	2	2		2.99
883-131	NAMEPLATE w/ Model & Serial No. , 2-3/4"x 4-1/4"	1	1		9.48
883-132	MAINTENANCE decal, 1-1/2"x 4-3/4"	3	3		2.13
883-137	DANGER, TOWING HAZARD decal 1-3/4"x 5-1/4"	3	3		4.22
987-139	RUSTGO/SILHOUETTE decal, 2-7/8" diameter	1	1		2.13
193-003	INSTRUCTION MANUAL (not shown)	1	1		12.00
488-004	Rental User Operating Instructions (not shown)				
700-006	Manual of Responsibilities for Dealers, Owners, Users, etc. of ANSI/SIA A92.3-1990	1	1		20.00
700-007	DVD Assembly, Operation & Safety Disk (not shown)	1	1		8.00
HUB & SPINDLE PARTS LIST					
P702203	Inner Bearing Cup				
P702210	Outer Bearing Cup				
P752311	Inner Bearing Cone				
P752305	Outer bearing Cone				
P201602	Wheel Nut, 1/2"-20 x 90 degree				
P602105	Grease Seal				
P502006	Hub Cap				
P301801	Spindle Washer, 1-5/16" OD x 21/32" ID				
P251701	Spindle Nut, 5/8" - 18				
P401901	Cotter Pin				
489-160	SECURITY CABLES & PARTS DISCONTINUED				
900-LB	LIGHT BAR for towings, complete (not shown)			12	132.00

Part #	Description	I/L	Net Wt. lbs.	LIST PRICE
INTERMEDIATE LEVEL PARTS & DECALS				
192-115	18" X 18' INTERMEDIATE LEVEL PLATFORM W/decking, decals toeboard brackets. NO Toeboards, Guard or End rails included		145	854.66
192-116	Intermediate Level Front Endrail	1	10.5	51.30
192-117	Int./Level Rear End Rail w/Gate	1	17.2	96.53
192-086	ENTRY GATE GRAV-A-LOCK W/E-CLIP(I/Level & O.S. M.P.)			
192-118	Int./Level Rear Gate post	1	4	28.15
192-119	Int./Level Front Center Post, 42-1/2"	1	3.8	27.83
192-120	Int./Level Rear Mid-Rail w/2- 1/4" pins, 98"	2	8.3	43.94
192-121	Int./Level Rear Top Rail w/1- 1/4" pin, 199"	1	16.5	75.38
199-125	BOLT for ToeBoard.: 1/4"x 1" Rnd. Hd. Bolt w/lockwasher & Tee nut			0.85
192-122	Toe Board Bracket, 2 x 6	6	0.4	3.39
199-126	BOLT for Toeboard: 1/4" x 1-1/2" Hex Hd. Bolt w/lckwshr & Tee nut			0.89
192-125	Cable Release Handle W/VINYL COVER			2.25
192-127	Vinyl Cover for part # 883-125	2		0.71
192-128	I/L Carrying Bracket B for M 139 ***DISCONTINUED***			
192-129	I/L Carrying Bracket A for M 139(on canisters, 2 req'd)	2	2.2	26.17
192-220	Int./Level Front Mid-Rail w/2- 1/4" pins, 108-1/2"	2	9.3	46.97
192-221	Int./Level Front Top Rail w/2- 1/4" pins, 218-1/4"	1	18	83.22
486-127	Large flange pop rivet	42		0.39
486-129	I/L Carrying Bracket A for M 195(2 req'd)	2	3.3	30.11
486-130	I/L Carrying Bracket B for M 195(2 req'd)	2	5.8	41.34
600-667	#14 x 3/4" Tek Screw	2		0.24
883-013	Safety pin, 3/8"	2	0.2	3.30
883-041	1-3/4" Lift arm spring	2		1.50
883-042	5/16" Flat washer	2		0.15
883-043	Split ring	2		1.50
883-119	Int./Level Rear Center post, 44"	1	4.3	29.02
883-123	BOLT for ToeBrdBracket.: 1/4"x 1-1/2" Hex Hd. Bolt w/lock nut	11		0.38
883-124	Intermediate Level lift arm(BARE)	2	16	128.96
888-143	Safety pin, 1/4" x 1-3/8"	11	0.1	2.52
587-001	Replacement plywood(treated), priced per square foot.	27		Call
883-132	MAINTENANCE decal, 1-1/2"x 4-3/4"	1		2.13
092-135	WARNING Overload decal(I/L), 1-1/2"x7", IL1092	1		5.03

OTHER COMPLETED ASSEMBLIES

486-300	Main(2'x 20') Platform complete. Decals, plywood, pins and all guardrails. EXCLUDING TOEBOARDS		333	
486-301	Set of 6' Extensions, complete Part #'s: 883-005, -006, -007, -008, -009, -010, -011, -012, -013, -014.		140	

Part #	Description	I/L	Net Wt. lbs.	LIST PRICE
486-302	Main Platform Lifterm Complete Part #'s: 883-024, -035, -036, -037, -038, -041, -042, -043, 192-126. Does NOT include rope.		16	
486-307	Intermediate Level Lift Arm, COMPLETE w/rope		19	
RW Kit	Int. Level Winch Retro-fit Kit consisting of part #'s: 600-600, 600-661, 600-663, -663(or 883-031), -664(or 883-039), -665, 883-009, -034, 883-011, -034, -035, 192-037 & 192-126. Designate for M139 or M195		40	

OTHER NON-STOCK ITEMS NOT ILLUSTRATED

900-LHAR	LEFT HAND Acme rod w/nut & swivel (TOP)		8	107.81
900-RHAR	RIGHT HAND Acme rod w/nut & swivel (BOTTOM)		8	107.81
900-WB195	Weight Bracket for 195 CounterWeights on conversion axle			34.25
206-MPSR	Main Platform Replacement Slide Rack			Call
206-ILSR	Intermediate Level Platform Replacement Slide Rack			Call
LadRung	Ladder rung		0.8	4.01
HDC	Heculiner Deck Coating, roll-on, per quart			Call

OTHER NON-STOCK ITEMS NOT ILLUSTRATED

CSA3LE	Ladder Extension, 3 ft. addition to existing 883-007		12	57.37
CSA50AW	Set of 2 addit.'l. 50 lb. couterweights w/plates for M139, 1 per axle		120	Call
CSA-DP	Drop pads (4) per unit		38	135.29

HUB & SPINDLE PARTS CROSS REFERENCE #'S

Inner Bearing(large) Cup:	LM67010 (Koyo or SKF/NAPA)
Inner Bearing Cone:	LM67048 (Koyo or Peer)
Outer Bearing(small)Cup:	LM11910 (Koyo or SKF/NAPA)
Outer Bearing Cone:	LM11949 (Koyo or Peer)
Inner Seal:	16069 (TCM # 162334VHY)