



## HOW IS IT SPREAD?



**NOT WASHING  
HANDS**



**SEX WITH INFECTED  
PARTNERS**



**EATING/DRINKING FOODS  
CONTAMINATED BY HEP A**



**ILLEGAL DRUG  
USE**

## PROTECT YOURSELF



**WASH HANDS  
OFTEN WITH  
SOAP AND  
WATER.**



**GET VACCINATED.**  
CALL (740) 203-2040  
TO SCHEDULE AN  
APPOINTMENT.

# HEPATITIS A

## VACCINATION CLINIC

### EVERY FRIDAY 1-4PM

#### HOW IS IT SPREAD?



Not  
washing  
hands



Sex with  
infected  
partners



Eating/Drinking  
foods contaminated  
by Hep A



Illegal  
drug  
use

#### PROTECT YOURSELF



WASH HANDS  
OFTEN WITH  
SOAP AND  
WATER



GET VACCINATED  
CALL (740) 203-2040  
TO SCHEDULE AN  
APPOINTMENT



## HEPATITIS A FACT SHEET

### WHAT IS HEPATITIS A?

Hepatitis A is a highly contagious liver infection caused by the Hepatitis A virus. It can range in severity from a mild illness lasting a few weeks to a severe illness lasting several months.

### HOW DO YOU GET HEPATITIS A?

Hepatitis A is usually spread when a person ingests fecal matter—even in microscopic amounts—from contact with objects, food, or drinks contaminated by feces or stool from an infected person. This can happen when:

- An infected person does not wash his/her hands after going to the bathroom and then touches objects or food
- Not properly washing hands after changing diapers or cleaning up stool from an infected person
- Someone engages in sexual activities with an infected person.

### SYMPTOMS

Some people get Hepatitis A and have no symptoms. If symptoms occur, they usually appear anywhere from 2 to 6 weeks after exposure. Adults are more likely to have symptoms than children. Symptoms may include

- Fever
- Fatigue
- Loss of appetite
- Nausea
- Vomiting
- Abdominal pain
- Dark urine
- Clay-colored bowel movements
- Joint pain
- Jaundice (a yellowing of the skin or eyes)

### TREATMENT

There are no special treatments for Hepatitis A. Most people with Hepatitis A will feel sick for a few months before they begin to feel better. During this time, doctors usually recommend rest, adequate nutrition, and fluids. Discuss treatment options with your doctors.

### PREVENTION

The best way to prevent Hepatitis A is through vaccination with the Hepatitis A vaccine. Vaccination is recommended for all children, for travelers to certain countries, and for people at high risk for infection with the virus.

Wash your hands with soap and warm water after using the bathroom, changing a diaper, or before preparing food.

### DGHD EFFORTS

Reports of suspected and confirmed cases of disease are made to the Delaware General Health District (DGHD). The DGHD investigates potential sources of illness, conducts surveillance for the spread of disease, and engages in community outreach and education.