Product LT-2500 Revision Date 5/15/2015

Revision |



Safety Data Sheet

SECTION I: IDENTIFICATION

Product Name LT-2500

Identifier Uses Closed Loop Treatment

Supplier Clear Water Technologies, LLC

13560 Colombard Court Fontana, California 92337 Tel: 844-429-8324

Contact Person info@clearwatertech.com

Emergency Telephone 24-HOUR EMERGENCY TELEPHONE: INFOTRAC: I-800-535-5053 INTERNATIONAL#: I-

352-323-3500

SECTION 2: HAZARDS IDENTIFICATION

Appearance Liquid.

Color Clear, faint yellow liquid.

Odor Sweet.

Pictogram(s)



Signal Word Danger

Hazard Statements H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage

Precautionary Statements P280 Wear protective gloves/ protective clothing/eye protection/face protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/physician

Contains sodium hydroxide

sodium nitrite

sodium 4(or 5)-methyl-IH-benzotriazolide

GHS Classification

Physical and Chemical Hazards Not classified

Human Health Acute Tox 4 - H302, Skin Corr. IC - H314

Environment Not classified

 $\textbf{OSHA Regulatory Status} \qquad \qquad \textbf{This product is Hazardous under the OSHA Hazard communication Standard}.$

Inhalation No specific symptoms noted, inhalation is not believed to be a likely route of exposure.

Ingestion May cause chemical burns in mouth and throat. Harmful if swallowed.

Skin contact Corrosive! Can cause redness, pain, and severe skin burns.

Eye contact Causes severe eye burns.

Routes of Exposure Unknown

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Composition Comments Confidential business information has been removed without affecting the overall safety

information on the safety data sheet.

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General Information General first aid, rest, warmth and fresh air.

Inhalation If this product is inhaled, move the exposed person to fresh air promptly. Get medical

attention if any discomfort continues.

Ingestion If the product is ingested, seek medical attention immediately.

Skin contact Remove affected person from source of contamination. Remove contaminated clothing. Wash

the skin immediately with soap and water. Get medical attention promptly if symptoms occur

after washing.

Eye contact If the product contacts the eyes, immediately flush eyes with plenty of clean running water

for at least fifteen (15) minutes, lifting the upper and lower eyelids occasionally. Remove

contact lenses if worn.

Most important symptoms and effects, both acute and delayed

General Information The severity of the symptoms described will vary dependent of the concentration and the

length of exposure.

Inhalation No specific symptoms noted, inhalation is not believed to be a likely route of exposure.

Ingestion May cause chemical burns in mouth and throat. Harmful if swallowed.

Skin contact Corrosive! Can cause redness, pain, and severe skin burns.

Eye contact Causes severe eye burns.

Routes of Exposure Unknown

Most important symptoms and effects, both acute and delayed

Notes to the Physician Treat Symptomatically.

SECTION 5: FIREFIGHTING MEASURES

Auto Ignition Temperature (°C) Not known.

Flammability Limit - Lower (%)

Flammability Limit - Upper (%)

Flash point

No Information available.

No Information available.

chemical or carbon dioxide.

Hazardous combustion products

Unusual Fire & Explosion Hazards

Special Fire Fighting Procedures

Protective equipment for fire-

fighters

Oxides of nitrogen. May leave a caustic residue.

Dried residue can stimulate the combustion of organic materials.

Use water to cool containers exposed to a fire. Avoid breathing fire vapors.

 $We ar full \, protective \, clothing \, and \, self-contained \, breathing \, apparatus, \, suitable \, gloves \, and \,$

boots.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions For personal protection, see section 8. In case of inadequate ventilation, use respiratory

protection. Do not smoke, use open fire or other sources of ignition. In case of spills, beware $% \left\{ 1,2,...,n\right\}$

of slippery floors and surfaces.

Environmental Precautions Spill Clean Up Methods

Keep out of drains, municipal sewers, open bodies of water and water course.

Restrict non-essential personnel from the area. Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer. Place into chemical waste container for disposal according to local, state or federal regulations. Neutralize residue with

lime or soda ash and flush spill area. DO NOT TOUCH SPILLED MATERIAL! Wash

thoroughly after dealing with a spillage.

SECTION 7: HANDLING AND STORAGE

Handling Use proper personal protection when handling. Provide good ventilation. Avoid contact with

skin and eyes and clothing. Do not use contact lenses. Avoid inhalation of vapors and mists. Avoid prolonged or repeated contact. Do NOT ingest. Wash thoroughly after

handling. Rinse container before disposal.

Usage Description Store in a cool, dry, and well-ventilated place away from incompatible materials. Vent

containers frequently, and more often in warm weather to relieve pressure. Keep container

tightly closed when not in use. Do not get in eyes, on skin, or on clothing.

Storage Precautions Store closed containers in a cool, dry, well-ventilated area away from incompatible materials.

This product is stable under normal conditions of handling and storage. Avoid cold temperatures. The recommended storage temperature is above $32^{\circ}F$, preferably at room temperature ($70^{\circ}F$). The recommended shelf life is two (2) years. It is recommended that products be retested if stored for more than two (2) years. Under ideal storage conditions, the shelf life is almost indefinite. Strong acids, strong reducing agents, ammonia salts,

amines, phthalic acid and cyanides.

Specific End Use(s) The identified uses are in section 1 of this Safety Data Sheet.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Protective Equipment



Component	STD	TWA (8 Hrs.)	STEL (I	5mins)	Notes
sodium hydroxide	OSHA	2mg/m3			

Ingredient Comments OSHA

Process Conditions Provide eyewash, quick drench.

Engineering Measures Provide adequate ventilation, including appropriate local extraction, to ensure that the

defined occupational exposure limit is not exceeded.

Respiratory Equipment Use of respirator protection is not generally required. However, if exposure is above the

stated limits or ventilation is inadequate, use a NIOSH approved acid gas/organic vapor respirator to reduce potential for inhalation exposure. When using respirator cartridges, they

must be changed frequently to assure breakthrough exposure does not occur.

Hand Protection When handling this product, it is recommended to wear chemical resistant gloves. The

choice of suitable protective gloves depends on work conditions and what chemicals are

handled, but we have positive experience with gloves made of Rubber.

Eye Protection Use equipment for eye protection tested and approved under appropriate government

standards such as NIOSH (US) or EN 166(EU).

Hygiene MeasuresDO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before

eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or

smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Appearance Liquid.

Color Clear, faint yellow liquid.

Odor Sweet.

Odor Threshold -Lower No Information available.

Odor Threshold - Upper No Information available.

pH-Value, Conc. Solution 12.7

Melting point 32.0 °F

Initial boiling point and boiling 212.0 °F

range

Flashpoint No Information available.

Evaporation rate No Information available.

Flammability State No Information available.

Flammability Limit-Lower (%) No Information available.

Flammability Limit - Upper (%) No Information available.

Vapor pressure 23.8 mm Hg 0.0

Vapor Density (air=1) Not determined.

Relative density 1.13 @ 68.0 °F

Bulk Density No Information available.

Solubility Completely soluble in water.

Decomposition temperature No Information available.

Partition coefficient; n-octanol/water No Information available.

Auto Ignition Temperature (°C) Not known.

Viscosity No Information available.

Explosive Properties No information available.

Oxidizing properties No Information available.

Molecular Weight No Information available.

Volatile Organic Compound No Information available.

SECTION 10: STABILITY AND REACTIVITY

Reactivity Strong acids, strong reducing agents, ammonia salts, amines, phthalic acid and cyanides.

Stability This product is stable at ambient temperatures and atmospheric pressures.

Hazardous Polymerization Hazardous polymerization is not expected to occur under normal temperatures and

pressures.

Hazardous Decomposition Products Oxides of nitrogen. May leave a caustic residue.

Conditions to Avoid Avoid extreme temperatures and storing in large quantities and for long periods of time.

Materials to Avoid Do not mix with other chemicals unless listed on directions.

SECTION 11: TOXICOLOGICAL INFORMATION

Toxicological Information No Information available.

Acute Toxicity (Oral LD50) >1270.00mg/kg Rat
Acute Toxicity (Dermal LD50) >589.00mg/kg Rabbit
Acute Toxicity (Inhalation LC50) Not determined.

Skin Corrosion/Irritation No Information available.

Respiratory Sensitization
Skin Sensitization
Reproductive Toxicity:
No Information available.
No Information available.
No Information available.

Genotoxicity - In Vitro Genotoxicity - In Vivo

Carcinogenicity:

Carcinogenicity No Information available.

NTP - Carcinogenicity

OSHA - Carcinogenicity

The product and its components are not listed.

Specific Target Organ Toxicity - Single Exposure:

STOT - Single Exposure No Information available.

Specific Target Organ Toxicity - Repeated Exposure:

STOT - Repeated Exposure No Information available.

Name	LD50 Oral	LD50	LC50 Inhalation	
Isodium nitrite	157.9mg/kg Rat 175mg/kg Mouse 186mg/kg Rabbit 85mg/kg Rat		5.5mg/l (vapors) Rat 4 Hours	
sodium 4(or 5)-methyl-1H-benzotriazolide	920mg/kg			

SECTION 12: ECOLOGICAL INFORMATION

Eco toxicity No Information available.

Acute Toxicity - Fish LC50 96 Hours >7600.00ppm Onchorhynchus mykiss (Rainbow Trout)

Acute Toxicity - LC50 48 Hours >945.00ppm Daphnia magna

Aquatic Invertebrates

Acute Toxicity - Aquatic Plants EC50 72 Hours > 185.00ppm

Degradability No information available.

Bio accumulative Potential No Information available.

Mobility Completely soluble in water.

Results of PBT and vPvB Assessment The product does not contain any PBT or vPvB substances.

Other Adverse Effects None known.

Name	Acute Toxicity (Fish)	Acute Toxicity	Acute Toxicity (Aquati c
sodium nitrite	LC50 96 Hours 0.13mg/l Onchorhynchus mykiss (Rainbow Trout)	EC50 48 Hours 100.00mg/l Daphnia magna	
sodium 4(or 5)-methyl H-benzotriazolide	lmacrochirus (Bluegill)LC50 96 Hours 23./0	LC50 48 Hours 245.70mg/IDaphnia magna	

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Management When handling waste, consideration should be made to the safety precautions applying to

handling of the product.

Disposal Methods Dispose of waste and residues in accordance with local authority requirements. Do NOT

dump into any sewers, on the ground or into any body of water. Rinse containers before disposal. Since emptied containers contain product residue, follow label warnings even after

container is emptied.

SECTION 14: TRANSPORT INFORMATION

UN No. (DOT/TDG) 3266 - CORROSIVE LIQUID, BASIC, INORGANIC, (SODIUM NITRITE SOLUTION)

UN No. (IMDG) 3266 - CORROSIVE LIQUID, BASIC, INORGANIC, (Sodium Nitrite Solution)

UN No. (ICAO) 3266 - Corrosive liquid, basic, inorganic (Sodium Nitrite Solution)

DOT Proper Shipping Name 3266 - CORROSIVE LIQUID, BASIC, INORGANIC, (SODIUM NITRITE SOLUTION)

TDG Proper Shipping Name 3266 - CORROSIVE LIQUID, BASIC, INORGANIC, (SODIUM NITRITE SOLUTION)

DOT Hazard Class 8

DOT Hazard Label Class 8 - Corrosive

TDG Class 8

TDG Label(s) 8

IMDG Class 8

ICAO Class 8

Transport Labels



DOT PackGroup

IMDG Pack Group ||

Air Pack Group ||

EMS F-A, S-B

Environmentally Hazardous Substance/Marine Pollutant

Νo

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

The Following ingredients are listed

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

The Following ingredients are listed sodium hydroxide

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

The Following ingredients are listed

SARA 313 Emission Reporting

The Following ingredients are listed

CAA Accidental Release Prevention

The Following ingredients are listed sodium nitrite

OSHA Highly Hazardous Chemicals

The Following ingredients are listed

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

The Following ingredients are listed

California Air Toxics "Hot Spots" (A-I)

The Following ingredients are listed sodium hydroxide

California Air Toxics "Hot Spots" (A-Ii)

The Following ingredients are listed

Massachusetts "Right To Know" List

The Following ingredients are listed sodium hydroxide

sodium nitrite

Rhode Island "Right To Know" List

The Following ingredients are listed sodium hydroxide

Minnesota "Right To Know" List

The Following ingredients are listed sodium hydroxide

New Jersey "Right To Know" List

The Following ingredients are listed sodium hydroxide

sodium nitrite


Pennsylvania "Right To Know" List

The Following ingredients are listed sodium hydroxide

sodium nitrite

SECTION 16: OTHER INFORMATION

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA)



HAZARDOUS MATERIAL INFORMATION SYSTEM (HMIS)

Health	3
Flammability	0
Physical Hazard	0
Personal Protection	D

Revision Comments

Revision Date 5/15/2015
Revision I

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.