Cyberduck Instructions

1 Download and install **Cyberduck.**

2 Download the FTP configuration or SFTP configuration and save it to your desktop.

3 Double-click on the download file.

4 Cyberduck will open the download file and log you into your account.

NOTE: Third-party products are subject to change due to circumstances beyond the system's control, which could render these instructions invalid.

FileZilla Instructions

When you configure FileZilla, you will download an XML file and import it to your FileZilla client. To configure the FileZilla FTP client:

1   Click the *Configure FTP Client* link that corresponds to the FTP account you wish to use to connect to your server.

2   Click the or link to download the XML file. We recommend that you use for the most secure connection.**NOTE:** This step will over-write any previous XML configuration file without warning.

3   Open the FileZilla FTP client.

4   Select *Import* from the *File* menu (File ⟶ Import).

5   Select the XML file you have just downloaded and click *OK*.

6   Click the *OK* button on the *Import Settings* window.

7   Click *OK* on the *Import Successful* window.

8   To open a connection to your FTP server, select the *Site Manager* feature from the *File* menu (File ⟶ Site Manager).

9   Select your domain from the *Select Entry* menu.

10   Click the *Connect* button to connect to your FTP server.

NOTE: Third-party products are subject to change due to circumstances beyond the system's control, which could render these instructions invalid.

Core FTP Instructions

1 Download and install <mark>Core FTP</mark>.

2 Select either the *FTP Configuration File* or the *SFTP Configuration File* option and save it to your desktop. We recommend that you use SFTP for the most secure connection.

3 Double-click on the configuration file you just downloaded.

4 Core FTP will automatically open and log you into your account.

5 To import Core FTP configuration settings, click *Sites→Site Manager*. Next, right click the main window and click *Import→Core FTP*. Select the saved configuration file to import the data.

NOTE: Third-party products are subject to change due to circumstances beyond the system's control, which could render these instructions invalid.