


This Heartland Pet's Breeder has nearly 300 dogs on her property. Three Hundred.



This Heartland Pet's Breeder has nearly 300 dogs on her property. Three Hundred.

Detail			Licensee/Registrant ID	Inspection Site Name	Inspection Date
Animal Inventory for Inspection Date: May 14, 2014					
Inspection Animal Count	Animal Common Name	Animal Group Name			
213	DOG ADULT	DOGS			
73	DOG PUPPY	DOGS			
 Click this icon to export this data into an excel spreadsheet format			Customer No: 8305	ZOLA PRICE	May 14, 2014
			Certificate No: 73-A-1533		



United States Department of Agriculture  
Animal and Plant Health Inspection Service

134141842180367 BLIGHT Insp\_Id

### Inspection Report

Zola Price  
Laverne Vet Hospital  
Rt. 2, Box 309  
Laverne, OK 73848

Customer ID: 8305  
Certificate: 73-A-1533  
Site: 001  
ZOLA PRICE

Type: ROUTINE INSPECTION  
Date: May-14-2014

2.40 (b) (2)

#### ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

\*\*\* In the outdoor enclosure an eight year old male Pekingese with Microchip #AVID 100868805 had an excessive build up of yellowish brown debris on his teeth that extended into the gum line and the teeth were barely visible. Dental disease can be painful and eventually lead to a decrease in appetite. It can also lead to infection in the mouth as well as potential spread of infection to other organs in the body. The licensee must have the teeth cleaned.

To be corrected by 5/21/14.

This Heartland Pet's Breeder has nearly 300 dogs on her property. Three Hundred.



United States Department of Agriculture  
Animal and Plant Health Inspection Service

109131222570663 TEARNEY insp\_id

## Inspection Report

Zola Price  
Laverne Vet Hospital  
Rt. 2, Box 309  
Laverne, OK 73848

Customer ID: **8305**  
Certificate: **73-A-1533**  
Site: 001  
ZOLA PRICE

Type: ROUTINE INSPECTION  
Date: Apr-18-2013

**3.6** (a) (1)

### PRIMARY ENCLOSURES.

(3.6) Primary enclosures for dogs must meet the following minimum requirements: (a) General requirements. (1) Primary enclosures must be designed and constructed of suitable materials so that they are structurally sound. The primary enclosures must be kept in good repair.

\*\*\*Throughout the outdoor facility, there are housing units constructed of wood and metal surfaces. Some of the housing units are chewed up, torn and some of the metal surfaces are rusted and have started to fall apart. Surfaces that are chewed, torn or have started to fall apart can cause physical injury to the animals. All surfaces that are torn, chewed up, falling apart and no longer structurally sound must be repaired or replaced and maintained in good repair at all times. Affects 41 animals. Correct by 06/18/13.\*\*\*

Exit interview conducted with licensee.

## Oklahoma Board of Veterinary Medical Examiners Verification

### Zola Price

**Last Reported Practice/Employment:**  
Laverne Veterinary Hospital  
Laverne, OK 73848

**License Number:** 2040

**License Type:** Veterinarian

**License Issue Date:** 05/03/1978

**License Expiration Date:** 06/30/2016

**License Status:** Active

**Board Certification(s):**  
No Board Certification(s)

**Disciplined:** No

[Back To Search Results](#)



This Heartland Pet's Breeder has nearly 300 dogs on her property. Three Hundred.



## Laverne Veterinary Hospital

North Highway 283

Laverne, OK 73848 - [View Map](#)

Phone: (580) 921-5172