

Wing

**ARCHERY SUPPLIES
CATALOG**



IF IT'S A *Wing* IT'S THE VERY BEST



Pictured above is a section of the reception room at Wing. When in Houston, we invite you to drop in for a visit and see the many advances made in modern bow making.

A business with a sound growth in mind.

Wing is proud of the growth that has been theirs in the last ten years. Bob Lee has been interested in archery since early childhood and was active in the sport during this time. He and a long close friend, Fred Hurd, Jr., engaged in making equipment for themselves and their friends. This interest grew and in 1950 they decided to form WING ARCHERY and manufacture this equipment for national distribution. During this time their aim was to produce the finest equipment available and for this reason they have outgrown two locations and presently in the location on the inside back cover with more expansion planned in the near future. The newest member to the Wing family is Crawford Booth, who in 1958 realized the potential of the company and entered the firm as partner. His interest and enthusiasm since this time has greatly contributed to the success of Wing in the last three years.

CATALOG COVERS: FRONT AND BACK



Alaska was the scene for Bob Lee of Wing Archery and his record class Caribou downed with a 53# Red Wing Hunter. One of many fine trophy's taken in the past.

National Champions 1960 — Dr. Fred A. Simmons and James "Skip" Palmer displayed more than the ability to be champions, but also to be a sport. Doc, pulled ahead to capture the crown, 1960 National Field Instinctive Championship with Skip just a few points behind, to place third. Then immediately following this tournament, Skip went on to place first in the \$10,000.00 invitational tournament with Doc bringing up a close second.

These men captivated the crowd from the start with their sportsmanship and received a hearty applause when they shook hands just after shooting their last arrow. Both were shooting the WING PRESENTATION.



PRESENTATION "The Professional's Bow"

Wing's PRESENTATION is the "Bow of Tomorrow—Today." The engineers at Wing realized years ago that the limb design, as the bowyers knew it then, was inadequate for the peak performances demanded by the archers of today. With this in mind, Wing engineers began experimental study on a new approach to limb design. Using the very latest testing equipment available to aid in this research and study, they developed the New Multi-Stress Limb, now used exclusively in the PRESENTATION. Since its introduction it has become the most copied, but not yet duplicated, limb design on the market today.

The PRESENTATION is the finest precision shooting instrument ever made. The combination of its Multi-Stress Limbs, new graceful lines throughout, and the rare exotic beauty of its rosewood riser, make it a bow desired by all discriminating archers—amateur and professional alike.

The design of the riser section, when first introduced, presented a new concept in handle design that has inspired other manufacturers in designing their new models. This handle is so sculptured to fit the hand, that when the bow is drawn, the hand positions itself the same every time—allowing a comfortable grip that maintains perfect control of the bow.

The PRESENTATION is available in three lengths—62", 66", 69". Weights from 25 to 60 lbs. When ordering specify bow length, right or left hand and draw weight. White glass.

\$100

For maximum performance from the PRESENTATION we suggest these bow lengths for the following draw lengths:

- 62" Most efficient up thru 26" draw length
 - 66" Most efficient from 26" to 29" draw length
 - 69" Most efficient from 29" to 31" draw length
- Recommended Fistmele 9" to 10"



Hand sculptured tips of ivory white with contrasting rosewood add an essence of elegance to the beauty of the PRESENTATION.





Dr. Fred Simmons, Jr.—Three times Texas State Instinctive Field Champion, Texas State Instinctive Target Champion, National Instinctive Field Champion, 1960.

"I think a beginning archer has three vitally important things to concentrate on: (1) A steady, relaxed bow hand; (2) a consistent point of anchor; (3) a smooth release."



Jane Waite—Pennsylvania State Instinctive Field Champion 1959 and Pennsylvania State Free Style Field Champion 1960.

"Buy the best equipment possible, join an archery club where you can get experienced instruction on the fundamentals of shooting. After that—just lots and lots of practice."

CHAMPIONS CHOOSE WING

Shown here are a few champions from different sections of the country. They were asked to give some suggestions they felt would be helpful to beginning or novice archers to help improve their shooting.

These suggestions come from people who have experienced most of the pitfalls that all archers at one time or another must face. They have found some solutions to these problems and have taken their time to tell them to us, so we could relay them to you.

Wing Archery wishes to thank them, one and all, for the wonderful cooperation they have expressed . . . and . . . to wish them all the luck and success in their shooting for the years to come.



James "Skip" Palmer—Three times National Hunters Field Champion, three times New York State Field Champion, New York State Target Champion 1960 and winner of the \$10,000 Bear-Easton Invitational 1960.

"Equipment is a prime factor in good shooting. The beginner should start with a light bow and increase the weight later. This makes it easier to concentrate on good shooting fundamentals."



Kitty Rote—The only woman to hold the Southern Championship four times, Texas State Target Champion seven times and five times Texas Instinctive Field Champion.

"Outside of choosing good tackle, the most important thing is being relaxed and having a comfortable posture. If your grip on the bow and your release are relaxed, the rest comes naturally."



Crawford Booth—Twice Texas State Target Champion, 1959 and 1960.

"Do not try to learn to shoot by yourself. Find someone who is qualified to help you. Beginning by yourself develops bad habits which get increasingly difficult to break. I believe the beginner should get a moderately priced, composite bow and inexpensive, spined and weight matched wood arrows. Do not be over-bowed, enjoy the sport on the range and in the field."



WHITE WING "A Bowyer's Dream Come True"

The WHITE WING is all-new—A complete new design from nock to nock. This bow will add a new thrill in shooting, for the archer trying it the first time.

The WHITE WING'S New Duo-Stressed Limbs with the longer handle section has greatly increased the speed and stability over previous limb designs. The complete working action of this new limb design has not only added more thrust to the arrow but produces a velvet smoothness, until now found only in the Presentation. This combination of technical improvements results in over all performances that extend beyond the requirements of the most precise archer.

Wing designers have sculptured a riser section for the WHITE WING which is a modification of the "NEW-CONCEPT HANDLE DESIGN," first introduced by Wing on the PRESENTATION. Acclaimed by most archers to be the finest improvement in handle section design ever made in modern bows. To parallel this, the WHITE WING'S handle section combines rich, exotic, Hawaiian Koa with clean flowing lines to make it a standout in appearance among all bows.

The WHITE WING is available in two lengths—66" and 69". Weights from 25 to 60 lbs. When ordering specify bow length, right or left hand and draw weight. White Glass.

\$69.50

For maximum performance from the WHITE WING we suggest these bow lengths for the following draw lengths:

- 66" Most efficient up to 29" draw length
- 69" Most efficient from 29" to 31" draw length
- Recommended Fistmele 9½" to 10½"



Gracefully designed tips of the WHITE WING accent the superior quality of this outstanding bow.





The result of a successful hunt in Utah, by Bob Lee of Wing Archery and Walter Scott of Odessa, Texas. Both were using Wing Presentations.



This Waterback was killed by O. E. Scott of Odessa, Texas. A beautiful trophy taken in Mozambique, East Africa. Its horns measuring 33½"—only 2" from being a world record. Mr. Scott was using an 88 lb. WHITE WING.

Success afield with WING

From all over the country, reports are coming in of fine kills being made with Wing Bows. Wing's new RED WING HUNTER has already had more than its share of these kills accredited to it.


In the selection of a hunting bow the experienced archer or bowhunter has found that the requirements are few but important. The hunting bow should be one not affected by weather changes, one that maintains its power in heat and cold alike. It should be fast and smooth, with an even draw, regardless of the draw length of the archer. Beauty is not to be overlooked, because hand in hand with beauty go the flowing graceful lines reflecting the fine craftsmanship that goes into making such a bow. This is a source of pleasure and admiration that goes on long after the hunt is over.

Wing Bows meet all of these requirements. You will want to see all the new models at your dealer today.

Bob Lee successful again with a nice Texas Whitetail. Downed with a Red Wing Hunter.

Ike Abernathy of Dallas, Texas bags a fine 7 point Whitetail. He was using a 52 lb. Red Wing Hunter and got complete penetration with the deer going only 30 yards after being hit.

Bob Graham beams proudly as a result of this fine 8 point Whitetail taken after only two years at bow-hunting. He was using a White Wing.



RED WING HUNTER

"The Bowhunter's Choice"

The RED WING HUNTER was designed with all the requirements of a perfect hunting bow in mind. It is extremely fast and very stable. It will take a long draw with surprising ease, giving the archer a feel never before experienced with a short bow. The contoured handle adds to this feel—since the archer's grip on the bow when hunting will vary somewhat from the grip used in tournament shooting. Wing engineers designed a special contoured handle to meet the hunter's requirements. This RED WING HUNTER is a hunter's dream come true. Because of its short length and being very light in the hand, it is ideal for brush country where maneuverability, fast handling and getting off an accurate shot are of prime importance.

The RED WING HUNTER has a riser made of beautiful African walnut, laminated for extra strength, combined with dark brown glass giving it a rich beauty that goes with this gem of hunting bows.

The RED WING HUNTER is available in two lengths—58" and 62". Weights from 25 to 70 lbs. Weights over 70 lbs. \$15.00 extra. When ordering specify bow length, right or left hand and draw weight. Brown Glass.

\$59.50

In addition:

This bow is a very fine performing tournament bow and is especially recommended for anyone with a short draw.

Recommended Fistmele 9½"-10½"



The rugged beauty of the RED WING HUNTER extends from tip to tip.



Proper care and handling of your WING BOW

This page is dedicated to the proper care and handling of your new Wing bow. Since most bow failures are a result of improper stringing, we cannot overemphasize the importance of this. Understanding what causes a twisted limb will help you appreciate the importance placed on these correct methods.

Composite bows are made of reinforced fiber glass and hard northern maple. The maple acts as a core to hold the glass apart, allowing a higher stressed, lighter weight limb to be constructed, making a unit of combined power. After a bow is glued it is **TILLERED**. This operation is one of the most important steps in making a bow. It means that the limbs are put in alignment and made to bend properly. If you twist the limb severely, it will rupture the maple and allow the limb to twist and eventually reach a stage when the string will jump off the bow when it is shot. The age of a bow has nothing to do with it. A new bow will twist just as easily as an old one.

Proper Bow Stringing

A. Improper bow-stringing may seriously damage any bow, therefore you are urged to study this chart carefully to learn the method which is used by most experts. All instructions are for right handed people. In the first illustration the right hand has grasped the bow at the handle and the elbow is held in close to the body. The palm of the left hand is placed on the back of the bow with the thumb and forefinger free to slide the string up the bow when the bracing action takes place. The tip of the bow is placed against the instep as shown in the circle at the right. The main weight of the body is on the left leg. Do not allow the bow tip to touch the ground.


B. The bracing action starts by pulling with the right hand as the weight of your body shifts from the left to the right leg. This is the most important part to learn. Actually the hip muscles and the shifting of the weight do most of the work while the left hand acts as a brace.

C. Make sure that the right hand is pulling or the bow won't bend enough to allow the string to slide up the back. Pushing too hard with the left hand is a common mistake of bowstringing. Try this method with a light-weight bow first, and you'll develop the right knack.

D. *The greatest danger in stringing a bow is failing to seat the strings properly.* This is dangerous both to you and the bow. When stringing a bow as outlined, the string is away from you. If you think the loops are secure in the grooves inspect them by reversing the bow, still holding the handle securely, until the string is facing upward and well away from the face. It is possible for the string to be twisted causing the recurve to twist when drawn. To prevent this, place either tip of the bow on the top of the foot, grasp the bow limb about half way with one hand and the string about 6" below the end serving with the other hand. In the same motion pull the string back and push the limb away from you slightly. Do this with both recurves, this will cause the string to untwist and allow the string to seat itself in the string groove. This is particularly true with the Presentation. Due to the size of the recurve extreme care should be exercised in bracing this bow. *We do not, under any circumstances recommend the step through style of stringing unless the No-Twist, Recurve Bow Stringer is used. (See page 13.) It is our belief that if you must use this method, you are overbowed. Many bows are permanently injured by this method and could void your guarantee.*

WHILE YOUR BOW IS NOT IN USE, it should be unstrung and placed across two pegs with the recurves pointed down, so that both limbs support the weight evenly. Never leave it in a hot automobile as the glass reaches a pliable condition in heat and causes possible twisting of the limbs. Wax your bow to protect the finish and enhance its beauty. Never leave tape or camouflaging agents on your bow for a prolonged period of time, many bows have been impaired in this way. Always transport your bow in a bow case. This insures against knocks and bruises to the glass which could lead to more serious trouble.

FISTMELE, or height of the string while in strung position should be 9" to 10½", depending on the bow and the individual. It is measured from the back of the bow to the string. To determine the fistmele that works best, twist the string in its original direction, raising or lowering the fistmele until you find where your bow shoots the best. Once you have determined this, remember the height of the fistmele and check it often to make sure it stays there.



SWIFT WING "66 inches of Pleasure"

Every inch of this magnificent bow is another example of Wing's advanced engineering, progressive thinking and building of bows for today's modern archer. From its full working recurves, which give top performance, increased speed and greater accuracy — to the graceful lines of the handle section; with a contoured pistol grip, extra long sight window and full overdraw, the SWIFT WING fulfills all shooting requirements.

Along with these outstanding features the SWIFT WING has a magnificent, RARE, TROPICAL ZEBRA WOOD handle section, enhanced even more by a special jewel-like finish, the same as used in all Wing bows.

Wing has gone all out to make SWIFT WING a bow that compares with the very best on today's market, in performance and quality, at a reasonable price.

The SWIFT WING is available in the 66" length. Weights from 25 to 60 lbs. When ordering specify right or left hand and draw weight. White glass.


\$49.50

The recommended fistmele for the SWIFT WING is 9 to 10". Bows are weighed at 28" draw.



Nothing is spared to make this bow rank with the very best. The sharp, clean cut lines of the SWIFT WING'S sculpture tips reflect the fine hand craftsmanship put into this bow.






A portion of Wing's bow department showing the well planned, orderly arrangement of equipment designed to produce the finest bows in the best and most efficient way.

The Finest in Bows is the result of Craftsmanship

Every person working at Wing is a true craftsman—selected then trained in the Wing plant by master craftsmen. This combination of selected skills and training produces the very highest quality of workmanship possible. The quality found in all Wing Products.



A few of the automatic presses in use at the Wing plant. All Wing bows are glued in this manner, using air and electronic curing to insure long life.




Sawing out the handle of the PRESENTATION—one of the many precise operations in making this beautiful bow.



A bowyer's art—this operation is called tillering. It requires precision and skill, mastered only by time and experience.



With all the production machines, it is still impossible to achieve Custom quality without the individual touch. Here we see the custom hand shaping of the nocks and overdraw, and the finishing of a PRESENTATION on the contour sander.



A Handle Contour—with this machine each handle is sanded to exactness that could not be obtained by any other process. Weight saving core laminations are sanded within .002 of an inch on this machine. Wing manufactures all of their laminations from hard northern straight grain maple cut in their own plant. No maple veneer is used in a Wing bow.



GULL "The all purpose Custom"

All for one and one for all — is what Wing had in mind when they gave the GO AHEAD on the new GULL.

Whether it is target, field or that most important hunt, you'll be glad you chose the GULL. From the rugged fast action, so necessary for hunting, to the extra long sight window — a must on the target range, your new GULL is the answer. The beautifully laminated nocks add elegance to the tranquil green glass that compliments the rich colorful texture of the African Walnut handle section. The fully contoured grip gives every GULL that "made just for you feel" — an added feature that you would expect to find only in the more expensive bows.

Its 64" length will take a "long draw" but is especially efficient at shorter draws, making it a very fine bow for the ladies, as well as the economy minded archer looking for an outstanding value. The GULL'S long sight window gives unobstructed vision making this bow an excellent indoor bow.

The GULL is available in 64" length. Weights 25 to 60 lbs. When ordering specify right or left hand.

\$39.50

Recommended fistmele for the GULL is 9 to 10". Bows are weighted at 28" draw.



Quality workmanship and graceful lines are evident in every detail of this GULL.





ACCESSORIES



Index Nocks

Indexed for accurate installation. Shaft sizes: 1/4", 9/32", 5/16", 11/32". Colors: Red, Yellow, Blue, Green, Black and Orange. **\$.45 doz.** **\$2.50 hundred**
100 lot price, 1-color and 1-size



String Server

You can serve your bow strings fast and easy with this server. Thread colors available: Orange, Copper, Green and Red. No. SS-1 Tool and Thread **\$1.50 ea.**
No. ST-1 Extra Thread **.45 ea.**



Ferr-L-Tite Cements

Use for attaching all points. It does not become brittle. Liquid **\$.50 ea.**
Stick **.35 ea.**



Famous Laminex Micro-Flite® GLASS SHAFTS

MICRO-FLITE® by Laminex, Inc., has been hailed by archers around the world as the ultimate in Fiberglass arrow. Because of the precision construction of MICRO-FLITE shafts they are extremely accurate and very durable. These parallel tubular shafts are always straight and completely resistant to weather.

The shafts are light yellow in color and available in a complete range of sizes to fit any bow weight used in either hunting or target shooting.

When ordering specify bow weight and draw length.

Complete MICRO-FLITE shafts, cut to length with nock inserts and target points installed **\$18.95 doz.**
With broadhead adapter inserts, add **.40 doz.**
MICRO-FLITE Full-length shafts (31") **12.60 doz.**
Nock inserts (magnesium) **1.60 doz.**
Insert target points (case hardened steel) **2.00 doz.**
Broadhead adapter inserts (magnesium) **2.40 doz.**
POINT-FAST® Adhesive (for inserts) 2 oz. kit **1.25 ea.**

® Registered Laminex, Inc.

Famous Easton 24SRT-X® ALUMINUM TUBING

Without question the finest aluminum arrow shafting made. Virtually all national and international tournament records have been made with Easton tubes; machine-shot at a distance of 100 yards, arrows group within a 3-inch circle. This is the accuracy that results from consistent uniformity in spine, weight and balance! 24SRT-X comes in 22 sizes: 1416, 1516, 1518, 1616, 1618, 1713, 1716, 1718, 1813, 1816, 1818, 1820, 1913, 1916, 1918, 1920, 2013, 2016, 2018, 2020, 2114, and 2219. These sizes include the Thin-wall shaft at the same price.

Insert target points are available for all sizes; broadhead inserts for the following: 1816, 1818, 1820, 1916, 1918, 1920, 2016, 2018, and 2020.

All tubes are tapered for standard nocks. Specify target point or broadhead adapter and exact bow weight and draw length, when ordering.
24SRT-X Full Length (31") **\$20.80**
24SRT-X Cut to length, with points installed **\$22.00**
Insert target points **\$ 3.80**
Broadhead adapter inserts only **\$ 3.00**

® Registered Jas. D. Easton, Inc.



Bow String Wax

Your bow string will last longer if waxed frequently. **\$.35 ea.**

Port Orford Cedar Shafts

Tapered Port Orford Cedar Shafts, Matched for weight and spine. Diameters 5/16" and 11/32". Specify bow weight and draw length if possible. Length 31" matched **\$3.75 doz.**



Palmer Arrow Rest Patent Pending

The perfect arrow rest. Used by many champions. The worn feather can be quickly replaced under any weather condition **\$1.25 ea.**

Feathers

Full-length select ground-base turkey pointers in grey-barred or dyed-barred. White and dyed-white when available. Specify colors: red, yellow, orange, green, blue and black (all left wing).

Grey-barred **\$.65 doz.**
Dyed-barred **.80 doz.**
White **1.15 doz.**
Dyed-white **1.25 doz.**

Brush Buttons



Brush-proofs your bow and quiets the string noise. Made of soft rubber, easily attached and does not interfere with bracing or shooting. Regular **\$.60 pr.**
Super **.70 pr.**

Dacron Bow String Thread



This No. 220 continuous fiber thread is made especially for bow strings. 4-ounce spool **\$2.50**



No-Twist Recurve Bow Stringer

Makes stringing of recurve bows easy. No more twisted limbs by using the "step-over" method **\$2.00**

Custom Made Strings

Made of the finest Dacron. This continuous fiber, Dacron thread insures longer string life. Lengths for 58", 62", 64", 66", 69" bows. Specify bow weight and bow length when ordering. **\$1.50 ea.**



POINTS

3-Blade Broadhead

11/32" 125 Grain **\$3.60 doz.**
5/16" 100 Grain **3.60 doz.**

Tapered Field Point

11/32" 125 Grain **\$.90 doz.**
5/16" 100 Grain **.90 doz.**

Tapered Hole Blunt

11/32" 125 Grain **\$.90 doz.**
5/16" 100 Grain **.90 doz.**

Target Point Parallel Hole

11/32" 55 Grain 5/16" I.D. **\$.40 doz.**
5/16" 40 Grain 9/32" I.D. **.40 doz.**

H.T.M. Rubber Blunts

Tough flexible rubber point for small game. Fits over squared-off shaft. For 11/32" shaft, 125 Grain **1.75 doz.**
For 5/16" shaft, 65 Grain **1.60 doz.**



Feather Arrow Rest

Use for a smooth, quiet release, also protect your fletching. **\$.50 ea.**

Fletching Cement

The best cement for feathers and nocks. Robin Hood fletching cement 1 3/4 oz. tubes **\$.45 ea.**


Dri-Tite

Protect your feathers by completely waterproofing them. Dri-Tite is a liquid and when applied saturates the entire feather. When dry the whole feather is protected **\$.50 ea.**

Hush-h-h Bow Quivers




The ideal bow hunting quiver. No tape or clamps required. Will not mar your bow or arrows. **\$2.95**



Sightmaster Bow Sight

Stainless steel double bar with snap off head for pin and prism protection. Finger locking screw holds head in set position. Touch slide has spring tension.

Supreme **\$8.50 less prism**
Deluxe **6.50 less prism**
Standard **5.50 less prism**



Mono-Fletcher

Fletches 1 shaft at a time
Straight clamp **\$7.50**
Model FA-70: 3-120°, 4-90°
Model FA-80: 6-60°, 4-75°: 105°

Multi-Fletcher

Fletches 6 shafts in one time. Either straight or helical clamps.
Straight clamps **\$21.50**
Helical clamps (right or left hand) **29.50**
Model FA-50, with reversible nock receivers 3-120°, 4-90°
Model FA-60, with reversible nock receivers 3-120°, 6-60° 4-75°: 105°



Young Feather Trimmer

Burns feathers cleanly and accurately. Concave shaped wire ribbon will not sag when hot. Can be formed to any desired shape. 110-120 volt A.C. **\$19.95** Extra wire **\$25 ea.**

Wing's Maple Laminations

Straight grained laminations of the finest hard, northern maple 2" wide. Parallel **\$3.50 ea.**
Tapered .002" per inch **3.75 ea.**

Gordon Bow-Tuff Glass

2" wide strips, 6 ft. lengths. Thickness available: .040", .050", .060" **\$7.20 ea.**

Arrow-Clips

Use to hold your arrows while drying after dipping, for arrow racks, cases, etc. Per 2 doz. **\$1.00**



CUSTOM MATCHED ARROWS

"The choice of Champion and Bowhunter alike"



In bowhunting or tournament shooting extreme care should be taken in selecting of your arrows. They are the most important part of your archery equipment and means the difference between a hit or a miss. Consistent shooting of close groups cannot be done without arrows perfectly matched for your bow. Whether you choose the finest, mirror-smooth cedar shafts, beautiful rugged glass or the highest grade aluminum arrows, WING gives you the very best. Thousands of the finest cedar, glass and aluminum shafts are kept on hand at all times enabling us to select perfectly matching arrows time after time. Highest quality is assured with the latest equipment. Each arrow is electronically matched, precision fletched and beautifully crested. The workers at WING are all skilled craftsmen that take great pride in their work. This *quality craftsmanship* is yours when you select WING arrows.

How to choose the correct arrow for you

There are several generally accepted methods of measuring the proper arrow length for an archer. Of these, we at WING feel there is only one reliable, accurate way that gives the correct arrow length every time — this is by DRAWING A MEASURING ARROW in a bow. Where the arrow comes in relation to the back of the bow determines the correct arrow length (see drawing).

Arrow lengths will vary depending on the type of point used. Refer to CHART at right to determine your correct arrow length.

When ordering arrows, specify bow weight, the type of arrow and your draw length.



WING-EASTON \$29.50 doz.

This is the very finest tournament arrow available. Made with Easton's famous superior-proven, precision-made tubing and beautifully crested with Wing's new color-matched crest, accented with contrasting silver pin-stripes. Spiral fletching with white or dyed-white feathers. Available in 22 sizes of 24SRTX® standard wall or thin wall. (There is no extra charge for thin walls.)

Wing-Easton Arrows are available in the following:

Complete 24SRT-X with insert target points	\$29.50 doz.
Complete XX-75 available on request	34.50 doz.
Full length, with target points unattached	\$28.50 doz.
Field or blunt points (inter-changeable with broadheads)	\$30.30 doz.
Single-blade Bear Razorheads	\$33.75 doz.
4-blade Bear Razorheads	\$34.95 doz.
Available in half-dozen boxes, extra	\$ 1.00

EXTRAS: Custom cresting other than our own design	\$1.00 doz.
Four-fletch, extra	2.00 doz.

WING-MICRO-FLITE® \$25.95 doz.

Wing Micro-Flite arrows (Laminex shafts) are the finest glass arrows made. Always straight, very light and durable — not affected by weather. Light yellow in color, attractively finished with Wing's color-matched crest and accented by contrasting silver pin-stripes.

Wing Micro-Flite Arrows are available with:

Target Points	\$25.95 doz.
Full length — points separate	25.00 doz.
Tapered Field or Blunts	26.75 doz.
4-Blade Bear Razorhead	31.40 doz.
Single Blade Bear Razorhead	30.20 doz.
3-Blade Hill's Hornet	29.55 doz.
6 — 4 Blade Bear Razorheads and 6 tapered Field Points	28.85 doz.
6 Single Blade Razorheads and 6 tapered Field Points	28.25
6 — 3 Blade Hill's Hornets and 6 tapered Field Points	28.15 doz.
Special Cresting, extra	1.00 doz.
4 fletch, extra	2.00 doz.

WING CUSTOM \$13.95 doz.

Top quality parallel Port Orford Cedar Shaft matched in spine and weight to your bow. Full length colored shaft. Available in Red, Yellow,

and White. Also available with 2 dyed barred feathers and one white or dyed White cock feather. Beautiful contrasting crest.

Available in following (lengths to 30''):

Full Length with no point	\$12.95 doz.
Target Points	13.95 doz.
Tapered Field Points or Blunts	13.95 doz.
4 Blade Bear Razorheads	18.50 doz.
Single Blade Bear Razorheads	17.30 doz.
3 Blade Hill's Hornet	16.55 doz.
6 — 4 Blade Bear Razorheads and 6 tapered Field Points	16.70 doz.
6 Single Blade Bear Razorheads and 6 tapered Field Points	16.10 doz.
6 — 3 Blade Hill's Hornet and 6 tapered Field Points	15.75 doz.
Special Cresting, extra	1.00 doz.
4 fletch, extra	2.00 doz.

WING DELUXE \$11.95 doz.

Matched for spine to 5 lbs. and in weight to 25 grains per doz. Low priced High Quality parallel shaft is unequalled on today's market. Full length color shaft in Red, Yellow, and White contrasting colored crest. Fletched with two gray barred feathers and one white or dyed white cock feather.

Available in following (lengths to 30''):


Full Length with no point	\$10.95 doz.
Target Points	11.95 doz.
Tapered Field Points or Blunts	11.95 doz.
4 Blade Bear Razorheads	16.50 doz.
Single Blade Bear Razorhead	15.30 doz.
3 Blade Hill's Hornet	14.55 doz.
6 — 4 Blade Bear Razorheads and 6 tapered Field Points	14.70 doz.
6 Single Blade Bear Razorheads and 6 tapered Field Points	14.10 doz.
6 — 3 Blade Hill's Hornet and 6 tapered Field Points	13.85 doz.
4 fletch, extra	2.00 doz.

WING SPECIAL \$8.95 doz.

Practice arrow of High quality Port Orford Cedar matched in spine 30-39 lbs., 40-49 lbs., 50-59 lbs. Full length shaft color with smart contrasting crest. Red, Yellow, and White shaft colors. Fletched with two gray barred feathers and one dyed barred cock feather with a combination field and target point.

Available in the following:

Full length shafts points separate	\$8.95 doz.
Cut to 26", 27", and 28" lengths, points installed at no extra charge. Not available in less than dozen lots. No Special Crest or fletching.	



Wing-Easton Micro-Flite Custom Deluxe Special



QUALITY LEATHER GOODS



Large Plastic Coated Quiver

Designed for juniors and beginners. 19" long, holds 18 arrows. Large zipper pocket. Arrow divider strap. Right or left hand.
No. 489 Brown **\$6.25**



Large 2-Division Quiver

Holds 24 arrows and is 20½" long. Large 11½" x 5½" pocket. Right or left hand.
No. 420 Brown **\$14.95**



Center Back 3-Division Quiver

Pack harness type straps for better centering. Holds 24 arrows, is 21" long. Large 11½" x 5½" pocket with knife sheath.
No. 425 Brown **\$16.45**



Deluxe 3-Division Back Quiver

Holds 3 dozen arrows. Length 23", extra large 13" x 6½" pocket, knife, file, and pencil holders. Right or left hand.
No. 430 Brown or Black **\$20.95**



Carry-All Belt Quiver

Black leather with large zipper accessory pocket. Holds 20 arrows. Adjustable belt clamp for desired fit, right or left hand.
No. 500 **\$9.95**



Hunting Belt Quiver

Two-tone leather with extra large zipper accessory pocket, knife sheath on pocket. Holds 20 arrows in separated compartments. Spring steel belt attachment. Right or left hand.
No. 550 **\$5.95**

WHITE for the Ladies



Ladies 2-Division Quiver

Holds 24 arrows and is only 18" long. Proportioned to fit the ladies and juniors. Right or left hand.
No. 418 Brown **\$13.50**
No. 418W **14.95**

Deluxe Hip Pocket Quiver

Heavy saddle leather back with extra elk pocket and flap. Heavy duty pocket snap. Stitched in center to divide arrows. Belt loop that snaps under belt. Brown or Black.
No. 490 **\$2.95**



Hip Pocket Quiver

Firm leather back. Slotted back for belt. Elk arrow pocket and flap. Bradded at top corners for longer wear.
No. 492 **\$1.50**



Double Tab

Double constructed, of smooth, top grain leather with soft suede back.
Sizes: Small, Medium, Large. Right or left hand.
No. T-1 **\$.75**

Arrabuk Quiver

16¾" long and holds 6 arrows. Turftan color with belt loop.
No. 450 **\$1.10**

Belt Pouch




Brown with contrasting piping. Zipper and belt loop.
No. 305 **\$4.00**



New Target Style Belt Quiver

Heavy duty belt strap with snaps. Accessory pocket, two division quiver with a heavy moulded bottom. Length 19", right or left handed. Colors: Black with cream trim, brown with tan trim, and white.
No. 405 **\$5.75**
w/belt **6.75**




Double-Seam Glove

Open-end, white cowhide tip, with white cowhide back and elastic insert.
No. 220W White Cowhide Tip **\$2.25**



Belt Pouch

White Elk with full length zipper and belt loops.
No. 300w **\$4.50**



Arm Guard

White Cowhide, with elastic straps. Reinforced steel stay. Fully lined.
No. 100W **\$1.65**

ARM GUARDS



Hunter's Model

3 elastic straps with quick fasten hooks. 1" spring steel stay. Fully lined.

No. 122 Black Cowhide ... **\$2.50**



Field-Target Model

2 elastic straps with quick fasten hooks. 1" spring steel stay. Fully lined.

No. 110 Brown Cordovan **\$2.25**

No. 112 Black Cowhide ... **1.75**



Hot Weather Field-Target Model

2 strap elastic bands with quick fasten hooks. Reinforced with spring steel stay. Covers less of the arm, which gives cooler, hot-weather shooting. Fully lined.

No. 107 Black Cowhide ... **\$1.00**



Beginners Model

Elastic bands with hook.

No. 10 Brown ... **\$.75**

GLOVES



No. 240



No. 245

Single-Seam Glove

Open-end Cardovan Tip glove. Soft leather back with elastic insert.

No. 240 Cardovan Tip ... **\$2.75**

No. 245 Cowhide Tip ... **2.25**



Double-Seam Glove

Open-end cowhide tip, with a soft leather back.

No. 210K Cowhide Tip ... **\$1.35**

All Gloves Listed Come in the Following Sizes:

Men:—small, medium, large, and ex-large

Women:—small, medium, and large.



No. 230




No. 225

Double-Seam Glove

Closed-end Cordovan tip glove. Soft leather back with elastic insert.

No. 230 Cordovan Tip ... **\$2.50**

No. 225 Soft Buckskin Tip ... **2.25**




Bow Cases

Canton Flannel with leather reinforced tip. 4½" wide. Lengths: 62", 66" and 72".

No. 505 ... **\$1.95**

Same as No. 505 without leather tip. 4" wide and 72" length.

No. 100 ... **\$1.25**



These new modern buildings shown above were erected in 1957 to provide the facilities necessary to meet the requirements of producing WING BOWS. So great has been the acceptance of all WING Products by archers that new plans are already under way for further expansion.

The advance in technological research made in the design of

WING bows and in the equipment necessary to produce them is the direct result of constant research and testing by qualified engineers at WING.

If you are in Texas and near Houston, WING invites you to drop in for a visit. You will be surprised at the many advances WING has made in the design of new machinery for the production of quality equipment.

HOW TO ORDER:

Prices are F. O. B. Houston, Texas unless otherwise stated, and are subject to change without notice. All orders will be shipped C. O. D. unless satisfied credit references are furnished. Minimum order \$5.00. If check is sent with order, please allow for postage charges. Wing orders are filled with all care and speed possible. To avoid delays, please check your order carefully before mailing, making sure you have furnished needed information.

Your local WING DEALER takes pride in helping you select proper equipment.

If no Dealer is nearby, write us.

IMPORTANT—Restrictions on size and weight of Parcel Post packages do not apply on shipments to or from an R. F. D. address.

If for any reason you return merchandise to WING Archery Supplies, be sure that it is properly wrapped and covered by insurance. We will not be responsible for uninsured return orders.

INDEX

Armguards	18	Cements and Adhesives:		Powder Pouch	13
Arrows: hunting, target, field	14, 15	Ferr-I-tite cement	12	Quivers: Bow Quiver	12
Arrow Rests — Palmer's, feather	12	Point-Fast, Micro-Flite	13	Leather, back and side	16-17
Bows — Presentation	3	Robin Hood cement	12	Leather, hip pocket	16
White Wing	5	Feathers	13	Shafts: Aluminum, Easton	13
Red Wing Hunter	7	Feather Trimmer	13	Glass, Micro-Flite	13
Swift Wing	9	Fletchers: Multi-Fletcher	12	Port Orford Cedar	13
Gull	11	Mono-Fletcher	12	Strings	12
Bow Cases	18	Gloves	18	String Accessories: Brush Buttons	12
Bow Quiver — Hush-h-h	12	Hooks — Index Hooks	13	Serving Tool	12
Bow Sight — Sightmaster	12	Points — Field-Target Points	13	Thread, Dacron	12
Bow Sling	18	H. T. M. Blunts, rubber	13	Wax	12
Bow Stringer	13	Single Blade, Hill's Hornet	13	Waterproofing — for feathers	13
		Three Blade, Hill's Hornet	13		



BOW GUARANTEE

Every Wing Bow is numbered and accompanied by a registration card which must be filled out and mailed by the purchaser or his Wing dealer within 10 days after date of purchase. Should failure occur in a bow so registered within a period of 6 months after date of purchase, the Wing Archery Supplies will make free repair, or replacement if repair is not feasible, unless the bow shows evidence of mis-use or improper handling.

Claimant must be the original owner and bow serial number must be intact. After 6 months and up to 1 year after the purchase date, and provided the bow has not been mis-used or mis-handled, repair or replace-

ment will be made for 25% of the list purchase price. From 1 year to 1½ years after purchase date, the charge will be 50% of the purchase price. From 1½ years to 2 years the charge will be 75% of the purchase price. From 2 years to 3 years the charge will be 90% of the purchase price. No adjustment will be made until the damaged bow is returned to the factory for inspection. Replacement will be made with a bow of the same model and weight, as near as possible. This guarantee is valid only when purchase has been made through an authorized Wing dealer. Dealers are not authorized to make adjustments, but will be glad to handle shipping and correspondence.