

SOCKET SCREW PRODUCTS

ALLOY SOCKET HEAD CAP SCREWS

- Cold-forged alloy steel increases strength.
- Hex is clean, deep and sharp to allow greater tightening torques.
- 180,000 PSI tensile strength thru 1/2", 170,000 PSI tensile strength over 1/2".



| 4-40 DIAMETER | | |
|---------------|------------|-----|
| J&B # | SIZE | QTY |
| 30054 | 4-40 x 1/4 | 100 |
| 30055 | 4-40 x 3/8 | 100 |
| 30056 | 4-40 x 1/2 | 100 |
| 30057 | 4-40 x 5/8 | 100 |
| 30060 | 4-40 x 3/4 | 100 |
| 30062 | 4-40 x 1 | 100 |

| 5-40 DIAMETER | | |
|---------------|------------|-----|
| J&B # | SIZE | QTY |
| 30084 | 5-40 x 3/8 | 100 |

| 6-32 DIAMETER | | |
|---------------|--------------|-----|
| J&B # | SIZE | QTY |
| 30108 | 6-32 x 1/4 | 100 |
| 30114 | 6-32 x 3/8 | 100 |
| 30120 | 6-32 x 1/2 | 100 |
| 30123 | 6-32 x 5/8 | 100 |
| 30126 | 6-32 x 3/4 | 100 |
| 30132 | 6-32 x 1 | 100 |
| 30133 | 6-32 x 1-1/4 | 100 |
| 30134 | 6-32 x 1-1/2 | 100 |

| 8-32 DIAMETER | | |
|---------------|--------------|-----|
| J&B # | SIZE | QTY |
| 30156 | 8-32 x 1/4 | 100 |
| 30162 | 8-32 x 3/8 | 100 |
| 30168 | 8-32 x 1/2 | 100 |
| 30174 | 8-32 x 5/8 | 100 |
| 30177 | 8-32 x 3/4 | 100 |
| 30186 | 8-32 x 1 | 100 |
| 30192 | 8-32 x 1-1/4 | 100 |
| 30198 | 8-32 x 1-1/2 | 100 |
| 30199 | 8-32 x 1-3/4 | 100 |
| 30200 | 8-32 x 2 | 100 |

| 10-24 DIAMETER | | |
|----------------|---------------|-----|
| J&B # | SIZE | QTY |
| 30216 | 10-24 x 3/8 | 100 |
| 30219 | 10-24 x 1/2 | 100 |
| 30225 | 10-24 x 5/8 | 100 |
| 30228 | 10-24 x 3/4 | 100 |
| 30234 | 10-24 x 1 | 100 |
| 30240 | 10-24 x 1-1/4 | 100 |
| 30246 | 10-24 x 1-1/2 | 100 |
| 30249 | 10-24 x 1-3/4 | 100 |
| 30255 | 10-24 x 2 | 100 |

| 1/4-20 DIAMETER | | |
|-----------------|----------------|-----|
| J&B # | SIZE | QTY |
| 30267 | 1/4-20 x 3/8 | 100 |
| 30270 | 1/4-20 x 1/2 | 100 |
| 30273 | 1/4-20 x 5/8 | 100 |
| 30276 | 1/4-20 x 3/4 | 100 |
| 30279 | 1/4-20 x 7/8 | 100 |
| 30282 | 1/4-20 x 1 | 100 |
| 30291 | 1/4-20 x 1-1/4 | 100 |
| 30294 | 1/4-20 x 1-1/2 | 100 |
| 30300 | 1/4-20 x 1-3/4 | 100 |
| 30306 | 1/4-20 x 2 | 100 |
| 30309 | 1/4-20 x 2-1/4 | 100 |
| 30312 | 1/4-20 x 2-1/2 | 100 |
| 30315 | 1/4-20 x 2-3/4 | 100 |
| 30318 | 1/4-20 x 3 | 100 |
| 30319 | 1/4-20 x 3-1/4 | 25 |
| 30320 | 1/4-20 x 3-1/2 | 50 |
| 30322 | 1/4-20 x 4 | 50 |

SOCKET SCREW PR



ALLOY SOCKET HEAD CAP SCREWS

- Cold-forged alloy steel increases strength.
- Hex is clean, deep and sharp to allow greater tightening torques.
- 180,000 PSI tensile strength thru 1/2", 170,000 PSI tensile strength over 1/2".

| 5/16-18 DIAMETER | | |
|------------------|-----------------|-----|
| J&B # | SIZE | QTY |
| 30351 | 5/16-18 x 1/2 | 100 |
| 30354 | 5/16-18 x 5/8 | 100 |
| 30357 | 5/16-18 x 3/4 | 100 |
| 30360 | 5/16-18 x 7/8 | 100 |
| 30363 | 5/16-18 x 1 | 100 |
| 30369 | 5/16-18 x 1-1/4 | 100 |
| 30372 | 5/16-18 x 1-1/2 | 100 |
| 30375 | 5/16-18 x 1-3/4 | 100 |
| 30381 | 5/16-18 x 2 | 100 |
| 30387 | 5/16-18 x 2-1/4 | 100 |
| 30393 | 5/16-18 x 2-1/2 | 100 |
| 30396 | 5/16-18 x 2-3/4 | 100 |
| 30399 | 5/16-18 x 3 | 100 |
| 30715 | 5/16-18 x 3-1/4 | 50 |
| 30401 | 5/16-18 x 3-1/2 | 50 |
| 30403 | 5/16-18 x 4 | 50 |
| 30405 | 5/16-18 x 5 | 25 |
| 30407 | 5/16-18 x 6 | 25 |

| 3/8-16 DIAMETER | | |
|-----------------|----------------|-----|
| J&B # | SIZE | QTY |
| 30435 | 3/8-16 x 1/2 | 100 |
| 30438 | 3/8-16 x 5/8 | 100 |
| 30441 | 3/8-16 x 3/4 | 100 |
| 30444 | 3/8-16 x 7/8 | 100 |
| 30447 | 3/8-16 x 1 | 100 |
| 30450 | 3/8-16 x 1-1/4 | 100 |
| 30456 | 3/8-16 x 1-1/2 | 100 |
| 30459 | 3/8-16 x 1-3/4 | 50 |
| 30462 | 3/8-16 x 2 | 50 |
| 30465 | 3/8-16 x 2-1/4 | 50 |
| 30468 | 3/8-16 x 2-1/2 | 50 |
| 30471 | 3/8-16 x 2-3/4 | 50 |
| 30474 | 3/8-16 x 3 | 50 |
| 30477 | 3/8-16 x 3-1/4 | 50 |
| 30483 | 3/8-16 x 3-1/2 | 50 |
| 30489 | 3/8-16 x 4 | 50 |
| 30495 | 3/8-16 x 4-1/2 | 50 |
| 30501 | 3/8-16 x 5 | 50 |
| 30503 | 3/8-16 x 5-1/2 | 25 |
| 30505 | 3/8-16 x 6 | 50 |

| 7/16-14 DIAMETER | | |
|------------------|-----------------|-----|
| J&B # | SIZE | QTY |
| 30519 | 7/16-14 x 3/4 | 100 |
| 30525 | 7/16-14 x 1 | 100 |
| 30528 | 7/16-14 x 1-1/4 | 50 |
| 30531 | 7/16-14 x 1-1/2 | 50 |
| 30537 | 7/16-14 x 1-3/4 | 50 |
| 30540 | 7/16-14 x 2 | 50 |
| 30546 | 7/16-14 x 2-1/2 | 50 |
| 30552 | 7/16-14 x 3 | 25 |
| 30553 | 7/16-14 x 3-1/2 | 25 |
| 30558 | 7/16-14 x 4 | 25 |

| 1/2-13 DIAMETER | | |
|-----------------|----------------|-----|
| J&B # | SIZE | QTY |
| 30573 | 1/2-13 x 3/4 | 50 |
| 30585 | 1/2-13 x 1 | 50 |
| 30588 | 1/2-13 x 1-1/4 | 50 |
| 30591 | 1/2-13 x 1-1/2 | 50 |
| 30594 | 1/2-13 x 1-3/4 | 50 |
| 30597 | 1/2-13 x 2 | 50 |
| 30600 | 1/2-13 x 2-1/4 | 25 |
| 30606 | 1/2-13 x 2-1/2 | 25 |
| 30609 | 1/2-13 x 2-3/4 | 25 |
| 30612 | 1/2-13 x 3 | 25 |
| 30618 | 1/2-13 x 3-1/4 | 25 |
| 30621 | 1/2-13 x 3-1/2 | 25 |
| 30627 | 1/2-13 x 4 | 25 |
| 30633 | 1/2-13 x 4-1/2 | 25 |
| 30639 | 1/2-13 x 5 | 25 |
| 30645 | 1/2-13 x 5-1/2 | 25 |
| 30654 | 1/2-13 x 6 | 25 |
| 30656 | 1/2-13 x 6-1/2 | 10 |
| 30658 | 1/2-13 x 7 | 10 |
| 30660 | 1/2-13 x 8 | 10 |

| 9/16-12 DIAMETER | | |
|------------------|-------------|-----|
| J&B # | SIZE | QTY |
| 30662 | 9/16-12 X 2 | 25 |

SOCKET SCREW PRODUCTS

ALLOY SOCKET HEAD CAP SCREWS

- Cold-forged alloy steel increases strength.
- Hex is clean, deep and sharp to allow greater tightening torques.
- 180,000 PSI tensile strength thru 1/2", 170,000 PSI tensile strength over 1/2".



| 5/8-11 DIAMETER | | |
|-----------------|----------------|-----|
| J&B # | SIZE | QTY |
| 30666 | 5/8-11 x 1 | 25 |
| 30672 | 5/8-11 x 1-1/4 | 25 |
| 30678 | 5/8-11 x 1-1/2 | 25 |
| 30681 | 5/8-11 x 1-3/4 | 25 |
| 30684 | 5/8-11 x 2 | 25 |
| 30687 | 5/8-11 x 2-1/4 | 25 |
| 30690 | 5/8-11 x 2-1/2 | 25 |
| 30693 | 5/8-11 x 2-3/4 | 25 |
| 30696 | 5/8-11 x 3 | 25 |
| 30699 | 5/8-11 x 3-1/4 | 25 |
| 30702 | 5/8-11 x 3-1/2 | 25 |
| 30705 | 5/8-11 x 4 | 25 |
| 30711 | 5/8-11 x 4-1/2 | 25 |
| 30714 | 5/8-11 x 5 | 25 |
| 30717 | 5/8-11 x 5-1/2 | 10 |
| 30729 | 5/8-11 x 6 | 10 |
| 30731 | 5/8-11 x 6-1/2 | 10 |
| 30733 | 5/8-11 x 7 | 10 |
| 30735 | 5/8-11 x 8 | 10 |

| 3/4-10 DIAMETER | | |
|-----------------|----------------|-----|
| J&B # | SIZE | QTY |
| 30744 | 3/4-10 x 1-1/4 | 25 |
| 30747 | 3/4-10 x 1-1/2 | 25 |
| 30750 | 3/4-10 x 1-3/4 | 25 |
| 30753 | 3/4-10 x 2 | 25 |
| 30756 | 3/4-10 x 2-1/4 | 25 |
| 30759 | 3/4-10 x 2-1/2 | 25 |
| 30762 | 3/4-10 x 2-3/4 | 25 |
| 30765 | 3/4-10 x 3 | 25 |
| 30768 | 3/4-10 x 3-1/4 | 25 |
| 30771 | 3/4-10 x 3-1/2 | 25 |
| 30774 | 3/4-10 x 4 | 25 |
| 30777 | 3/4-10 x 4-1/2 | 25 |
| 30783 | 3/4-10 x 5 | 25 |
| 30789 | 3/4-10 x 5-1/2 | 10 |
| 30804 | 3/4-10 x 6 | 10 |
| 30807 | 3/4-10 x 7 | 10 |
| 30813 | 3/4-10 x 8 | 10 |

| 7/8-9 DIAMETER | | |
|----------------|-----------|-----|
| J&B # | SIZE | QTY |
| 30827 | 7/8-9 x 2 | 10 |
| 30833 | 7/8-9 x 3 | 10 |
| 30839 | 7/8-9 x 4 | 10 |

| 1"-8 DIAMETER | | |
|---------------|-------------|-----|
| J&B # | SIZE | QTY |
| 30873 | 1-8 x 2 | 10 |
| 30879 | 1-8 x 2-1/2 | 10 |
| 30885 | 1-8 x 3 | 10 |
| 30891 | 1-8 x 3-1/2 | 10 |
| 30897 | 1-8 x 4 | 10 |
| 30903 | 1-8 x 4-1/2 | 10 |
| 30906 | 1-8 x 5 | 10 |
| 30909 | 1-8 x 5-1/2 | 10 |
| 30912 | 1-8 x 6 | 10 |

SOCKET SCREW PRODUCTS

ALLOY SOCKET HEAD CAP SCREWS

- Cold-forged alloy steel increases strength.
- Hex is clean, deep and sharp to allow greater tightening torques.
- 180,000 PSI tensile strength thru 1/2", 170,000 PSI tensile strength over 1/2".



| 10-32 DIAMETER | | |
|----------------|---------------|-----|
| J&B # | SIZE | QTY |
| 31107 | 10-32 x 3/8 | 100 |
| 31113 | 10-32 x 1/2 | 100 |
| 31119 | 10-32 x 5/8 | 100 |
| 31122 | 10-32 x 3/4 | 100 |
| 31128 | 10-32 x 1 | 100 |
| 31134 | 10-32 x 1-1/4 | 100 |
| 31137 | 10-32 x 1-1/2 | 100 |
| 31140 | 10-32 x 1-3/4 | 100 |
| 31143 | 10-32 x 2 | 100 |

| 1/4-28 DIAMETER | | |
|-----------------|----------------|-----|
| J&B # | SIZE | QTY |
| 31164 | 1/4-28 x 1/2 | 100 |
| 31176 | 1/4-28 x 3/4 | 100 |
| 31179 | 1/4-28 x 7/8 | 100 |
| 31182 | 1/4-28 x 1 | 100 |
| 31188 | 1/4-28 x 1-1/4 | 100 |
| 31191 | 1/4-28 x 1-1/2 | 100 |
| 31193 | 1/4-28 x 2 | 100 |

| 5/16-24 DIAMETER | | |
|------------------|-----------------|-----|
| J&B # | SIZE | QTY |
| 31227 | 5/16-24 x 3/4 | 100 |
| 31233 | 5/16-24 x 1 | 100 |
| 31239 | 5/16-24 x 1-1/4 | 100 |
| 31242 | 5/16-24 x 1-1/2 | 100 |
| 31254 | 5/16-24 x 2 | 100 |

| 3/8-24 DIAMETER | | |
|-----------------|----------------|-----|
| J&B # | SIZE | QTY |
| 31281 | 3/8-24 x 3/4 | 100 |
| 31287 | 3/8-24 x 1 | 100 |
| 31290 | 3/8-24 x 1-1/4 | 100 |
| 31293 | 3/8-24 x 1-1/2 | 100 |
| 31299 | 3/8-24 x 2 | 50 |
| 31302 | 3/8-24 x 2-1/4 | 50 |
| 31303 | 3/8-24 x 2-1/2 | 25 |
| 31305 | 3/8-24 x 3 | 25 |

| 7/16-20 DIAMETER | | |
|------------------|-----------------|-----|
| J&B # | SIZE | QTY |
| 31330 | 7/16-20 x 1-1/2 | 50 |


| 1/2-20 DIAMETER | | |
|-----------------|----------------|-----|
| J&B # | SIZE | QTY |
| 31356 | 1/2-20 x 1 | 50 |
| 31359 | 1/2-20 x 1-1/4 | 50 |
| 31360 | 1/2-20 x 1-1/2 | 50 |
| 31362 | 1/2-20 x 2 | 25 |
| 31364 | 1/2-20 x 2-1/2 | 25 |
| 31366 | 1/2-20 x 3 | 25 |

SOCKET SCREW PRODUCTS

LOW HEAD SOCKET CAP SCREWS

Alloy Steel Heat Treated

- Threads are close fitting to resist loosening under vibration.
- Centered and trimmed socket and head for better seating and better balanced wrenching.
- 180,000 PSI tensile strength thru 1/2", 170,000 PSI tensile strength over 1/2".



| 8-32 DIAMETER | | |
|---------------|------------|-----|
| J&B # | SIZE | QTY |
| 4180 | 8-32 x 3/8 | 100 |
| 4181 | 8-32 x 1/2 | 100 |
| 4182 | 8-32 x 3/4 | 100 |

| 10-24 DIAMETER | | |
|----------------|-------------|-----|
| J&B # | SIZE | QTY |
| 4186 | 10-24 x 3/8 | 100 |
| 4187 | 10-24 x 1/2 | 100 |
| 4188 | 10-24 x 3/4 | 100 |
| 4189 | 10-24 x 1 | 100 |

| 10-32 DIAMETER | | |
|----------------|-------------|-----|
| J&B # | SIZE | QTY |
| 4194 | 10-32 x 3/8 | 100 |
| 4195 | 10-32 x 1/2 | 100 |
| 4196 | 10-32 x 3/4 | 100 |
| 4197 | 10-32 x 1 | 100 |


| 1/4-20 DIAMETER | | |
|-----------------|--------------|-----|
| J&B # | SIZE | QTY |
| 4204 | 1/4-20 x 1/2 | 100 |
| 4205 | 1/4-20 x 3/4 | 100 |
| 4206 | 1/4-20 x 1 | 100 |

SOCKET SCREW PRODUCTS

FLAT HEAD SOCKET CAP SCREWS

Alloy Steel Heat Treated

- Threads are close fitting to resist loosening under vibration.
- Centered and trimmed socket and head for better seating and better balanced wrenching.
- 180,000 PSI tensile strength thru 1/2", 170,000 PSI tensile strength over 1/2".



| 4-40 DIAMETER | | |
|---------------|------------|-----|
| J&B # | SIZE | QTY |
| 34828 | 4-40 x 1/4 | 100 |
| 34829 | 4-40 x 3/8 | 100 |
| 34830 | 4-40 x 1/2 | 100 |
| 34831 | 4-40 x 3/4 | 100 |

| 6-32 DIAMETER | | |
|---------------|------------|-----|
| J&B # | SIZE | QTY |
| 34434 | 6-32 x 1/4 | 100 |
| 34440 | 6-32 x 3/8 | 100 |
| 34443 | 6-32 x 1/2 | 100 |
| 34446 | 6-32 x 5/8 | 100 |
| 34449 | 6-32 x 3/4 | 100 |

| 8-32 DIAMETER | | |
|---------------|------------|-----|
| J&B # | SIZE | QTY |
| 34456 | 8-32 x 1/4 | 100 |
| 34458 | 8-32 x 3/8 | 100 |
| 34461 | 8-32 x 1/2 | 100 |
| 34464 | 8-32 x 5/8 | 100 |
| 34467 | 8-32 x 3/4 | 100 |
| 34473 | 8-32 x 1 | 100 |

| 10-24 DIAMETER | | |
|----------------|---------------|-----|
| J&B # | SIZE | QTY |
| 34482 | 10-24 x 3/8 | 100 |
| 34485 | 10-24 x 1/2 | 100 |
| 34488 | 10-24 x 5/8 | 100 |
| 34491 | 10-24 x 3/4 | 100 |
| 34497 | 10-24 x 1 | 100 |
| 34500 | 10-24 x 1-1/4 | 100 |

| 10-32 DIAMETER | | |
|----------------|---------------|-----|
| J&B # | SIZE | QTY |
| 34773 | 10-32 x 3/8 | 100 |
| 34779 | 10-32 x 1/2 | 100 |
| 34782 | 10-32 x 5/8 | 100 |
| 34785 | 10-32 x 3/4 | 100 |
| 34791 | 10-32 x 1 | 100 |
| 34794 | 10-32 x 1-1/4 | 100 |

| 1/4-20 DIAMETER | | |
|-----------------|----------------|-----|
| J&B # | SIZE | QTY |
| 34508 | 1/4-20 x 3/8 | 100 |
| 34509 | 1/4-20 x 1/2 | 100 |
| 34515 | 1/4-20 x 5/8 | 100 |
| 34518 | 1/4-20 x 3/4 | 100 |
| 46787 | 1/4-20 x 7/8 | 100 |
| 34524 | 1/4-20 x 1 | 100 |
| 34527 | 1/4-20 x 1-1/4 | 100 |
| 34530 | 1/4-20 x 1-1/2 | 100 |
| 34533 | 1/4-20 x 1-3/4 | 100 |
| 34536 | 1/4-20 x 2 | 100 |
| 46788 | 1/4-20 x 2-1/2 | 100 |


| 1/4-28 DIAMETER | | |
|-----------------|--------------|-----|
| J&B # | SIZE | QTY |
| 34819 | 1/4-28 x 1/2 | 100 |
| 34821 | 1/4-28 x 3/4 | 100 |
| 34824 | 1/4-28 x 1 | 100 |

SOCKET SCREW PRODUCTS

FLAT HEAD SOCKET CAP SCREWS

Alloy Steel Heat Treated

- Threads are close fitting to resist loosening under vibration.
- Centered and trimmed socket and head for better seating and better balanced wrenching.
- 180,000 PSI tensile strength thru 1/2", 170,000 PSI tensile strength over 1/2".



| 5/16-18 DIAMETER | | |
|------------------|-----------------|-----|
| J&B # | SIZE | QTY |
| 34548 | 5/16-18 x 1/2 | 100 |
| 34551 | 5/16-18 x 5/8 | 100 |
| 34557 | 5/16-18 x 3/4 | 100 |
| 34560 | 5/16-18 x 7/8 | 100 |
| 34563 | 5/16-18 x 1 | 100 |
| 34565 | 5/16-18 x 1-1/4 | 100 |
| 34567 | 5/16-18 x 1-1/2 | 100 |
| 34569 | 5/16-18 x 1-3/4 | 100 |
| 34571 | 5/16-18 x 2 | 100 |
| 34572 | 5/16-18 x 2-1/4 | 50 |
| 34573 | 5/16-18 x 2-1/2 | 50 |

| 5/16-24 DIAMETER | | |
|------------------|---------------|-----|
| J&B # | SIZE | QTY |
| 34620 | 5/16-24 x 3/4 | 100 |
| 34621 | 5/16-24 x 1 | 100 |

| 7/16-14 DIAMETER | | |
|------------------|-----------------|-----|
| J&B # | SIZE | QTY |
| 34625 | 7/16-14 x 1-1/2 | 25 |

| 5/8-11 DIAMETER | | |
|-----------------|----------------|-----|
| J&B # | SIZE | QTY |
| 34698 | 5/8-11 x 1-1/4 | 25 |
| 34703 | 5/8-11 x 1-1/2 | 25 |
| 34707 | 5/8-11 x 2 | 25 |
| 34711 | 5/8-11 x 2-1/4 | 25 |
| 34713 | 5/8-11 x 2-1/2 | 25 |
| 34715 | 5/8-11 x 3 | 25 |

| 3/8-16 DIAMETER | | |
|-----------------|----------------|-----|
| J&B # | SIZE | QTY |
| 34590 | 3/8-16 x 1/2 | 100 |
| 34596 | 3/8-16 x 5/8 | 100 |
| 34599 | 3/8-16 x 3/4 | 100 |
| 34602 | 3/8-16 x 1 | 100 |
| 34605 | 3/8-16 x 1-1/4 | 100 |
| 34608 | 3/8-16 x 1-1/2 | 100 |
| 34611 | 3/8-16 x 1-3/4 | 50 |
| 34614 | 3/8-16 x 2 | 50 |
| 34616 | 3/8-16 x 2-1/2 | 50 |
| 34617 | 3/8-16 x 3 | 50 |

| 3/8-24 DIAMETER | | |
|-----------------|--------------|-----|
| J&B # | SIZE | QTY |
| 34623 | 3/8-24 x 3/4 | 50 |
| 34624 | 3/8-24 x 1 | 50 |

| 1/2-13 DIAMETER | | |
|-----------------|----------------|-----|
| J&B # | SIZE | QTY |
| 34653 | 1/2-13 x 3/4 | 50 |
| 34662 | 1/2-13 x 1 | 50 |
| 34665 | 1/2-13 x 1-1/4 | 50 |
| 34668 | 1/2-13 x 1-1/2 | 50 |
| 34671 | 1/2-13 x 1-3/4 | 50 |
| 34674 | 1/2-13 x 2 | 50 |
| 34680 | 1/2-13 x 2-1/2 | 25 |
| 34686 | 1/2-13 x 3 | 25 |

| 3/4-10 DIAMETER | | |
|-----------------|----------------|-----|
| J&B # | SIZE | QTY |
| 34720 | 3/4-10 x 2 | 25 |
| 34722 | 3/4-10 x 2-1/2 | 25 |
| 34724 | 3/4-10 x 3 | 25 |

SOCKET SCREW PRODUCTS

SOCKET HEAD SHOULDER SCREWS

Alloy Steel Heat Treated

- Hex is clean, deep & sharp to allow greater tightening torques.
- Precision rolled threads for greater holding power.
- Replace costly special parts; shafts, pivots, clevis pins, guides, trunnion mountings, linkages, etc.



| 1/4 DIAMETER | | 10-24 THREAD |
|--------------|-------|--------------|
| J&B # | SIZE | QTY |
| 33759 | 3/8 | 25 |
| 33762 | 1/2 | 25 |
| 33765 | 5/8 | 25 |
| 33768 | 3/4 | 25 |
| 33771 | 1 | 25 |
| 33774 | 1-1/4 | 25 |
| 33777 | 1-1/2 | 25 |

| 5/16 DIAMETER | | 1/4-20 THREAD |
|---------------|-------|---------------|
| J&B # | SIZE | QTY |
| 33795 | 3/8 | 25 |
| 33798 | 1/2 | 25 |
| 33801 | 5/8 | 25 |
| 33804 | 3/4 | 25 |
| 33810 | 1 | 25 |
| 33813 | 1-1/4 | 25 |
| 33816 | 1-1/2 | 25 |
| 33819 | 1-3/4 | 25 |
| 33822 | 2 | 25 |

| 3/8 DIAMETER | | 5/16-18 THREAD |
|--------------|-------|----------------|
| J&B # | SIZE | QTY |
| 33837 | 3/8 | 25 |
| 33840 | 1/2 | 25 |
| 33843 | 5/8 | 25 |
| 33846 | 3/4 | 25 |
| 33849 | 1 | 25 |
| 33852 | 1-1/4 | 25 |
| 33855 | 1-1/2 | 25 |
| 33858 | 1-3/4 | 25 |
| 33861 | 2 | 25 |
| 33864 | 2-1/4 | 25 |
| 33867 | 2-1/2 | 25 |
| 33870 | 2-3/4 | 25 |
| 33873 | 3 | 25 |
| 33879 | 3-1/2 | 25 |
| 33885 | 4 | 25 |

| 1/2 DIAMETER | | 3/8-16 THREAD |
|--------------|-------|---------------|
| J&B # | SIZE | QTY |
| 33891 | 1/2 | 25 |
| 33894 | 5/8 | 25 |
| 33897 | 3/4 | 25 |
| 33900 | 1 | 25 |
| 33903 | 1-1/4 | 25 |
| 33906 | 1-1/2 | 25 |
| 33909 | 1-3/4 | 25 |
| 33912 | 2 | 25 |
| 33915 | 2-1/4 | 25 |
| 33918 | 2-1/2 | 25 |
| 33921 | 2-3/4 | 25 |
| 33924 | 3 | 25 |
| 33927 | 3-1/4 | 25 |
| 33930 | 3-1/2 | 25 |
| 33936 | 4 | 25 |
| 33942 | 4-1/2 | 10 |
| 33948 | 5 | 10 |

| 5/8 DIAMETER | | 1/2-13 THREAD |
|--------------|-------|---------------|
| J&B # | SIZE | QTY |
| 33960 | 1-1/4 | 25 |
| 39850 | 2 | 25 |
| 33975 | 2-1/2 | 25 |
| 33978 | 2-3/4 | 25 |
| 39851 | 3 | 10 |
| 33984 | 3-1/4 | 25 |
| 39852 | 4 | 10 |
| 34005 | 5 | 10 |


| 3/4 DIAMETER | | 5/8-11 THREAD |
|--------------|-------|---------------|
| J&B # | SIZE | QTY |
| 34020 | 1-1/2 | 10 |
| 34023 | 1-3/4 | 10 |
| 34026 | 2 | 10 |
| 39853 | 2-1/2 | 10 |
| 39854 | 3 | 10 |
| 34050 | 4 | 10 |

SOCKET SCREW PRODUCTS

BUTTON HEAD SOCKET CAP SCREWS

Alloy Steel Heat Treated

- Precision rolled threads for better holding power.
- 17% more bearing surface than socket head screws.
- Minimum tensile strength is 75,000 PSI.
- Use in materials too thin to countersink.



| 6-32 DIAMETER | | |
|---------------|------------|-----|
| J&B # | SIZE | QTY |
| 41310 | 6-32 x 1/4 | 100 |
| 41312 | 6-32 x 3/8 | 100 |
| 41313 | 6-32 x 1/2 | 100 |
| 41314 | 6-32 x 5/8 | 100 |

| 8-32 DIAMETER | | |
|---------------|------------|-----|
| J&B # | SIZE | QTY |
| 41318 | 8-32 x 1/4 | 100 |
| 41320 | 8-32 x 3/8 | 100 |
| 41321 | 8-32 x 1/2 | 100 |
| 41322 | 8-32 x 5/8 | 100 |
| 41323 | 8-32 x 3/4 | 100 |

| 10-24 DIAMETER | | |
|----------------|-------------|-----|
| J&B # | SIZE | QTY |
| 34152 | 10-24 x 3/8 | 100 |
| 34158 | 10-24 x 1/2 | 100 |
| 34164 | 10-24 x 3/4 | 100 |
| 34170 | 10-24 x 1 | 100 |

| 10-32 DIAMETER | | |
|----------------|-------------|-----|
| J&B # | SIZE | QTY |
| 34305 | 10-32 x 3/8 | 100 |
| 34358 | 10-32 x 1/2 | 100 |
| 34347 | 10-32 x 3/4 | 100 |
| 34323 | 10-32 x 1 | 100 |

| 1/4-20 DIAMETER | | |
|-----------------|----------------|-----|
| J&B # | SIZE | QTY |
| 34174 | 1/4-20 x 3/8 | 100 |
| 34179 | 1/4-20 x 1/2 | 100 |
| 34185 | 1/4-20 x 3/4 | 100 |
| 34191 | 1/4-20 x 1 | 100 |
| 41341 | 1/4-20 x 1-1/4 | 100 |
| 41342 | 1/4-20 x 1-1/2 | 50 |

| 5/16-18 DIAMETER | | |
|------------------|-----------------|-----|
| J&B # | SIZE | QTY |
| 34204 | 5/16-18 x 3/8 | 100 |
| 34206 | 5/16-18 x 1/2 | 100 |
| 34212 | 5/16-18 x 3/4 | 100 |
| 34218 | 5/16-18 x 1 | 100 |
| 34220 | 5/16-18 x 1-1/4 | 100 |
| 46070 | 5/16-18 x 1-1/2 | 50 |

| 3/8-16 DIAMETER | | |
|-----------------|----------------|-----|
| J&B # | SIZE | QTY |
| 34230 | 3/8-16 x 1/2 | 50 |
| 34236 | 3/8-16 x 3/4 | 50 |
| 34242 | 3/8-16 x 1 | 50 |
| 41330 | 3/8-16 x 1-1/4 | 50 |
| 46074 | 3/8-16 x 1-1/2 | 50 |
| 46076 | 3/8-16 x 2 | 25 |

| 1/2-13 DIAMETER | | |
|-----------------|----------------|-----|
| J&B # | SIZE | QTY |
| 41336 | 1/2-13 x 1 | 25 |
| 41337 | 1/2-13 x 1-1/4 | 25 |
| 41338 | 1/2-13 x 1-1/2 | 25 |
| 41340 | 1/2-13 x 2 | 25 |

SOCKET SCREW PRODUCTS

ALLOY SOCKET SET SCREWS

Cup Point

- Precision rolled threads for greater holding power & accurate size.
- Greater resistance to snapping, stretching and shearing.
- Strong, full finished deep socket allows full wrenching leverage.



| 4-40 DIAMETER | | |
|---------------|-------------|-----|
| J&B # | SIZE | QTY |
| 31476 | 4-40 x 3/16 | 100 |
| 31479 | 4-40 x 1/4 | 100 |
| 31482 | 4-40 x 5/16 | 100 |
| 31485 | 4-40 x 3/8 | 100 |
| 31491 | 4-40 x 1/2 | 100 |

| 5-40 DIAMETER | | |
|---------------|-------------|-----|
| J&B # | SIZE | QTY |
| 31497 | 5-40 x 1/8 | 100 |
| 31500 | 5-40 x 3/16 | 100 |
| 31503 | 5-40 x 1/4 | 100 |
| 31506 | 5-40 x 5/16 | 100 |
| 31509 | 5-40 x 3/8 | 100 |
| 31515 | 5-40 x 1/2 | 100 |
| 31521 | 5-40 x 3/4 | 100 |

| 6-32 DIAMETER | | |
|---------------|-------------|-----|
| J&B # | SIZE | QTY |
| 31527 | 6-32 x 3/16 | 100 |
| 31530 | 6-32 x 1/4 | 100 |
| 31533 | 6-32 x 5/16 | 100 |
| 31536 | 6-32 x 3/8 | 100 |
| 31542 | 6-32 x 1/2 | 100 |
| 31545 | 6-32 x 5/8 | 100 |
| 31548 | 6-32 x 3/4 | 100 |
| 31554 | 6-32 x 1 | 100 |

| 8-32 DIAMETER | | |
|---------------|-------------|-----|
| J&B # | SIZE | QTY |
| 31557 | 8-32 x 1/8 | 100 |
| 31560 | 8-32 x 3/16 | 100 |
| 31563 | 8-32 x 1/4 | 100 |
| 31566 | 8-32 x 5/16 | 100 |
| 31569 | 8-32 x 3/8 | 100 |
| 31575 | 8-32 x 1/2 | 100 |
| 31578 | 8-32 x 5/8 | 100 |
| 31581 | 8-32 x 3/4 | 100 |
| 31587 | 8-32 x 1 | 100 |

| 10-24 DIAMETER | | |
|----------------|---------------|-----|
| J&B # | SIZE | QTY |
| 31589 | 10-24 x 1/8 | 100 |
| 31590 | 10-24 x 3/16 | 100 |
| 31593 | 10-24 x 1/4 | 100 |
| 31596 | 10-24 x 5/16 | 100 |
| 31599 | 10-24 x 3/8 | 100 |
| 31602 | 10-24 x 1/2 | 100 |
| 31605 | 10-24 x 5/8 | 100 |
| 31608 | 10-24 x 3/4 | 100 |
| 31617 | 10-24 x 1 | 100 |
| 31620 | 10-24 x 1-1/4 | 100 |

| 1/4-20 DIAMETER | | |
|-----------------|----------------|-----|
| J&B # | SIZE | QTY |
| 31626 | 1/4-20 x 3/16 | 100 |
| 31629 | 1/4-20 x 1/4 | 100 |
| 31632 | 1/4-20 x 5/16 | 100 |
| 31635 | 1/4-20 x 3/8 | 100 |
| 31641 | 1/4-20 x 1/2 | 100 |
| 31644 | 1/4-20 x 5/8 | 100 |
| 31647 | 1/4-20 x 3/4 | 100 |
| 31650 | 1/4-20 x 7/8 | 100 |
| 31653 | 1/4-20 x 1 | 100 |
| 31656 | 1/4-20 x 1-1/4 | 100 |
| 31659 | 1/4-20 x 1-1/2 | 100 |

SOCKET SCREW PRODUCTS

ALLOY SOCKET SET SCREWS

Cup Point

- Precision rolled threads for greater holding power & accurate size.
- Greater resistance to snapping, stretching and shearing.
- Strong, full finished deep socket allows full wrenching leverage.



| 5/16-18 DIAMETER | | |
|------------------|-----------------|-----|
| J&B # | SIZE | QTY |
| 31671 | 5/16-18 x 1/4 | 100 |
| 31674 | 5/16-18 x 5/16 | 100 |
| 31677 | 5/16-18 x 3/8 | 100 |
| 31683 | 5/16-18 x 1/2 | 100 |
| 31686 | 5/16-18 x 5/8 | 100 |
| 31689 | 5/16-18 x 3/4 | 100 |
| 31695 | 5/16-18 x 1 | 100 |
| 31698 | 5/16-18 x 1-1/4 | 100 |
| 31701 | 5/16-18 x 1-1/2 | 100 |
| 31704 | 5/16-18 x 1-3/4 | 50 |
| 31707 | 5/16-18 x 2 | 50 |

| 3/8-16 DIAMETER | | |
|-----------------|----------------|-----|
| J&B # | SIZE | QTY |
| 31713 | 3/8-16 x 1/4 | 100 |
| 31716 | 3/8-16 x 5/16 | 100 |
| 31719 | 3/8-16 x 3/8 | 100 |
| 31725 | 3/8-16 x 1/2 | 100 |
| 31728 | 3/8-16 x 5/8 | 100 |
| 31731 | 3/8-16 x 3/4 | 100 |
| 31737 | 3/8-16 x 1 | 100 |
| 31740 | 3/8-16 x 1-1/4 | 100 |
| 31743 | 3/8-16 x 1-1/2 | 100 |
| 31749 | 3/8-16 x 2 | 50 |

| 7/16-14 DIAMETER | | |
|------------------|-----------------|-----|
| J&B # | SIZE | QTY |
| 31755 | 7/16-14 x 3/8 | 100 |
| 31761 | 7/16-14 x 1/2 | 100 |
| 31767 | 7/16-14 x 3/4 | 100 |
| 31773 | 7/16-14 x 1 | 50 |
| 31779 | 7/16-14 x 1-1/2 | 50 |

| 1/2-13 DIAMETER | | |
|-----------------|----------------|-----|
| J&B # | SIZE | QTY |
| 31800 | 1/2-13 x 1/2 | 100 |
| 31806 | 1/2-13 x 3/4 | 100 |
| 31812 | 1/2-13 x 1 | 50 |
| 31815 | 1/2-13 x 1-1/4 | 50 |
| 31818 | 1/2-13 x 1-1/2 | 50 |
| 31821 | 1/2-13 x 1-3/4 | 25 |
| 31824 | 1/2-13 x 2 | 25 |

| 5/8-11 DIAMETER | | |
|-----------------|----------------|-----|
| J&B # | SIZE | QTY |
| 31848 | 5/8-11 x 3/4 | 50 |
| 31854 | 5/8-11 x 1 | 50 |
| 31860 | 5/8-11 x 1-1/4 | 25 |
| 31863 | 5/8-11 x 1-1/2 | 25 |
| 31866 | 5/8-11 x 2 | 25 |

| 3/4-10 DIAMETER | | |
|-----------------|--------------|-----|
| J&B # | SIZE | QTY |
| 31875 | 3/4-10 x 5/8 | 50 |
| 31878 | 3/4-10 x 3/4 | 50 |
| 31881 | 3/4-10 x 1 | 50 |

| 1 - 8 DIAMETER | | |
|----------------|---------|-----|
| J&B # | SIZE | QTY |
| 31935 | 1-8 x 1 | 10 |



SOCKET SCREW PRODUCTS

ALLOY SOCKET SET SCREWS

Cup Point

- Precision rolled threads for greater holding power & accurate size.
- Greater resistance to snapping, stretching and shearing.
- Strong, full finished deep socket allows full wrenching leverage.



| 10-32 DIAMETER | | |
|----------------|--------------|-----|
| J&B # | SIZE | QTY |
| 32021 | 10-32 x 1/8 | 100 |
| 32022 | 10-32 x 3/16 | 100 |
| 32025 | 10-32 x 1/4 | 100 |
| 32031 | 10-32 x 3/8 | 100 |
| 32037 | 10-32 x 1/2 | 100 |
| 32043 | 10-32 x 3/4 | 100 |

| 1/4-28 DIAMETER | | |
|-----------------|--------------|-----|
| J&B # | SIZE | QTY |
| 37064 | 1/4-28 x 1/4 | 100 |
| 37070 | 1/4-28 x 3/8 | 100 |
| 37076 | 1/4-28 x 1/2 | 100 |
| 37082 | 1/4-28 x 3/4 | 100 |

| 5/16-24 DIAMETER | | |
|------------------|---------------|-----|
| J&B # | SIZE | QTY |
| 37094 | 5/16-24 X 1/4 | 100 |
| 37100 | 5/16-24 X 3/8 | 100 |
| 37106 | 5/16-24 X 1/2 | 100 |

| 3/8-24 DIAMETER | | |
|-----------------|--------------|-----|
| J&B # | SIZE | QTY |
| 37124 | 3/8-24 x 1/4 | 100 |
| 37130 | 3/8-24 x 3/8 | 100 |
| 37136 | 3/8-24 x 1/2 | 100 |
| 37142 | 3/8-24 x 3/4 | 100 |
| 37148 | 3/8-24 x 1 | 100 |

| 1/2-20 DIAMETER | | |
|-----------------|--------------|-----|
| J&B # | SIZE | QTY |
| 37187 | 1/2-20 x 1/2 | 100 |
| 37193 | 1/2-20 x 3/4 | 100 |
| 37199 | 1/2-20 x 1 | 50 |



SOCKET SCREW PRODUCTS

HEX SOCKET PIPE PLUGS


| J&B # | SIZE | QTY |
|-------|------|-----|
| 38126 | 1/16 | 25 |
| 38127 | 1/8 | 25 |
| 38130 | 1/4 | 25 |
| 38133 | 3/8 | 25 |
| 38136 | 1/2 | 25 |
| 38139 | 3/4 | 25 |
| 38140 | 1 | 10 |



- Tempered durable threads will not strip easily.
- Will not crack under pressure.

STEEL TAPER PINS

| J&B# | SIZE | QTY |
|-------|-----------|-----|
| 32071 | 1 x 2 | 10 |
| 32072 | 2 x 1-1/2 | 10 |
| 32073 | 3 x 2 | 10 |
| 32074 | 4 x 1-1/2 | 10 |
| 32075 | 4 x 3 | 10 |
| 32076 | 5 x 3 | 10 |
| 32077 | 6 x 2 | 10 |
| 32078 | 6 x 3 | 10 |
| 32079 | 7 x 4 | 10 |
| 32080 | 8 x 4 | 10 |
| 32081 | 9 x 5 | 10 |
| 32082 | 9 x 6 | 10 |
| 32083 | 10 x 5 | 10 |



- Ideal for applications where mating parts must be disassembled frequently.
- Helps provide precision alignment of gears and sprockets to shafts.


| SIZE IDENTIFICATION CHART | | | | | | | | | |
|-----------------------------|------|-------|------|------|------|-------|-------|-------|------|
| NUMBER | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| DIAM. LARGE END | .156 | .172 | .193 | .219 | .250 | .289 | .341 | .409 | .492 |
| APPROXIMATE FRACTIONAL SIZE | 5/32 | 11/64 | 3/16 | 7/32 | 1/4 | 19/64 | 11/32 | 13/32 | 1/2 |



SOCKET SCREW PRODUCTS

HEX KEYS

- Heated treated alloy steel - key is tough and ductile clear through.
- Accurately sized to ensure full wall contact.
- Square cut end engages the socket full depth for better tightening of screw.




| SHORT ARM | | |
|-----------|------|-----|
| J&B # | SIZE | QTY |
| 38000 | .028 | 100 |
| 38003 | .035 | 100 |
| 38006 | .050 | 100 |
| 38009 | 1/16 | 100 |
| 38012 | 5/64 | 100 |
| 38015 | 3/32 | 100 |
| 38018 | 7/64 | 100 |
| 38021 | 1/8 | 100 |
| 38024 | 9/64 | 100 |
| 38027 | 5/32 | 100 |
| 38030 | 3/16 | 100 |
| 38033 | 7/32 | 50 |
| 38036 | 1/4 | 50 |
| 38039 | 5/16 | 50 |
| 38042 | 3/8 | 25 |
| 38043 | 7/16 | 10 |
| 38045 | 1/2 | 10 |
| 38048 | 9/16 | 10 |
| 38051 | 5/8 | 1 |
| 38054 | 3/4 | 1 |

| LONG ARM | | |
|----------|------|-----|
| J&B # | SIZE | QTY |
| 38071 | 1/16 | 100 |
| 38072 | 5/64 | 100 |
| 38075 | 3/32 | 100 |
| 38078 | 7/64 | 100 |
| 38081 | 1/8 | 100 |
| 38084 | 9/64 | 100 |
| 38087 | 5/32 | 100 |
| 38090 | 3/16 | 100 |
| 38093 | 7/32 | 50 |
| 38096 | 1/4 | 50 |
| 38099 | 5/16 | 50 |
| 38102 | 3/8 | 25 |
| 38105 | 1/2 | 10 |
| 38108 | 9/16 | 1 |
| 38111 | 5/8 | 1 |
| 38117 | 7/8 | 1 |

FOLD-UP KEY SET

| J&B # | # OF KEYS | SIZES | HANDLE LENGTH | QTY |
|--------|-----------|-------------|---------------|-----|
| 42052 | 5 | 3/16 – 3/8 | 5-1/4 | EA |
| 41887 | 8 | .050 – 5/32 | 3" | EA |
| R25108 | 9 | 5/64 – 1/4 | 4-1/4 | EA |



SOCKET SCREW PRODUCTS

BALL HEX KEY SET

- 13 piece, inch ball-hex key set.
- Includes .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16 & 3/8.
- Turns 360 degrees at up to 25 degree angle.
- 8650 chrome nickel alloy, heat treated for maximum strength.
- Black oxide finish to resist rust. Made in USA.



| J&B # | QTY |
|--------|-----|
| V45585 | EA |

BALL HEX KEYS

Bondhus




| J&B # | SIZE | QTY |
|-------|------|-----|
| 10902 | .050 | 10 |
| 10903 | 1/16 | 10 |
| 10904 | 5/64 | 10 |
| 10905 | 3/32 | 10 |
| 10906 | 7/64 | 10 |
| 10907 | 1/8 | 10 |
| 10908 | 9/64 | 10 |
| 10909 | 5/32 | 10 |
| 10910 | 3/16 | 10 |
| 10911 | 7/32 | 5 |
| 10912 | 1/4 | 5 |
| 10924 | 5/16 | 5 |
| 10914 | 3/8 | 5 |
| 10925 | 7/16 | 1 |
| 10926 | 1/2 | 1 |
| 10917 | 9/16 | 1 |
| 10918 | 5/8 | 1 |
| 10919 | 3/4 | 1 |

SQUARE HEAD SET SCREWS

Low Carbon Steel Cup Point

- Tough, case hardened.
- Deep cup point bites into shafts and resists vibration.
- Holds pulleys, collars, and other parts on machinery screws.



| 1/4-20 DIAMETER | | |
|-----------------|----------------|-----|
| J&B # | SIZE | QTY |
| 36300 | 1/4-20 x 1/2 | 100 |
| 36301 | 1/4-20 x 3/4 | 100 |
| 36302 | 1/4-20 x 1 | 100 |
| 36303 | 1/4-20 x 1-1/4 | 100 |
| 36304 | 1/4-20 x 1-1/2 | 100 |

| 5/16-18 DIAMETER | | |
|------------------|-----------------|-----|
| J&B # | SIZE | QTY |
| 36311 | 5/16-18 x 3/4 | 100 |
| 36312 | 5/16-18 x 1 | 100 |
| 36313 | 5/16-18 x 1-1/4 | 100 |
| 36314 | 5/16-18 x 1-1/2 | 100 |

| 3/8-16 DIAMETER | | |
|-----------------|----------------|-----|
| J&B # | SIZE | QTY |
| 36317 | 3/8-16 x 1/2 | 100 |
| 36318 | 3/8-16 x 3/4 | 100 |
| 36319 | 3/8-16 x 1 | 100 |
| 36321 | 3/8-16 x 1-1/2 | 100 |
| 36323 | 3/8-16 x 2 | 50 |

| 1/2-13 DIAMETER | | |
|-----------------|----------------|-----|
| J&B # | SIZE | QTY |
| 36328 | 1/2-13 x 1 | 50 |
| 36329 | 1/2-13 x 1-1/4 | 50 |
| 36330 | 1/2-13 x 1-1/2 | 50 |
| 36331 | 1/2-13 x 1-3/4 | 50 |
| 36332 | 1/2-13 x 2 | 50 |
| 36333 | 1/2-13 x 2-1/2 | 50 |
| 36334 | 1/2-13 x 3 | 50 |
| 36335 | 1/2-13 x 3-1/2 | 50 |
| 36336 | 1/2-13 x 4 | 25 |

| 5/8-11 DIAMETER | | |
|-----------------|----------------|-----|
| J&B # | SIZE | QTY |
| 36342 | 5/8-11 x 1 | 25 |
| 36344 | 5/8-11 x 1-1/2 | 25 |
| 36346 | 5/8-11 x 2 | 25 |
| 36348 | 5/8-11 x 3 | 25 |
| 36350 | 5/8-11 x 4 | 25 |
| 36360 | 5/8-11 x 6 | 25 |


| 3/4-10 DIAMETER | | |
|-----------------|------------|-----|
| J&B # | SIZE | QTY |
| 36370 | 3/4-10 x 8 | 10 |

| 7/8-9 DIAMETER | | |
|----------------|-----------|-----|
| J&B # | SIZE | QTY |
| 36383 | 7/8-9 x 5 | 10 |
| 36385 | 7/8-9 x 6 | 10 |

DOWEL PINS

STANDARD PRECISION GROUND

- Heat treated alloy steel.
- .0002 over basic size.



| 1/16 DIAMETER | | |
|---------------|------------|-----|
| J&B # | SIZE | QTY |
| 35769 | 1/16 x 1/4 | 20 |
| 35775 | 1/16 x 3/8 | 20 |

| 3/32 DIAMETER | | |
|---------------|------------|-----|
| J&B # | SIZE | QTY |
| 35739 | 3/32 x 1/4 | 20 |
| 35745 | 3/32 x 3/8 | 20 |
| 35751 | 3/32 x 1/2 | 20 |

| 1/8 DIAMETER | | |
|--------------|-------------|-----|
| J&B # | SIZE | QTY |
| 35802 | 1/8 x 3/8 | 20 |
| 35808 | 1/8 x 1/2 | 20 |
| 35811 | 1/8 x 5/8 | 20 |
| 35814 | 1/8 x 3/4 | 20 |
| 35820 | 1/8 x 1 | 20 |
| 35822 | 1/8 x 1-1/4 | 20 |
| 35824 | 1/8 x 1-1/2 | 20 |


| 3/16 DIAMETER | | |
|---------------|--------------|-----|
| J&B # | SIZE | QTY |
| 35841 | 3/16 x 1/2 | 20 |
| 35844 | 3/16 x 5/8 | 20 |
| 35847 | 3/16 x 3/4 | 20 |
| 35853 | 3/16 x 1 | 20 |
| 35865 | 3/16 x 1-1/2 | 20 |
| 35868 | 3/16 x 1-3/4 | 20 |
| 35871 | 3/16 x 2 | 20 |

| 1/4 DIAMETER | | |
|--------------|-------------|-----|
| J&B # | SIZE | QTY |
| 35874 | 1/4 X 1/2 | 20 |
| 35877 | 1/4 X 5/8 | 20 |
| 35880 | 1/4 X 3/4 | 20 |
| 35886 | 1/4 X 1 | 20 |
| 35892 | 1/4 X 1-1/4 | 20 |
| 35898 | 1/4 X 1-1/2 | 20 |
| 35901 | 1/4 X 1-3/4 | 20 |
| 35904 | 1/4 X 2 | 20 |
| 35911 | 1/4 X 2-1/2 | 20 |

DOWEL PINS

STANDARD PRECISION GROUND

- Heat treated alloy steel.
- .0002 over basic size.



| 5/16 DIAMETER | | |
|---------------|--------------|-----|
| J&B # | SIZE | QTY |
| 35919 | 5/16 x 1/2 | 20 |
| 35925 | 5/16 x 3/4 | 20 |
| 35931 | 5/16 x 1 | 20 |
| 35937 | 5/16 x 1-1/4 | 20 |
| 35943 | 5/16 x 1-1/2 | 20 |
| 35946 | 5/16 x 1-3/4 | 20 |
| 35952 | 5/16 x 2 | 20 |

| 3/8 DIAMETER | | |
|--------------|-------------|-----|
| J&B # | SIZE | QTY |
| 35967 | 3/8 x 1/2 | 20 |
| 35973 | 3/8 x 3/4 | 20 |
| 35979 | 3/8 x 1 | 20 |
| 35985 | 3/8 x 1-1/4 | 20 |
| 35991 | 3/8 x 1-1/2 | 20 |
| 35994 | 3/8 x 1-3/4 | 20 |
| 35997 | 3/8 x 2 | 20 |
| 36000 | 3/8 x 2-1/4 | 20 |
| 36003 | 3/8 x 2-1/2 | 20 |
| 36009 | 3/8 x 3 | 20 |

| 7/16 DIAMETER | | |
|---------------|--------------|-----|
| J&B # | SIZE | QTY |
| 36027 | 7/16 x 1-1/2 | 20 |
| 36033 | 7/16 x 2 | 20 |
| 36039 | 7/16 x 2-1/2 | 20 |

| 1/2 DIAMETER | | |
|--------------|-------------|-----|
| J&B # | SIZE | QTY |
| 36051 | 1/2 x 3/4 | 20 |
| 36057 | 1/2 x 1 | 20 |
| 36060 | 1/2 x 1-1/4 | 20 |
| 36063 | 1/2 x 1-1/2 | 20 |
| 36066 | 1/2 x 1-3/4 | 20 |
| 36069 | 1/2 x 2 | 20 |
| 36081 | 1/2 x 3 | 20 |
| 36093 | 1/2 x 4 | 20 |

| 5/8 DIAMETER | | |
|--------------|-------------|-----|
| J&B # | SIZE | QTY |
| 36105 | 5/8 x 1-1/2 | 20 |
| 36108 | 5/8 x 2 | 20 |

| 1" DIAMETER | | |
|-------------|-------|-----|
| J&B # | SIZE | QTY |
| 36216 | 1 x 4 | 10 |



J&B Fleet - Industrial Supply

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

PART # 2034


SOCKET HEAD CAP SCREWS

| | | | | | |
|--|---|--|--|--|---|
| <p>30168 ¹</p>  <p>8-32 X 1/2</p> <p>15</p> | <p>30177 ²</p>  <p>8-32 X 3/4</p> <p>15</p> | <p>30186 ³</p>  <p>8-32 X 1</p> <p>15</p> | <p>30219 ⁴</p>  <p>10-24 X 1/2</p> <p>15</p> | <p>30228 ⁵</p>  <p>10-24 X 3/4</p> <p>15</p> | <p>30234 ⁶</p>  <p>10-24 X 1</p> <p>15</p> |
| <p>30270 ⁷</p>  <p>1/4-20 X 1/2</p> <p>15</p> | <p>30273 ⁸</p>  <p>1/4-20 X 5/8</p> <p>15</p> | <p>30276 ⁹</p>  <p>1/4-20 X 3/4</p> <p>15</p> | <p>30282 ¹⁰</p>  <p>1/4-20 X 1</p> <p>10</p> | <p>30291 ¹¹</p>  <p>1/4-20 X 1-1/4</p> <p>10</p> | <p>30351 ¹²</p>  <p>5/16-18 X 1/2</p> <p>15</p> |
| <p>30357 ¹³</p>  <p>5/16-18 X 3/4</p> <p>15</p> | <p>30363 ¹⁴</p>  <p>5/16-18 X 1</p> <p>10</p> | <p>30369 ¹⁵</p>  <p>5/16-18 X 1-1/4</p> <p>10</p> | <p>30441 ¹⁶</p>  <p>3/8-16 X 3/4</p> <p>10</p> | <p>30447 ¹⁷</p>  <p>3/8-16 X 1</p> <p>10</p> | <p>30450 ¹⁸</p>  <p>3/8-16 X 1-1/4</p> <p>10</p> |
| <p>30456 ¹⁹</p>  <p>3/8-16 X 1-1/2</p> <p>5</p> | <p>30585 ²⁰</p>  <p>1/2-13 X 1</p> <p>10</p> | <p>30588 ²¹</p>  <p>1/2-13 X 1-1/4</p> <p>5</p> | <p>30591 ²²</p>  <p>1/2-13 X 1-1/2</p> <p>5</p> | <p>30594 ²³</p>  <p>1/2-13 X 1-3/4</p> <p>3</p> | <p>30597 ²⁴</p>  <p>1/2-13 X 2</p> <p>3</p> |



PART # 2243**SOCKET HEAD CAP SCREWS**

556 PIECES





| | | | | | | | |
|-----------------------------------|----------------------------------|-----------------------------------|-----------------------------------|----------------------------------|---------------------------------|----------------------------------|-----------------------------------|
| 30276 1/4 x 3/4 50 | 30282 1/4 x 1 50 | 30291 1/4 x 1-1/4 25 | 30294 1/4 x 1-1/2 25 | 30306 1/4 x 2 25 | | 30357 5/16 x 3/4 25 | 30360 5/16 x 1 25 |
| 30369 5/16x1-1/4 25 | 30372 5/16x1-1/2 25 | 30381 5/16 x 2 20 | | | 30441 3/8 x 3/4 25 | 30447 3/8 x 1 25 | 30450 3/8 x 1-1/4 20 |
| 30456 3/8x1-1/2 20 | 30462 3/8 x 2 15 | 30468 3/8 x 2-1/2 10 | 30474 3/8 x 3 10 | | | 30585 1/2 x 1 20 | 30588 1/2 x 1-1/4 20 |
| 30591 1/2x1-1/2 15 | 30597 1/2 x 2 15 | 30606 1/2 x 2-1/2 10 | 30612 1/2 x 3 10 | 30621 1/2 x 3-1/2 5 | 30627 1/2 x 4 5 | | |
| 30678 5/8 x 1-1/2 10 | 30684 5/8 x 2 10 | 30690 5/8 x 2-1/2 5 | 30696 5/8 x 3 5 | 30702 5/8 x 3-1/2 3 | 30705 5/8 x 4 3 | | |

PART # 2244**METRIC SOCKET HEAD CAP SCREWS**

525 PIECES



| | | | | | | | |
|-------------------------------|-------------------------------|-------------------------------|-------------------------------|------------------------------|-------------------------------|-------------------------------|-------------------------------|
| | 25062 6 x 20 50 | 38391 6 x 25 50 | 25063 6 x 30 25 | 25064 6 x 35 25 | 45539 6 x 40 25 | | 25072 8 x 20 25 |
| 38392 8 x 25 25 | 25073 8 x 30 25 | 25074 8 x 40 25 | 25075 8 x 50 25 | | | 25088 10 x 20 25 | 25077 10 x 30 25 |
| 25078 10 x 40 20 | 25079 10 x 50 20 | 25080 10 x 60 15 | 45542 10 x 80 10 | | | 25090 12 x 30 20 | 45544 12 x 40 20 |
| 25081 12 x 50 15 | 25096 12 x 60 10 | 45546 12 x 80 10 | | | 45560 16 x 30 10 | 45561 16 x 40 10 | 45562 16 x 50 5 |
| 45563 16 x 60 5 | 45565 16 x 80 5 | | | | | | |




J&B Fleet - Industrial Supply




22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411


www.jbfleet.com

PART # 2817

SOCKET HEAD CAP SCREWS FINE THREAD

| | | | | | |
|--|---|--|--|--|---|
| <p>30168 ¹</p>  <p>8-32 X 1/2</p> <p>15</p> | <p>30177 ²</p>  <p>8-32 X 3/4</p> <p>15</p> | <p>30186 ³</p>  <p>8-32 X 1</p> <p>15</p> | <p>31113 ⁴</p>  <p>10-32 X 1/2</p> <p>15</p> | <p>31122 ⁵</p>  <p>10-32 X 3/4</p> <p>15</p> | <p>31128 ⁶</p>  <p>10-32 X 1</p> <p>15</p> |
| <p>31164 ⁷</p>  <p>1/4-28 X 1/2</p> <p>15</p> | <p>31176 ⁸</p>  <p>1/4-28 X 3/4</p> <p>15</p> | <p>31182 ⁹</p>  <p>1/4-28 X 1</p> <p>10</p> | <p>31188 ¹⁰</p>  <p>1/4-28 X 1-1/4</p> <p>10</p> | <p>31227 ¹¹</p>  <p>5/16-24 X 3/4</p> <p>15</p> | <p>31233 ¹²</p>  <p>5/16-24 X 1</p> <p>10</p> |
| <p>31227 ¹³</p>  <p>5/16-24 X 3/4</p> <p>15</p> | <p>31233 ¹⁴</p>  <p>5/16-24 X 1</p> <p>10</p> | <p>31239 ¹⁵</p>  <p>5/16-24 X 1-1/4</p> <p>10</p> | <p>31281 ¹⁶</p>  <p>3/8-24 X 3/4</p> <p>10</p> | <p>31287 ¹⁷</p>  <p>3/8-24 X 1</p> <p>10</p> | <p>31290 ¹⁸</p>  <p>3/8-24 X 1-1/4</p> <p>10</p> |
| <p>31293 ¹⁹</p>  <p>3/8-24 X 1-1/2</p> <p>5</p> | <p>31356 ²⁰</p>  <p>1/2-20 X 1</p> <p>10</p> | <p>31359 ²¹</p>  <p>1/2-20 X 1-1/4</p> <p>5</p> | <p>31360 ²²</p>  <p>1/2-20 X 1-1/2</p> <p>5</p> | <p>31362 ²³</p>  <p>1/2-20 X 2</p> <p>3</p> | <p>31362 ²⁴</p>  <p>1/2-20 X 2</p> <p>3</p> |














J&B Fleet - Industrial Supply


22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

PART# 2149

LOW HEAD SOCKET CAPS

| | | | | | |
|---|---|--|--|--------------------------------|--------------------------------|
| <p>4180 ¹</p>  <p>8-32 X 3/8</p> <p>10</p> | <p>4181 ²</p>  <p>8-32 X 1/2</p> <p>10</p> | <p>4182 ³</p>  <p>8-32 X 3/4</p> <p>10</p> | <p>4 ⁴</p> | <p>5 ⁵</p> | <p>6 ⁶</p> |
| <p>4186 ⁷</p>  <p>10-24 X 3/8</p> <p>10</p> | <p>4187 ⁸</p>  <p>10-24 X 1/2</p> <p>10</p> | <p>4188 ⁹</p>  <p>10-24 X 3/4</p> <p>10</p> | <p>4189 ¹⁰</p>  <p>10-24 X 1</p> <p>10</p> | <p>11 ¹¹</p> | <p>12 ¹²</p> |
| <p>4194 ¹³</p>  <p>10-32 X 3/8</p> <p>10</p> | <p>4195 ¹⁴</p>  <p>10-32 X 1/2</p> <p>10</p> | <p>4196 ¹⁵</p>  <p>10-32 X 3/4</p> <p>10</p> | <p>4197 ¹⁶</p>  <p>10-32 X 1</p> <p>10</p> | <p>17 ¹⁷</p> | <p>18 ¹⁸</p> |
| <p>4204 ¹⁹</p>  <p>1/4-20 X 1/2</p> <p>10</p> | <p>4205 ²⁰</p>  <p>1/4-20 X 3/4</p> <p>10</p> | <p>4206 ²¹</p>  <p>1/4-20 X 1</p> <p>10</p> | <p>22 ²²</p> | <p>23 ²³</p> | <p>24 ²⁴</p> |





J&B Fleet - Industrial Supply




















22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411


www.jbfleet.com




PART # 2144

FLAT HEAD SOCKET CAP SCREWS

| | | | | |
|---|---|--|--|---|
|  34440 ¹ 6-32 X 3/8 15 |  34443 ² 6-32 X 1/2 15 |  34449 ³ 6-32 X 3/4 15 |  34461 ⁵ 8-32 X 1/2 15 |  34557 ⁶ 5/16-18 X 3/4 10 |
|  34467 ⁷ 8-32 X 3/4 15 |  34473 ⁸ 8-32 X 1 15 |  34485 ¹⁰ 10-24 X 1/2 15 |  34491 ¹¹ 10-24 X 3/4 15 |  34563 ¹² 5/15-18 X 1 10 |
|  34497 ¹³ 10-24 X 1 15 |  34779 ¹⁵ 10-32 X 1/2 15 |  34785 ¹⁶ 10-32 X 3/4 15 |  34791 ¹⁷ 10-32 X 1 15 |  34509 ¹⁹ 1/4-20 X 1/2 10 |
|  34518 ²⁰ 1/4-20 X 3/4 10 |  34524 ²¹ 1/4-20 X 1 10 |  34527 ²² 1/4-20 X 1-1/4 5 |  34602 ²⁴ 3/8-16 X 1 5 | |













J&B Fleet - Industrial Supply


22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

PART # 2239

BUTTON HEAD SOCKET CAP

| | | | | | |
|---|--|--|--|---|--|
| <p>41312 ¹</p>  <p>6-32 x 3/8</p> <p>15</p> | <p>41313 ²</p>  <p>6-32 x 1/2</p> <p>15</p> | <p>41320 ³</p>  <p>8-32 x 3/8</p> <p>15</p> | <p>41321 ⁴</p>  <p>8-32 x 1/2</p> <p>15</p> | <p>⁵</p> | <p>34242 ⁶</p>  <p>3/8-16 x 1</p> <p>5</p> |
| <p>34152 ⁷</p>  <p>10-24 x 3/8</p> <p>15</p> | <p>34158 ⁸</p>  <p>10-24 x 1/2</p> <p>15</p> | <p>34164 ⁹</p>  <p>10-24 x 3/4</p> <p>10</p> | <p>¹⁰</p> | <p>34305 ¹¹</p>  <p>10-32 x 3/8</p> <p>15</p> | <p>¹²</p> |
| <p>34358 ¹³</p>  <p>10-32 x 1/2</p> <p>15</p> | <p>34347 ¹⁴</p>  <p>10-32 x 3/4</p> <p>10</p> | <p>¹⁵</p> | <p>34179 ¹⁶</p>  <p>1/4-20 x 1/2</p> <p>10</p> | <p>34185 ¹⁷</p>  <p>1/4-20 x 3/4</p> <p>10</p> | <p>¹⁸</p> |
| <p>¹⁹</p> | <p>34212 ²⁰</p>  <p>5/16-18 x 3/4</p> <p>5</p> | <p>34218 ²¹</p>  <p>5/16-18 x 1</p> <p>5</p> | <p>²²</p> | <p>34236 ²³</p>  <p>3/8-16 x 3/4</p> <p>5</p> | <p>²⁴</p> |





J&B Fleet - Industrial Supply

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

PART # 2222

SET SCREWS

| | | | | | | | |
|---|---|---|--|---|--|--|---|
|  31476 ¹ 4-40 X 3/16 25 |  31479 ² 4-40 X 1/4 25 |  31527 ³ 6-32 X 3/16 20 |  31530 ⁴ 6-32 X 1/4 20 |  31533 ⁵ 6-32 X 5/16 20 |  31536 ⁶ 6-32 X 3/8 20 |  31563 ⁷ 8-32 X 1/4 20 |  31566 ⁸ 8-32 X 5/16 20 |
|  31569 ⁹ 8-32 X 3/8 15 |  31575 ¹⁰ 8-32 X 1/2 15 |  31593 ¹¹ 10-24 X 1/4 15 |  31596 ¹² 10-24 X 5/16 15 |  31599 ¹³ 10-24 X 3/8 15 |  31602 ¹⁴ 10-24 X 1/2 10 |  32025 ¹⁵ 10-32 X 1/4 15 |  32031 ¹⁶ 10-32 X 3/8 15 |
|  32037 ¹⁷ 10-32 X 1/2 10 |  31629 ¹⁸ 1/4-20 X 1/4 10 |  31632 ¹⁹ 1/4-20 X 5/16 10 |  31635 ²⁰ 1/4-20 X 3/8 10 |  31641 ²¹ 1/4-20 X 1/2 10 |  31644 ²² 1/4-20 X 5/8 5 |  31671 ²³ 5/16-18 X 1/4 10 |  31674 ²⁴ 5/16-18 X 5/16 10 |
|  31677 ²⁵ 5/16-18 X 3/8 5 |  31683 ²⁶ 5/16-18 X 1/2 5 |  31686 ²⁷ 5/16-18 X 5/8 5 |  31713 ²⁸ 3/8-16 X 1/4 5 |  31716 ²⁹ 3/8-16 X 5/16 5 |  31719 ³⁰ 3/8-16 X 3/8 5 |  31725 ³¹ 3/8-16 X 1/2 5 |  31728 ³² 3/8-16 X 5/8 5 |





J&B Fleet - Industrial Supply






22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

PART # 2029

USS SET SCREWS – CUP POINT



| | | | | | |
|--|--|---|--|---|---|
| <p>31593¹</p>  <p>10-24 X 1/4</p> <p>20</p> | <p>31599²</p>  <p>10-24 X 3/8</p> <p>15</p> | <p>31602³</p>  <p>10-24 X 1/2</p> <p>15</p> | <p>31629⁴</p>  <p>1/4-20 X 1/4</p> <p>15</p> | <p>31635⁵</p>  <p>1/4-20 X 3/8</p> <p>10</p> | <p>31641⁶</p>  <p>1/4-20 X 1/2</p> <p>10</p> |
| <p>31671⁷</p>  <p>5/16-18 X 1/4</p> <p>10</p> | <p>31677⁸</p>  <p>5/16-18 X 3/8</p> <p>10</p> | <p>31683⁹</p>  <p>5/16-18 X 1/2</p> <p>5</p> | <p>31689¹⁰</p>  <p>5/16-18 X 3/4</p> <p>5</p> | <p>31719¹¹</p>  <p>3/8-16 X 3/8</p> <p>5</p> | |
| <p>31725¹³</p>  <p>3/8-16 X 1/2</p> <p>5</p> | <p>31731¹⁴</p>  <p>3/8-16 X 3/4</p> <p>5</p> | <p>31737¹⁵</p>  <p>3/8-16 X 1</p> <p>3</p> | <p>31761¹⁶</p>  <p>7/16-14 X 1/2</p> <p>5</p> | <p>31800¹⁷</p>  <p>1/2-13 X 1/2</p> <p>5</p> | <p>31806¹⁸</p>  <p>1/2-13 X 3/4</p> <p>3</p> |
| <p>31812¹⁹</p>  <p>1/2-13 X 1</p> <p>3</p> | | <p>31848²¹</p>  <p>5/8-11 X 3/4</p> <p>3</p> | <p>31854²²</p>  <p>5/8-11 X 1</p> <p>3</p> | <p>31878²³</p>  <p>3/4-10 X 3/4</p> <p>3</p> | <p>31881²⁴</p>  <p>3/4-10 X 1</p> <p>3</p> |





J&B Fleet - Industrial Supply

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

PART # 2027

SET SCREWS – CUP POINT

| | | | | | |
|--|--|--|---|---|---|
|  31476 ¹ 4-40 X 3/16 USS 25 |  31530 ² 6-32 X 1/4 USS 25 |  31536 ³ 6-32 X 3/8 USS 20 |  31563 ⁴ 8-32 X 1/4 USS 20 |  31569 ⁵ 8-32 X 3/8 USS 20 |  31575 ⁶ 8-32 X 1/2 USS 15 |
|  31593 ⁷ 10-24 X 1/4 USS 20 |  31599 ⁸ 10-24 X 3/8 USS 15 |  31602 ⁹ 10-24 X 1/2 USS 15 |  32025 ¹⁰ 10-32 X 1/4 SAE 15 |  32031 ¹¹ 10-32 X 3/8 SAE 15 |  32037 ¹² 10-32 X 1/2 SAE 10 |
|  31629 ¹³ 1/4-20 X 1/4 USS 15 |  31635 ¹⁴ 1/4-20 X 3/8 USS 10 |  31641 ¹⁵ 1/4-20 X 1/2 USS 10 |  31644 ¹⁶ 1/4-20 X 5/8 USS 10 |  31671 ¹⁷ 5/16-18 X 1/4 USS 10 |  31677 ¹⁸ 5/16-18 X 3/8 USS 10 |
|  31683 ¹⁹ 5/16-18 X 1/2 USS 5 |  31686 ²⁰ 5/16-18 X 5/8 USS 5 |  31713 ²¹ 3/8-16 X 1/4 USS 10 |  31719 ²² 3/8-16 X 3/8 USS 5 |  31725 ²³ 3/8-16 X 1/2 USS 5 |  31728 ²⁴ 3/8-16 X 5/8 USS 5 |



LET US HELP YOU MAKE THE CONNECTION

PART # 3025



SET SCREWS



J & B FLEET-INDUSTRIAL SUPPLY
PHONE: 330-821-6342

| | | | | | |
|--|---|--|---|---|---|
| 31530 6-32 X 1/4 25 | 31536 6-32 X 3/8 25 | 31563 8-32 X 1/4 25 | 31569 8-32 X 3/8 25 | 31593 10-24 X 1/4 10 | 31599 10-24 X 3/8 10 |
| 31602 10-24 X 1/2 10 | 32025 10-32 X 1/4 10 | 32031 10-32 X 3/8 10 | 32037 10-32 X 1/2 10 | 31629 1/4-20 X 1/4 10 | |
| 31635 1/4-20 X 3/8 10 | | 31641 1/4-20 X 1/2 10 | | 31677 5/16-18 X 3/8 10 | |

PART #3101

LET US HELP YOU MAKE THE CONNECTION









J&B FLEET-INDUSTRIAL SUPPLY
PHONE: 330-821-6342



FINE THREAD SET SCREW

| | | | | | |
|--|--|--|---|---|---|
| 37064 1/4-28 x 1/4 10 | 37070 1/4-28 x 3/8 10 | 37076 1/4-28 x 1/2 10 | 37094 5/16-24 x 1/4 10 | 37100 5/16-24 x 3/8 10 | 37106 5/16-24 x 1/2 10 |
| 37124 3/8-24 x 1/4 10 | 37130 3/8-24 x 3/8 10 | 37136 3/8-24 x 1/2 10 | 37187 1/2-20 x 1/2 5 | 37193 1/2-20 x 3/4 5 | |























J&B Fleet - Industrial Supply





22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

PART #2256

SQUARE HEAD SET SCREWS

| | | | | | |
|---|--|---|--|---|---|
| <p>36300 ¹</p>  <p>1/4-20 x 1/2</p> <p>10</p> | <p>36311 ²</p>  <p>5/16-18 x 3/4</p> <p>10</p> | <p>36317 ³</p>  <p>3/8-16 x 1/2</p> <p>10</p> | <p>36323 ⁴</p>  <p>3/8-16 x 2</p> <p>10</p> | <p>36331 ⁵</p>  <p>1/2-13 x 1-3/4</p> <p>5</p> | <p>36342 ⁶</p>  <p>5/8-11 x 1</p> <p>4</p> |
| <p>36301 ⁷</p>  <p>1/4-20 x 3/4</p> <p>10</p> | <p>36312 ⁸</p>  <p>5/16-18 x 1</p> <p>10</p> | <p>36318 ⁹</p>  <p>3/8-16 x 3/4</p> <p>10</p> | <p>36328 ¹⁰</p>  <p>1/2-13 x 1</p> <p>5</p> | <p>36332 ¹¹</p>  <p>1/2-13 x 2</p> <p>5</p> | <p>36344 ¹²</p>  <p>5/8-11 x 1-1/2</p> <p>4</p> |
| <p>36302 ¹³</p>  <p>1/4-20 x 1</p> <p>10</p> | <p>36313 ¹⁴</p>  <p>5/16-18 x 1-1/4</p> <p>10</p> | <p>36319 ¹⁵</p>  <p>3/8-16 x 1</p> <p>10</p> | <p>36329 ¹⁶</p>  <p>1/2-13 x 1-1/4</p> <p>5</p> | <p>¹⁷</p> | <p>36346 ¹⁸</p>  <p>5/8-11 x 2</p> <p>4</p> |
| <p>36304 ¹⁹</p>  <p>1/4-20 x 1-1/2</p> <p>10</p> | <p>36314 ²⁰</p>  <p>5/16-18 x 1-1/2</p> <p>10</p> | <p>36321 ²¹</p>  <p>3/8-16 x 1-1/2</p> <p>10</p> | <p>36330 ²²</p>  <p>1/2-13 x 1-1/2</p> <p>5</p> | <p>²³</p> | <p>36348 ²⁴</p>  <p>5/8-11 x 3</p> <p>4</p> |





J&B Fleet - Industrial Supply





















22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

PART # 2146

DOWEL PINS



| | | | | | | | | | | | | | | | | | | | |
|--|--|---|---|---|--|--|--|--|--|--|--|---|---|---|--|--|---|--|--|
| <p>35808 ¹</p>  <p>1/8 X 1/2</p> <p>20</p> | <p>35814 ²</p>  <p>1/8 X 3/4</p> <p>10</p> | <p>35841 ³</p>  <p>3/16 X 1/2</p> <p>20</p> | <p>35847 ⁴</p>  <p>3/16 X 3/4</p> <p>10</p> | <p>35853 ⁵</p>  <p>3/16 X 1</p> <p>10</p> | <p>35874 ⁷</p>  <p>1/4 X 1/2</p> <p>15</p> | <p>35880 ⁸</p>  <p>1/4 X 3/4</p> <p>10</p> | <p>35886 ⁹</p>  <p>1/4 X 1</p> <p>10</p> | <p>35898 ¹⁰</p>  <p>1/4 X 1-1/2</p> <p>5</p> | <p>35919 ¹²</p>  <p>5/16 X 1/2</p> <p>15</p> | <p>35925 ¹³</p>  <p>5/16 X 3/4</p> <p>10</p> | <p>35931 ¹⁴</p>  <p>5/16 X 1</p> <p>10</p> | <p>35943 ¹⁵</p>  <p>5/16 X 1-1/2</p> <p>5</p> | <p>35967 ¹⁷</p>  <p>3/8 X 1/2</p> <p>10</p> | <p>35973 ¹⁸</p>  <p>3/8 X 3/4</p> <p>10</p> | <p>35979 ¹⁹</p>  <p>3/8 X 1</p> <p>5</p> | <p>35991 ²⁰</p>  <p>3/8 X 1-1/2</p> <p>5</p> | <p>36051 ²²</p>  <p>1/2 X 3/4</p> <p>10</p> | <p>36057 ²³</p>  <p>1/2 X 1</p> <p>5</p> | <p>36063 ²⁴</p>  <p>1/2 X 1-1/2</p> <p>5</p> |
|--|--|---|---|---|--|--|--|--|--|--|--|---|---|---|--|--|---|--|--|

