DAMON HOWATT Makers of America's Finest and Most Beautiful Custom Bours

0



HOWATT el Rey

The "Standard of Excellence"—certainly one of the world's finest target bows. Lengths: 62", 66" and 69". Weights to 55 lbs. Handle riser: Brazilian Rosewood Glass colar: White Howatt Stabilizer insert Black vinyl padded carrying case

150.00

Includes membership in the Order af Del Rey with certificate suitable for framing.

howatt Viqilante

A magnificently styled target bow with performance to match its outstanding beauty. Lengths: 66" and 69" Weights to 55 lbs. Handle riser: Brazilian Rosewood Glass color: White Howatt Stabilizer insert Vinyl padded carrying case

119.50

HOWATT Paloman

An impressive men's or women's target bow although many choose the shorter length for hunting. Lengths: 64" and 69" Weights to 55 lbs. Handle riser: Bubinga and Rosewoad Glass color: White is standard, black is available on 64" model Hawatt Stabilizer insert Flannel bow case

85.00

HOWATT Monterey

Here you get both unusual beauty and exceptional performance in a modestly priced bow. Length: 66" Weights to 55 lbs. Handle riser: Bubinga and Rosewood Glass color: White Howatt Stabilizer insert Flannel bow case

howatt *Hunter*

Speed, power and accuracy in a bow of rare beauty. A truly great bow for both hunting and field shooting. Length: 62" Weights to 75 lbs. Handle riser: Rosewood with Bubinga Glass color: Black Flannel bow case

59.50

howatt Hi Speed

A very attractive, high performance hunting bow that is fast, powerful and consistently accurate. Lengths: 54" and 58" Weights to 75 lbs. Handle riser: Rosewood with Bubinga Glass color: Black Flannel bow case

59.50



HOWATT Balboa

It has to be one of the greatest values anywhere in a handcrafted hunting bow. Length: 58" Weights to 75 lbs. Handle riser: Shedua Glass color: Cinnamon Flannel bow cose

HOWATT Ventura

An exceptional value all-purpose men's or ladies' bow. Very fine performer. Length: 66" Weights ta 55 lbs. Handle riser: Shedua Glass color: White Flonnel bow case

49.50

HOWATT Согонаво

Perfect far the economy-minded bowhunter wha insists on fine archery equipment. Length: 60' Weights to 55 lbs. Handle riser: Dork tropical hardwood Glass color: Dark hunting colors

HOWATT Cavalier

This is the ideal beginner's bow although _ in the hands af an expert it's extremely accurate. Length: 62" Weights to 55 lbs. Handle riser: Eastern Maple Glass color: Assorted

HOWATT Little John

Designed by Howatt and handcrafted to pravide a quality for youngsters about 10 years on Length: 44" Weights to 25 lbs. at 20" Handle riser: Eastern Maple Glass color: Assorted

leather Goods

No. 300 Pouch. Top grain cowhide. Zipper closed with belt loop. 61/2x4x2 in. White or black.....4.95 N 05 Quiver. Top grain leather. Two straps with sleeve on divider strap. 19 in. long. Will easily hold 12 arrows. Black or brown, right or left hand. 7.95

No. 444 Fieldmaster Roving or Target Quiver. Flared contour for soft hip hugging fit. Large tapered zipper pocket, pencil packet. Large enough for 12 arrows. Right or left hand. Black only. 12.95

No. 446 Roving or Target Quiver. Flat style, long double leather belt loop. Large zipper pocket, $7\frac{1}{2}x3\frac{1}{2}x1\frac{3}{4}$ in. Divider loops to separate arrows. Top grain cowhide leather, holds 6 to 8 arrows. Black, brown or white. Right or left hand......10.95

No. 480 Target Quiver. Well made of heavy gauge tough vinyl with all leather trim. Comes complete with ring and clip and measures 171/2 in. long. Designed to carry 6 arrows. Black or white. 2.75

Howatt Archery carries a complete line of King archery accessories — the leather line iong recognized for outstanding quality, design and workmanship. There is a King design and style to sui? each individual's personal need and preference.

No. 489 Shoulder Quiver. Heovy gauge tough vinyl. Black only. Measures 191/2 in. long and will hold 18 or more arrows. Zipper pocket. Quiver has moulded bottom. Choice of right or left hand. 6.75 No. 492 Hip Pocket Quiver. Well mode with firm leather back. Measures 10 in. long and is slotted to hong from belt. Has protective flap to prevent wear on trouser pocket. Available in choice of brown or black..... 1.95 No. 210K Glove. Top grain leather, one piece back with open end tips. Men's sizes S-M-L-XL. 1.50 Ladies S-M-L No. 226 Lady's All White Glove. Soft, form fitting. Closed end tips. Top grain leather. Elastic back. Ladies' sizes only 2.75 No. 225 Glove. Cream colored, form fitting with one piece back and closed end style. Men's S-M-No. 227 Glove. Soft top grain leather, cream color, closed end tips, elastic insert back. Men's No. 235 Glove. New with individual finger and palm adjustment and elastic insert. Men's S-M-L-3.95 XL. Tabs. New style with protective flipper which is long enough to protect finger from nock pressure.

Three styles in cowhide and cardovan. Four sizes— X-Small, Medium, Large. Right or left hand No. 252—Single thickness top grain cawhide 40c

No. 105 Arm Guard. Narrow style made of cordovan. Lined, steel stay insert, two adjustable elastic straps. 2.00 No. 108 Arm Guard. Regular style. Two adjustable straps with metal fittings. Leather lined. Material is tough vinyl covered cowhide. Spring steel insert. Three colors. Black, brown, white......1.75 No. 110 Arm Guard. Cordovan, leather lined, 1-in, steel stay, Two adjustable elastic straps, Wide 2.95 style auard..... No. 112 Arm Guard. Same style as No. 110, but made of tough vinyl bonded to leather. Available in black only......1.95 No. 122 Arm Guard. Extra wide, tough vinyl bonded to leather. 1-inch steel stay, 3 straps, leather lined. Brown or black..... 2.95 No. 150 Arm Guard. Full arm protection. Four adjustable straps with steel stay in farward part. 13 in. long. Black only..... 3.95 No. 151 Arm Guard. Same style and construction as No. 150 but 2 in. shorter. Available in white



No. 253-Single thickness cordovan leather....70c No. 254-Double thickness, cordovan with vinyl facing. Vinyl is expanded to give extra protection 1.00 and ease of shaoting No. 100 Arm Guard. Cordovan. Leather lined with steel stay Insert. Semi-narrow style with two elastic straps..... .2.45 No. 100K Arm Guard. Made of fine cowhide and lined. Steel stay and two elastic loops with hook. No. 102 Arm Guard. Tough vinyl bonded to leather. Steel stay insert. Semi-narrow style with two elastic straps.....

Kantpinc	h T	ab.	Тор	grain	shell	cordovan	facing.
Available	in	smal	ll, m	edium,	larg	e. Finest	quality.
			*******	********			1.85

Kantpinch Hair Tab. Hair facing is replaceable	
Replacement hair, snap-on facings	
No. 900 8ow Collar. Top grain leather. Lets you hold a light natural grip on bow. Fully adjustable wrist strap and bow strap. Bow strap goes from wrist strap over bow handle between 2-3 finger and buckles in back. Snaps on to wrist strap for easy off. Strap sewed together for comfort where it goes between fingers. 1.50	e s r



Annow Materials

Easton Shafts 24SRT-X. Full length, points loose. 20.80 doz.
Easton Shafts 24SRT-X. Cut to lengths, points installed. 22.00 doz.
Easton Shafts XX75. Full length, points loose. 25.80 doz.
Easton Shafts XX75. Cut to length, points in- stalled
Micro-Flite Shafts. Full length, nocks and points loose. 17.50 doz.
Micro-Flite Shafts. Cut ta length, points and nock inserts installed
No. 1 Port Orford Cedar Shafts. Matched with- in 5 lb. spine, 11/32 or 5/16 in. Matched in weight and spine
Matched in spine only in lots of 10017.50
No. 1 Premium Feathers, left wing only, com- pletely processed and ready for fletching. Large quantity prices on request.
Graybar, per doz
Dyed Bar, per doz
White, per doz
Dyed White, per doz
Disstifictab Disstitution designed forther bar

Plastifletch, Plastic vanes decrease feather drag and wind resistance. Used primarily for outdoor target shooting. Colors: Red, white, yellow, black, fluorescent orange, green and ruby, add 1.00 per 100.

P-15 1% in. Shield, per 100
P-22 21/4 in. Shield, per 100
P-23 2% in. Parabolic, per 100
P-25 2% in. Shield, per 100
P-26 2 ³ / ₄ in. Parabolic, per 100
P-32 3 ¹ / ₄ in. Parabolic, per 100
Index Nocks. 1/4, 9/32, 5/16 and 11/32 in. White, red, blue, yellow, black, orange and green. 45c doz.
In lots of 100
In lots of 1000
Target Points. 5/16 or 11/32 in1.00 doz. In lots of 100
Field Points. 5/16 or 11/32 in. parallel or 5° taper
In lots of 100
Easton 24SRT-X Fletching Cement. 1% ounce tube. 60c
Pliobond Rubber Based Cement. In 1½ ounce tube
Robin Hood Fletch-Nox Weld. 1 ounce tube. 50c
Fletch Tite. For aluminum or glass, 3/4 ounce 50c
Ferr-L-Tite Cement, Stick
Ferr-L-Tite Cement. Liquid type

Annows

No. 050 Howatt Custom Arrows. 5/16 in. shaft, full white dip with 3 in. fletch. Packed for dealers in one-half or full gross box. Standard pack: 2 dozen 24-in., 4 26-in., and 6 28-in....43.20 gross

No. 325 Howatt Custom Arrows. 11/32 shaft matched in spine to 5 lb. and color designates spine. No. 1 shaft, full length 321/2 inches. Packed in one-gross boxes only. Not crested. Gross **79.20**

No. 350 Howatt Custom Arrows. 5/16 or 11/32 in. shaft with 5 in. helical three fletch. Matched in spine with 5° taper for broadheads.
Colors: White, yellow, red, black, purplue, pink, green or orange
With Bear Razor Head
Four Fletch Arrows
No. 400 Howatt Custom Arrow. Our finest wood arrow. 5/16 or 11/32 in. shaft, matched in weight and spine, helical three-fletch. Full length or cut to length with 5° taper for broadheads. Doz
With Bear Razor Head
Four-Fletch Arrows
Micro-Flight Fibreglass Arrows. Attractively finished with colorful crest, three-fletch helical fletch. Please specify target point or broadhead adapter and length
Four-Fletch Arrows
Howatt Swift Aluminum Three Fletch Helical Arrows. Available in sizes 1616, 1716, 1718, 1816, 1818, 1916, 1918, 2016, 2018 and 2020. Doz
Easton Aluminum 24SRT-X Arrows. Undoubt- edly the leader in metal arrows. Three-fletch heli- cal fletch with target point or broadhead insert. Please specify length
Four-Fletch Arrows
Easton Aluminum XX75 Arrows. Have one- third greater bend resistance and tremendaus ten- sile strength. Three fletch helical fletch, target or broadhead insert
Four-Fletch Arrows
Special Howatt Rabbit Arrows. Matched to 5 Ib. spine. Target point installed. Full or half gross cartons
Manager Play Play Anterprese Manager of the sourceft.

Elfishing Equipment Hunting Points

Mohawk Bow Fishing Arrows. Rubber lay fletch, point2.50 ea.			
Mohawk "Shoot Thru" Reel. 7 in. diameter, easily attached with tape. Made of anodized alu- minum. 50 ft. of 80 lb. line			
Mohawk DeLuxe Reel. Anodized aluminum, 4½ in. diameter. Comes complete with 50 ft. of 80 lb. test line			
Mohawk Custom Reel. 6 in. diam., of anodized aluminum. 50 feet of 80 lb. line. Easily taped to bow handle			
Mohawk Braided Line. 50 feet of 80 lb. test. 1.00			
Mohawk Fish Point. 250 grains, 5/16 in. poral- lel hole			
Al's Fish-Slick Point. 5/16 in			
Rubber Arrow Vanes. Slips on end of shaft. 30c ea., 3.35 doz.			

Sight

Bjorn Sight. All stainless steel with positive adjustment locks. Finest Swedish craftsmanship. Instructions included 15.00 Schram Sightmaster. Stoinless steel double bar with snap on, snap off head for pin and prism protection. W-13 Supreme Sightmaster. With pin sight.

W-14 Deluxe Sightmaster. Complete with pin sigh ' 6.50 wi Standard Sightmaster. With pin sight.

REYNOLDS BOW SIGHT. Made of anodized aluminum with double adjustment and short mounting Champion Sight Extension. Fits the Reynolds 7.95 sight. Hoyt Line-O-Site. Anodized aluminum slide bar.

Cements to bow without screw or tape. Positive friction adjustment. IS-1 Line-O-Site One anium land

F2=1	Line-O-site.	One prism lens, state degree.
LS-2	Line-O-Site.	W/plain lens
		W/post sight
LS-4	Line-O-Site.	W/peep sight
"Mat	ch 300" Bow	Sight. Compensates for bow

hand torque. Adjustable with self-locking indexed



Bear Razor Head. 115 grains	4.70
Bear Razor Head Inserts, 10 grains.	
Bear Razor Head with Insert,	
125 grains	
Black Copperhead "Slicer,"	
125 grains. 1/2 doz	3.50 box
La Fond Lightning "4," 110 grains.	
Bod-Kin "A" 3 Blade,	
11/32 in., 125 grains	
Bod-Kin "B" 3 Blade,	
11/32 in., 115 grains	
Arrowmate 3 Blade, 115 grains	
Arrowmate 4 Blade, 125 grains	
M-A 3 Blade, 5/16 in. (100 grains),	
11/32 in. (125 grains)	3.75 doz.
H.T.M. Small Game Standard Head	d,
125 grains.	
H.T.M. Small Game Junior Size, 65 grains	
Hausett Custom Boustaines Made	A the finest

Howatt Custom Bowstrings. Made of the finest

Type B Dacron material available and served with soft twisted Nylon. Five weights: up to 24 lbs., 25–34 lbs., 35–44 lbs., 45–54 lbs., and 55–65 lbs. Length from 44 in. to 72 in. Specify weight and exoct bow length
Howatt Professional Monofilament Center Served Bowstring
Howatt Special Single Loop Bow String. Made from No. 400 braided Dacron. Packed 12 to dealer display card
Soft Twist Nylon Serving Thread. Six colors: red, green, blue, yellow, black and white. 1 aunce serving jig spool
Dacron "B" Bowstring Fibre. Bonded, designed ond processed especially for bowstrings. White only. 4 ounce spool
Bowstring Server. Server and choice of cotton or soft nylon serving thread. Colors: red, green, blue, yellow, white.
Tool and nylon thread1.80

Extra nylon thread..... .75c



Tools and Accessories

No. 752 Fleetwood Fletcher. All metal three feather type. Fletches straight only. Handles up Na. 757 and No. 758 Fleetwood Spiral Fletcher. No. 757 is for left wing feothers and No. 758 No. 759 Fleetwood Spiral Four Feather Fletcher. Specify left or right wing. Four fletch 75° to 105°. Fletches all four feathers at once. 3.95

No. 755 Fleetwood Burner. Kit has all pieces loose. Cord, plug and three extra wires. Simple assembly,

No. 760 Eastern Trimmer. Deluxe burner, completely assembled with switch ond adjustable base,

makes it easy to set feather..... 5.95 No. 715 Eastern Fletcher. Converts from three feather to four and any angle desired. Bench Young Feather Burner. Heavy duty transformer, adjusts to cut clean and sharp, any style feather every time. 19.95 Deluxe Kwikee-Kwiver. 6 pairs to display car-Kwikee-Kover. Featherweight broadhead shield. ..1.50 ea. Kwikee-Silencer. 12 pairs on display card. .90c pr.

Tools and Accessories (cont.)

National String Silencer. 12 pairs on display card
Nock-Lock. 12 pairs on dealer display card. 50c pr.
Heat Nox Nocking Points. Packaged four per package, 12 packages per display card6.00
Brush Buttons, Brush proofs your bow, quiets string
Super Brush Buttons. Made of soft rubber. Carded
Bowtip Protectors. 12 to dealer display card
Vertical Feather Arrow Rest. 12 to a card

Horizontal Feather Arrow Rest. 12 to a card
Hoyt Klicker.
Cures freezing and is self-mounting1.25
Hoyt Flex Rest. 12 to a box
Hoyt Pro Flex Rest. Arrow cushion and guides
Saxon Para-Rest. Improved brush rest. Cord of 12
Black Hawk Tapering Set.
2 main bodies, 4 bushings
Accurate Arrow Taper and Tenon Tool. 5/18 or 11/32 in



HOWATT Custom Stabilizer

The HOWATT Custom Stabilizer is a precision engineered archery accessory that provides peak stabilizing efficiency. It is a uniquely handsome accessory as well. HOWATT designers have styled the unit to enhance the appearance of your HOWATT bow. The lustre chrome steel shaft is smartly accented with your choice of either exotic Brazilian Rosewood or Bubinga.

21 1/2" length, 8 ounces 17 1/2" length, 7 ounces 12.50 5/16" insert 1.50


All prices are FOB Yakima, Washington. Specifications and prices are subject to change without notice. Terms are net 30 days, however all orders will be shipped COD unless order is prepaid or open account has been approved by HOWATT.

Minimum order is \$5.00.

No returns will be accepted without proper authorization from HOWATT ARCHERY MANUFACTURING CORP. We urge all HOWATT bow owners to use a bow stringer to string their bow. In lieu of that, use a method of stringing that will minimize the twisting of the bow limbs—the cause of most bow breakage.

Fistmele (brace height) is so dependent upon the style of the shooter that it is impractical to specify fistmele measurements for HOWATT bows. HOWATT bows are equipped with strings that will provide proper fistmele in most cases. Because of a particular shooting style, it may be necessary to tighten the string by twisting it to obtain maximum performance.

All HOWATT bows are made of the finest materials available. These exceptional materials together with more than 25 years of bow making experience are combined to produce the world's best performing and most beautiful line of modern bows.



Tex-Tite Bow String Wax. Push out tube, metal cap	
Arrow Clips. Finest spring steel clips	
Fiberlay Urac 185, with powder. Half pint 1.50	0, pint 2.00
Flannel Bow Case.	
Indicate length of baw	1.50 ea.
No. 90 Kamo 2 Piece Suit. S-M-L-)	10.95
No. 140 Kamo Coverall. S-M-L-XL	
No. 45F Kamo Hunting Hat	2,50
No. 125 Kamo Bow Covers.	
Small or large size	1.50

HOWATT Stabilizer Flex-Connect

The HOWATT Stabilizer Flex-Connect adds o totally new dimension of performance to your HOWATT Custom Stabilizer. With the Flex-Connect added, the action of the stabilizer following arrow release is infinitely smoother resulting in improved accuracy. Furthermore, there is an additional performance bonus in that both limb shack and stabilizer reaction are cushioned. And like the stabilizer, the HOWATT Flex-Connect is styled with bow-matching Rosewood or Bubinga trim.





HOWATT GUARANTEE Each HOWAIT bow is fully guaran-teed against glass failure or delami-nation during normal use for one full year and replacement or repairs will be made for 50 per cent of the refail tost during the second year. IMPORTANT—No adjustment will be rade when bendprane as failure is dur Immoves ANI—No adjustment will be made when breakage or failure is due to abuse or mishandling. Otherwise, should failure occur please contact your dealer or DAMON HOWATT ARCHERY MANUFACTURING CORP. for instructions.

20