

FONTANA CASING INVENTORY 2017

Friday, October 06, 2017

Inventory Total Subject To Change

Outside Diameter	Wall	Piece Count	Length	TOTAL FT	Theoretical Weight	Steel Type	Blank	Perf Type	Slot	Ends	Comment(s)
6.625	0.134	12	20.0	240	2,229	LCS	XX			WB	
6.625	0.134	16	40.0	640	5,945	LCS	XX			WB	
6.625	0.141	5	20.0	100	976	LCS	XX			WB	
6.625	0.141	25	40.0	1000	9,764	LCS	XX			WB	
6.625	0.164	7	40.0	280	3,169	LCS	XX			WB	
8.625	0.134	2	20.0	40	486	LCS	XX			WB	
8.625	0.134	3	40.0	120	1,458	LCS	XX			WB	
10.75	0.134	7	40.0	280	4,254	LCS	XX			WB	
10.75	0.188	3	48.0	144	3,046	LCS	XX			WB	
12	0.134	1	20.0	20	340	LCS	XX			WB	
12.75	0.134	6	20.0	120	2,167	LCS	XX			WB	
12.75	0.134	9	40.0	360	6,500	LCS	XX			WB	
12.75	0.141	13	40.0	520	9,874	LCS	XX			WB X PE	
14	0.188	2	48.0	96	2,655	LCS	XX			WB	
15.25	0.134	3	40.0	120	2,596	LCS	XX			WB X PE	
16	0.188	2	40.0	80	2,540	LCS	XX			PE	
16	0.188	2	48.0	96	3,048	LCS	XX			WB	
17.375	0.134	4	20.0	80	1,974	LCS	XX			WB	
17.375	0.134	8	40.0	320	7,896	LCS	XX			WB	
17.375	0.164	3	40.0	120	3,617	LCS	XX			WB	
17.375	0.188	2	40.0	80	2,753	LCS	XX			WB X PE	
17.375	0.141	3	40.0	120	3,114	LCS	XX			WB X PE	
17.375	0.250	1	20.0	20	914	LCS	XX			WB	
17.375	0.375	1	20.0	20	1,362	LCS	XX			PE	
17.375	0.375	5	40.0	200	13,617	LCS	XX			PE	
18	0.134	4	40.0	160	4,091	LCS	XX			PE	
18	0.164	10	20.0	200	6,248	LCS	XX			WB	
18	0.164	24	40.0	960	29,991	LCS	XX			WB	
18	0.171	1	40.0	40	1,302	LCS	XX			PE	
18	0.171	18	40.0	720	23,444	LCS	XX			WB	
18	0.188	29	40.0	1160	41,377	LCS	XX			WB	

18	0.219	1	40.0	40	1,664	LCS	XX			WB	
18	0.220	2	40.0	80	3,342	LCS	XX			PE	
19.78125	0.188	5	40.0	200	7,868	LCS	XX			WB	
20	0.188	1	20.0	20	793	LCS	XX			WB	
20	0.188	2	20.0	40	1,587	LCS	XX			PE XPE	
21	0.375	3	40.0	120	9,912	LCS	XX			BE X BE	W/MIDWELD
21	0.375	1	40.0	40	3,304	LCS	XX			BE X BE	
21.78125	0.134	10	40.0	400	12,392	LCS	XX			WB	
21.78125	0.164	5	40.0	200	7,573	LCS	XX			WB	
21.78125	0.164	11	40.0	440	16,660	LCS	XX			WB XWB	
21.78125	0.250	2	20.0	40	2,300	LCS	XX			PE	
21.78125	0.250	1	40.0	40	2,300	LCS	XX			WB	w/splice
24	0.250	1	20.0	20	1,268	LCS	XX			PE	
25.75	0.188	2	20.0	40	2,048	LCS	XX			WB	
25.75	0.250	2	40.0	80	5,447	LCS	XX			WB	
25.75	0.312	4	40.0	160	13,562	LCS	XX			WB	
25.75	0.375	2	40.0	80	8,130	LCS	XX			WB	I PC W/SPLICE
26	0.250	1	30.0	30	2,063	LCS	XX			PE	
26	0.250	3	40.0	120	8,250	LCS	XX			PE	
26	0.250	1	45.0	45	3,094	LCS	XX			PE	
30	0.250	5	40.0	200	15,887	LCS	XX			PE	
30	0.250	6	40.0	240	19,064	LCS	XX			BE	
30	0.312	1	25.0	25	2,473	LCS	XX			BE	
30	0.312	7	30.0	210	20,774	LCS	XX			BE	
30	0.375	3	25.0	75	8,899	LCS	XX			PE	
30	0.375	3	30.0	90	10,678	LCS	XX			PE	
31.875	0.188	27	20.0	540	34,265	LCS	XX			PE	
31.875	0.188	6	40.0	240	15,229	LCS	XX			WBXPE	
31.875	0.250	2	20.0	40	3,378	LCS	XX			PE	
31.875	0.250	7	40.0	280	23,643	LCS	XX			WB	
31.875	0.279	1	40.0	40	3,766	LCS	XX			WB	
31.875	0.312	2	40.0	80	8,414	LCS	XX			WB	
31.875	0.375	1	20.0	20	2,523	LCS	XX			WB	
31.875	0.375	2	40.0	80	10,093	LCS	XX			PE	
31.875	0.375	5	40.0	200	25,232	LCS	XX			WB	
31.875	0.500	1	40.0	40	6,702	LCS	XX			PE	
36	0.250	1	40.0	40	3,818	LCS	XX			WB	

36	0.250	6	40.0	240	22,909	LCS	XX			PE	
36	0.375	4	25.0	100	14,268	LCS	XX			BE X BE	Onhold for Municipal work
36	0.375	4	30.0	120	17,121	LCS	XX			BE X BE	Onhold for Municipal work
36	0.375	1	40.0	40	5,707	LCS	XX			PE	
37.875	0.250	1	20.0	20	2,009	LCS	XX			WB	
37.875	0.250	1	40.0	40	4,018	LCS	XX			WB	
37.875	0.375	5	40.0	200	30,038	LCS	XX			WB	
38	0.375	2	25.0	50	7,534	LCS	XX			BE X PE	
38	0.375	1	25.6	25.6	3,858	LCS	XX			BE X PE	
38	0.375	1	29.6	29.6	4,460	LCS	XX			BE X PE	
38	0.375	1	30.0	30	4,521	LCS	XX			BE X PE	
40	0.3125	1	25.0	25	3,311	LCS	XX			PE	
40	0.375	1	20.0	20	3,174	LCS	XX			BE X BE	
40	0.375	1	40.0	40	6,348	LCS	XX			BE X BE	
43.875	0.250	1	30.0	30	3,494	LCS	XX			PE	
43.875	0.250	1	40.0	40	4,659	LCS	XX			WB	THIS PC HAS MIDWELD
43.875	0.250	1	40.0	40	4,659	LCS	XX			WB	
43.875	0.375	1	20.0	20	3,484	LCS	XX			PE XPE	
43.875	0.375	1	25.0	25	4,355	LCS	XX			PE XPE	
43.875	0.375	1	30.0	30	5,227	LCS	XX			PE XPE	
44	0.188	17	20.0	340	29,830	LCS	XX			PE	
44	0.188	1	20.4	20.4	1,790	LCS	XX			PE	
44	0.188	3	20.0	60	5,264	LCS	XX			WB	
44	0.500	1	20.0	20	4,646	LCS	XX			BE X BE	
46.875	0.260	2	40.0	80	10,355	LCS	XX			WB	
46.875	0.375	1	38.1	38.1	7,095	LCS	XX			PE	
48	0.375	3	20.0	60	11,444	LCS	XX			PE	
48	0.375	6	40.0	240	45,777	LCS	XX			PE	
48.75	0.375	1	26.8	26.8	5,192	LCS	XX			PE	
49.5	0.375	2	20.0	40	7,870	LCS	XX			PE	
49.75	0.375	2	20.0	40	7,910	LCS	XX			PE	49 36/64 X 49 34/63
49.75	0.375	1	40.0	40	7,910	LCS	XX			PE	48 79-64
49.875	0.250	4	20.0	80	10,600	LCS	XX			PE	
49.875	0.250	2	20.0	40	5,300	LCS	XX			WB	NFWC
49.875	0.250	1	39.0	39	5,167	LCS	XX			WB	
49.875	0.250	1	40.0	40	5,300	LCS	XX			PE	
49.875	0.250	1	40.0	40	5,300	LCS	XX			WB	

49.875	0.3125	1	20.0	20	3,308	LCS	XX			WB	
49.875	0.3125	1	33.0	33	5,459	LCS	XX			WB	NFWC
49.875	0.375	1	20.0	20	3,965	LCS	XX			PE	NFWC 50 1/4 X 49 5/8
49.875	0.375	1	20.0	20	3,965	LCS	XX			PE	NFWC 50 1/16 X 49 5/8
49.875	0.375	1	20.0	20	3,965	LCS	XX			PE	NFWC 49 13/16 X 49 15/16
49.875	0.375	1	20.0	20	3,965	LCS	XX			PE	49 27/32 X 49 7/8
49.875	0.375	1	20.0	20	3,965	LCS	XX			PE	NFWC
49.875	0.375	3	20.0	60	11,895	LCS	XX			WB	NFWC
49.875	0.375	1	30.0	30	5,947	LCS	XX			WB	NFWC
49.875	0.375	1	40.0	40	7,930	LCS	XX			WB X WB	NFWC
50	0.500	1	40.0	40	10,573	LCS	XX			PE	49 1/8" X 50 1/16"
50.5	0.250	5	20.0	100	13,417	LCS	XX			WB	NFWC
50.5	0.250	9	20.0	180	24,150	LCS	XX			PE	
50.5	0.250	1	20.0	20	2,683	LCS	XX			PE	NFWC
50.5	0.250	1	20.9	20.9	2,804	LCS	XX			WB	NFWC
50.5	0.3125	1	20.0	20	3,350	LCS	XX			PE	
50.5	0.375	1	40.0	40	8,030	LCS	XX			PE	
50.5	0.500	1	30.0	30	8,010	LCS	XX			PE	
50.5	0.500	1	40.0	40	10,680	LCS	XX			PE	14 - 25' MIDWELD
51	0.375	1	40.0	40	8,110	LCS	XX			PE	w/splice
54	0.3125	1	20.0	20	3,584	LCS	XX			PE	
54	0.375	2	25.0	50	10,738	LCS	XX			PE	
55.875	0.250	1	20.0	20	2,970	LCS	XX			PE X PE	
55.875	0.3125	1	20.0	20	3,709	LCS	XX			PE	
55.875	0.500	1	20.0	20	5,914	LCS	XX			PE	
60	0.3125	1	20.0	20	3,984	LCS	XX			PE	
60	0.3125	1	40.0	40	7,968	LCS	XX			PE	
61.875	0.3125	1	20.0	20	4,109	LCS	XX			PE	

Tonnage 530