



Ram Sale, Saturday,
September 8, 2018

29 Years of Superior Sheep Genetics



You are invited to our

Date:

Place:

Times:

ANNUAL RAM SALE

Saturday, September 08, 2018

Eureka County Fairgrounds

9:00 AM Ewes and Rams available for inspection
12:00 Noon Lamb Luncheon provided by Rafter 7
1:00 PM Sale begins



Our objective at Rafter 7 Merinos, Inc. is to constantly provide profit building genetics for the sheep industry. Through research, artificial insemination, data analysis, and constant focus, our modern day dual-purpose bloodlines have proven to enhance sheep industry profits. We emphasize quality wool production, lambing rates, hardiness, longevity and herding instinct, among others, as profitable production traits.

Rafter Seven will offer 200 high-quality purebred Merino and our Rafter 7 Line of Merino X Rambouillet rams, both yearlings and two year olds. Our yearlings offer an extra year of longevity, and our two year olds provide insight into the mature wool grade of our animals, ranging from 17 to 24 micron. Immediately following the ram sale, 25 purebred Merino and 25 Rafter 7 Line yearling ewes will be auctioned. The information in our catalog provided is pertinent data as a guide to aid in your selection choice, for conception, mothering, weaning weights, and wool.

To our long time supporting customers and friends, and to all interested in beginning on a path to increasing the bottom line in their dual purpose sheep, we invite you to our sale on Saturday, September 8. Come visit with friends in the industry and enjoy a nice lamb luncheon. For more information or questions please don't hesitate to contact us by phone or email.

Thank you.



Rick Powers & Tom Filbin



Tom (775) 221 3206

rafter7tom@yahoo.com

Rick (843) 693 2461

rafter7m@att.net

PS

Eureka DVM Dr. Darla Baumann (ph. 775-237-5100) will be in attendance to provide health certificates, if needed.

TRAVEL INFORMATION



Airports:

Eureka County
Ely City

ph. (775) 237-6100 paved - 5 min. from sale
ph. (775) 289-8804 paved – 80 miles “ “

Elko Regional (EKO) ph. (775) 777-7190

Delta/Sky West
3 flights daily (SLC)

Reno-Tahoe (RNO) multiple commercial flights then 243 miles to Eureka
Las Vegas (LAS) multiple commercial flights then 329 miles “ “
Salt Lake City (SLC) multiple commercial flights then 315 miles “ “

Hotels

Gold Country Inn – Eureka (775) 237-5247
Sundown Lodge – Eureka (775) 237-5334
Ruby Hill Motel – Eureka (775) 237-5339

Ramada Inn – Ely (775) 289-4884
Jailhouse Motel/Casino - Ely (775) 289-3033
Prospector Hotel/Casino - Ely (775) 289-8900
Park Vue-Ely (775) 289-4497
La Quinta – Ely (775) 289-8833

Ely is about 80 miles East of Eureka.

Gold Country Inn/Casino – Elko (775) 738-8421
High Desert Inn – Elko (775) 738-8425
Holiday Inn Express – Elko (775) 777-0990
Red Lion Hotel/Casino – Elko (775) 738-2111

Elko is about 110 miles North of Eureka.

Directions

If coming from the North from I-80:

Exit I-80 in Carlin, NV which is about 20 miles west of Elko.

Coming from the west, take the first Carlin, NV exit (279) onto Hwy 278

From the east, take the Carlin, NV exit 280 into town and follow road signs to Hwy 278

Once on Hwy 278, drive south about 90 miles to Hwy 50.

At Hwy 50, turn east towards Eureka. The Fairgrounds is about 1.5 miles on the left

If coming from the West on Hwy 50:

Look for the Fairgrounds on the Left

about 1.5 miles after passing by the Hwy 278 intersection

If coming from the South and East

From various points travel to Ely, NV, then, travel west on Hwy 50 through Eureka. Look for the Fairgrounds about 1 mile west of town on the right.

Explanation of Performance Records

Yearling rams and ewes were born from early April to end June.

Lower numbers within breed groups were the earliest born.

Horn Type: H = Horned; P = Polled; Sc = Scurs

Type of Birth and Rearing: 1 = Single, 2 = Twin, 3 = Triplet.

The yearling rams and ewes were shorn at 9 1/2 months of age. Fleece weight and staple length were obtained at shearing, and are (bellies out) and adjusted to indicate 12 months of wool at 68% yield.

Side samples were obtained prior to shearing and were analyzed for fiber diameter, comfort factor (CF), and CV micron using an OFDA 2000 provided by the American Sheep Industry Association.



CV micron

criteria demonstrates

the quality of wool within our flock, and processing efficiency into yarn.


Low CV is valued more amongst wool processors worldwide for this reason. The measurement of 19 is the international standard of quality, and USA non Rafter 7 bred wools typically range in the area of 21-24, well below the Australian standard.

Comfort factor (CF) is an indicator of comfort of a wool fabric when worn next to the skin.

A CF of 98 or higher would be comfortable when worn next to the skin. Comfort factor is not listed in this year's catalog as all animals test 98 and better.

Our records have indicated that these rams at maturity will have a fleece 2 - 4 microns higher than their yearling micron test. However, they are genetically capable of producing mature ewes with a fiber diameter close to their yearling fiber diameter.

All animals were weighed in late July, and should be heavier by sale time.



SPECIAL NOTES


Value Formula and EBVs are found on the right side of the catalog. This year I have used the Western Range Index for calculation of EBV, as well as Rafter Seven EBVs for wool Value, Lamb Value, and Combined Value. In case of our EBV expression, 0.0 is the average for the particular group of animals, a positive number indicates that animal is better than the mean, a negative number is an animal below average for the group. Calculations are by age and set, meaning 2 year old studs, yearling studs, and yearling ewes are 3 different calculation sets. Keep in mind that only these rams made our sale, after extensive culling and sifting.

As an indicator of our current selection process, we continually sift breeding ewes based on the following criteria.

- Propensity to twin – average lambs weaned over the breeding life of the ewe
- Weaning weight of lambs weighed at market values
- Lb. of Wool shorn, fleeces estimated to be 68% clean wool after washing
- Micron of wool shorn at market values

Sale Pen Layout & Sequence

starting with Pen 1
and moving up



Yearling
Rafter 7
Rams
(first set)

2YO
Rafter 7
Rams
(first set)

Yearling
Merino
Rams
(first set)

2YO
Merino
Rams

13		14
12		15
11		16
10		17
9		18
8		19
7		20
6		21
5		22
4		23
3		24
2		25
1		26

Yearling Rafter 7 Rams
(first set)

Yearling
Merino Rams
(second set)

2YO Rafter 7 Rams
(second set)

Yearling Rafter 7 Rams
(second set)



								Birth & Performance						Aug '18 Wool Data				INDEX **			EBVs ***				
														12M											
Ct	Animal ID	Buyer #	Sale Price	Date Born	Horn Status	Sire *	Dam	Birth Type	Birth Rear	WW	ADG	YW	Aug 2018 Wt	Avg. Mic.	cv Mic	SL in MM	FLC WT ADJ	Wool Value	Lamb Value	WRI	R7 Wool	R7 Lamb	R7 Comb	WRI	Pen #
1	61028			4-5-16	P	SS	41059	2	1	90	0.46	122	192	20.8	14.8	130	19.0	78.9	140.4	95.8	5.0	-4.6	0.4	-1.5	1
2	61042			4-7-16	P	SS	31718	1	1	105	0.56	132	200	18.3	13.4	115	17.0	76.1	155.4	104.3	3.6	2.9	6.5	2.7	1
3	61095			4-9-16	H	SS	41054	1	1	90	0.47	120	204	21.3	19.2	110	14.0	57.8	140.4	87.9	-5.5	-4.6	-10.1	-5.5	1
4	61118			4-10-16	H	SS	41499	1	1	111	0.60	154	273	20.2	13.3	110	19.8	82.9	158.7	109.9	7.0	4.6	11.6	5.5	1
5	61170			4-11-16	H	SS	91121	1	1	100	0.54	130	211	19.3	16.3	105	16.2	69.2	150.0	100.2	0.2	0.2	0.4	0.7	1
6	61177			4-11-16	Sc	SS	41846	1	1	84	0.44	115	209	19.4	16.8	90	15.2	64.7	134.4	87.9	-2.1	-7.6	-9.6	-5.5	1
7	61188			4-12-16	Sc	SS	41482	1	1	88	0.47	123	194	19.9	20.1	100	18.6	78.4	138.2	96.0	4.7	-5.7	-0.9	-1.4	1
8	61211			4-13-16	H	SS	41129	1	1	92	0.50	122	234	20.2	17.8	95	16.8	70.4	141.7	96.9	0.7	-3.9	-3.2	-1.0	2
9	61267			4-14-16	P	SS	21453	1	1	98	0.54	116	231	20.0	14.7	95	13.8	58.0	147.0	98.5	-5.4	-1.3	-6.7	-0.2	2
10	61306			4-16-16	P	SS	11650	1	1	95	0.52	129	222	20.0	14.1	85	19.0	79.9	144.4	103.4	5.5	-2.6	2.9	2.3	2
11	61338			4-16-16	P	SS	11147	2	1	90	0.49	116	163	17.9	20.7	95	15.4	71.5	140.4	96.5	1.3	-4.6	-3.3	-1.2	2
12	61376			4-17-16	Sc	SS	41679	2	2	81	0.44	114	206	21.8	20.6	110	17.4	70.9	191.5	91.2	1.0	21.0	22.0	-3.8	2
13	61434			4-19-16	P	SS	11356	1	1	87	0.48	117	196	21.0	15.9	110	20.4	84.5	136.6	102.6	7.8	-6.5	1.4	1.9	2
14	61532			4-23-16	P	SS	11293	1	1	89	0.51	124	207	17.6	13.2	90	17.6	83.9	138.8	100.9	7.5	-5.3	2.1	1.0	2
15	61539			4-23-16	P	SS	91413	1	1	71	0.39	116	197	21.1	15.1	100	18.8	77.8	118.6	86.3	4.5	-15.5	-11.0	-6.3	3
16	61629			4-27-16	Sc	SS	A10500	2	2	87	0.51	119	219	19.3	14.6	95	16.0	68.3	205.2	98.7	-0.3	27.8	27.6	-0.1	3
17	61640			4-28-16	P	SS	11009	1	1	92	0.55	129	229	19.0	15.8	110	19.0	81.9	141.7	107.1	6.5	-3.9	2.6	4.1	3
18	61700			5-1-16	Sc	SS	11241	1	1	105	0.65	137	212	19.1	16.7	120	16.4	70.5	155.4	115.0	0.8	2.9	3.7	8.1	3
19	61711			5-1-16	H	SS	91034	1	1	90	0.54	122	186	18.4	15.9	85	16.4	72.7	140.4	103.8	1.9	-4.6	-2.6	2.5	3
20	61775			5-7-16	P	SS	31333	1	1	90	0.57	130	218	20.2	15.5	120	20.0	83.8	140.4	111.4	7.4	-4.6	2.9	6.3	3
21	61794			5-10-16	P	SS	41084	1	1	80	0.51	122	204	19.8	18.4	110	14.4	60.8	130.4	93.8	-4.0	-9.6	-13.6	-2.5	3

+ Wool Value on YRL animals uses 2 X 2018 shearing weights

* SS = Selected Sires

** WRI = Western Range Index

*** EBV = Estimated Breeding Values



								Birth & Performance						Aug '18 Wool Data				INDEX **			EBVs ***				
Ct	Animal ID	Buyer #	Sale Price	Date Born	Horn Status	Sire *	Dam	Birth Type	Birth Rear	WW	ADG	YW	Aug 2018 Wt	Avg. Mic.	cv Mic	12M ADJ SL in MM	2018 FLC WT ADJ	Wool Value	Lamb Value	WRI	R7 Wool	R7 Lamb	R7 Comb	WRI	Pen #
22	71039			4-27-17	H	SS	41846	1	1	101	0.32	117	138	18.8	16.9	110	6.4	55.6	150.5	51.5	3.1	-9.5	-6.5	0.1	4
23	71040			4-27-17	P	SS	51205	1	1	103	0.32	116	136	18.2	19.0	105	6.8	61.4	153.5	54.0	6.0	-8.0	-2.1	1.3	4
24	71044			4-29-17	P	SS	41180	1	1	112	0.36	117	138	18.1	13.8	105	6.0	54.7	160.2	57.2	2.6	-4.7	-2.1	2.9	4
25	71054			4-29-17	H	SS	11102	3	2	99	0.31	120	141	18.4	17.0	95	5.0	44.3	306.9	48.3	-2.6	68.7	66.1	-1.5	4
26	71070			4-30-17	Sc	SS	41678	1	1	105	0.33	124	146	18.3	16.1	95	6.2	55.5	155.4	52.2	3.0	-7.1	-4.1	0.4	4
27	71081			4-30-17	H	SS	41901	2	2	116	0.37	125	147	20.7	15.9	105	5.4	44.9	262.4	55.5	-2.3	46.4	44.2	2.1	4
28	71131			5-2-17	P	SS	41072	2	1	96	0.30	123	145	18.8	22.2	105	6.8	59.0	145.0	49.3	4.8	-12.3	-7.5	-1.0	4
29	71136			5-2-17	H	SS	41888	1	1	97	0.31	118	139	19.1	16.5	110	5.4	46.4	146.5	47.9	-1.5	-11.5	-13.1	-1.7	4
30	71137			5-2-17	P	SS	41471	1	1	96	0.30	117	138	17.3	20.0	95	5.4	53.1	145.0	48.5	1.8	-12.3	-10.5	-1.4	5
31	71162			5-3-17	H	SS	41054	2	1	94	0.30	122	144	17.9	17.4	110	5.8	53.8	142.9	47.1	2.2	-13.3	-11.1	-2.1	5
32	71183			5-3-17	P	SS	41921	1	1	105	0.34	133	157	16.4	16.5	110	6.2	65.0	155.4	51.2	7.8	-7.1	0.7	-0.1	5
33	71187			5-3-17	P	SS	51350	1	1	100	0.32	120	141	19.1	15.0	110	6.0	51.6	150.0	50.4	1.1	-9.8	-8.7	-0.5	5
34	71206			5-4-17	H	SS	91656	2	1	93	0.30	120	141	17.2	18.3	110	5.0	49.7	142.3	46.2	0.1	-13.6	-13.5	-2.6	5
35	71207			5-4-17	P	SS	21445	2	1	101	0.32	136	160	18.4	17.1	110	5.6	49.6	150.5	46.8	0.1	-9.5	-9.4	-2.3	5
36	71217			5-4-17	H	SS	91225	4	2	102	0.33	124	146	18.8	16.6	105	5.2	45.2	324.7	50.2	-2.1	77.6	75.4	-0.6	5
37	71240			5-4-17	H	SS	41601	1	1	116	0.38	128	151	16.5	20.3	110	6.8	70.4	161.2	59.7	10.5	-4.2	6.3	4.2	5
38	71246			5-4-17	H	SS	11049	1	1	112	0.36	134	158	17.1	19.0	95	5.6	56.2	160.2	53.4	3.4	-4.7	-1.3	1.0	6
39	71285			5-6-17	Sc	SS	A10500	2	1	90	0.29	120	141	18.9	18.7	110	5.2	45.0	140.4	44.5	-2.2	-14.6	-16.8	-3.4	6
40	71288			5-6-17	P	SS	41137	1	1	92	0.29	124	146	16.8	23.9	110	5.2	53.2	141.7	45.1	1.9	-13.9	-12.1	-3.1	6
41	71312			5-6-17	P	SS	A10537	1	1	110	0.36	144	169	19.5	16.6	105	5.6	47.6	158.4	49.2	-0.9	-5.6	-6.5	-1.1	6
42	71325			5-6-17	P	SS	41867	1	1	102	0.33	122	144	18.3	18.3	110	6.6	59.1	152.0	52.9	4.8	-8.8	-4.0	0.8	6
43	71328			5-6-17	H	SS	31567	1	1	116	0.38	117	138	19.9	16.2	110	5.2	43.8	161.2	58.3	-2.8	-4.2	-7.0	3.5	6
44	71338			5-6-17	P	SS	41320	2	2	96	0.31	117	138	19.4	16.7	110	4.4	37.5	226.5	46.6	-6.0	28.5	22.5	-2.4	6
45	71345			5-7-17	P	SS	31124	2	1	100	0.32	117	138	18.4	17.8	95	5.6	49.6	150.0	51.7	0.1	-9.8	-9.7	0.2	6

+ Wool Value on YRL animals uses 2 X 2018 shearing weights

* SS = Selected Sires

** WRI = Western Range Index

*** EBV = Estimated Breeding Values



								Birth & Performance					Aug '18 Wool Data				INDEX **			EBVs ***					
Ct	Animal ID	Buyer #	Sale Price	Date Born	Horn Status	Sire *	Dam	Birth Type	Birth Rear	WW	ADG	YW	Aug 2018 Wt	Avg. Mic.	cv Mic	12M ADJ SL in MM	2018 FLC WT ADJ	Wool Value	Lamb Value	WRI	R7 Wool	R7 Lamb	R7 Comb	WRI	Pen #
46	71354			5-8-17	H	SS	21688	2	1	110	0.36	139	163	19.0	18.0	110	5.6	48.3	158.4	51.5	-0.6	-5.6	-6.2	0.1	7
47	71363			5-8-17	H	SS	41270	2	2	99	0.32	117	138	16.4	21.0	95	5.4	56.6	230.5	51.9	3.6	30.5	34.0	0.3	7
48	71373			5-8-17	P	SS	21335	2	2	110	0.36	128	151	18.4	14.5	110	6.0	53.2	252.6	55.2	1.9	41.5	43.4	1.9	7
49	71385			5-8-17	P	SS	31470	1	1	102	0.33	129	152	18.5	16.8	95	5.8	50.9	152.0	49.8	0.7	-8.8	-8.0	-0.8	7
50	71400			5-9-17	Sc	SS	31143	1	1	115	0.38	122	144	19.7	14.9	110	6.2	52.5	161.0	59.0	1.5	-4.3	-2.8	3.9	7
51	71407			5-9-17	P	SS	41771	1	1	104	0.34	117	138	18.1	22.1	95	5.4	49.2	153.9	53.6	-0.1	-7.8	-7.9	1.1	7
52	71413			5-9-17	H	SS	A10539	2	2	107	0.35	129	152	17.7	17.6	95	5.6	52.9	244.2	53.1	1.7	37.3	39.1	0.9	7
53	71418			5-9-17	P	SS	21325	2	2	89	0.29	116	137	19.5	18.3	95	4.6	39.1	212.0	43.8	-5.2	21.2	16.1	-3.8	7
54	65017			4-6-16	H	SS	45705	1	1	108	0.57	118	245	20.9	15.8	105	11.4	47.3	157.7	98.0	-10.8	4.1	-6.7	-0.4	8
55	65018			4-6-16	P	SS	45510	1	1	91	0.47	114	208	22.4	14.9	95	14.0	53.0	141.1	88.5	-8.0	-4.2	-12.2	-5.1	8
56	65050			4-7-16	Sc	SS	45039	1	1	104	0.55	132	228	19.4	20.6	105	16.0	68.1	153.9	101.0	-0.4	2.2	1.8	1.1	8
57	65095			4-10-16	LSc	SS	45947	1	1	103	0.55	133	236	21.2	15.6	115	19.6	81.0	153.5	107.4	6.1	2.0	8.1	4.3	8
58	65114			4-10-16	P	SS	45690	1	1	99	0.53	121	191	18.0	12.8	105	15.4	70.8	148.5	100.4	1.0	-0.5	0.5	0.8	8
59	65124			4-11-16	Sc	SS	45597	1	1	109	0.59	141	248	20.7	17.7	95	15.2	63.2	158.1	102.9	-2.9	4.3	1.4	2.0	8
60	65126			4-11-16	H	SS	35407	1	1	101	0.54	116	190	19.3	13.6	95	17.0	72.6	150.5	106.4	1.9	0.5	2.4	3.8	9
61	65164			4-12-16	H	SS	95830	2	1	103	0.56	128	215	17.9	19.7	120	14.8	68.7	153.5	102.2	-0.1	2.0	1.9	1.7	9
62	65168			4-12-16	P	SS	45293	2	2	83	0.44	145	227	18.5	22.0	65	13.8	60.6	198.4	77.7	-4.1	24.4	20.3	-10.6	9
63	65181			4-13-16	P	SS	45668	1	1	94	0.51	130	225	22.2	14.0	100	17.6	67.3	142.9	97.1	-0.8	-3.3	-4.1	-0.9	9
64	65208			4-13-16	LSc	SS	25705	2	2	104	0.57	151	265	20.1	16.2	110	16.0	67.1	239.0	98.9	-0.9	44.8	43.9	0.0	9
65	65306			4-16-16	H	SS	95152	1	1	89	0.49	122	196	21.1	19.1	90	15.0	62.1	138.8	91.6	-3.4	-5.3	-8.7	-3.6	9

+ Wool Value on YRL animals uses 2 X 2018 shearing weights

* SS = Selected Sires

** WRI = Western Range Index

*** EBV = Estimated Breeding Values



								Birth & Performance						Aug '18 Wool Data				INDEX **			EBVs ***				
Ct	Animal ID	Buyer #	Sale Price	Date Born	Horn Status	Sire *	Dam	Birth Type	Birth Rear	WW	ADG	YW	Aug 2018 Wt	Avg. Mic.	cv Mic	12M ADJ SL in MM	2018 FLC WT ADJ	Wool Value	Lamb Value	WRI	R7 Wool	R7 Lamb	R7 Comb	WRI	Pen #
66	75041			4-28-17	H	SS	25630	2	2	107	0.34	143	168	19.6	17.1	110	5.2	44.1	244.2	45.9	-2.7	37.3	34.6	-2.7	10
67	75049			4-28-17	LSc	SS	35101	2	2	100	0.31	136	160	19.6	18.2	110	6.6	55.9	233.8	46.7	3.2	32.1	35.4	-2.3	10
68	75050			4-28-17	H	SS	35101	2	2	86	0.26	125	147	21.3	16.7	95	4.6	38.0	205.2	37.6	-5.7	17.8	12.1	-6.9	10
69	75058			4-29-17	H	SS	25309	2	1	97	0.30	118	139	19.9	15.2	95	4.4	37.1	146.5	45.5	-6.2	-11.5	-17.7	-2.9	10
70	75078			4-29-17	LSc	SS	35074	1	1	110	0.35	129	152	20.6	16.4	95	6.0	49.9	158.4	51.9	0.2	-5.6	-5.3	0.3	10
71	75081			4-30-17	H	SS	55274	1	1	119	0.38	136	160	19.1	17.8	110	6.0	51.6	161.8	55.7	1.1	-3.9	-2.8	2.2	10
72	75083			4-30-17	P	SS	25582	1	1	105	0.33	133	156	18.7	19.9	95	6.0	52.3	155.4	49.4	1.4	-7.1	-5.6	-1.0	10
73	75092			4-30-17	H	SS	25674	2	2	108	0.34	128	150	19.4	14.3	90	4.2	35.8	246.0	48.9	-6.8	38.2	31.4	-1.2	10
74	75111			4-30-17	H	SS	15249	2	1	100	0.32	132	155	19.6	19.1	95	6.0	50.9	150.0	46.9	0.7	-9.8	-9.1	-2.2	11
75	75115			4-30-17	P	SS	95302	2	2	105	0.33	128	150	19.0	19.4	90	5.0	43.1	240.9	49.0	-3.2	35.7	32.5	-1.2	11
76	75134			5-1-17	H	SS	45756	1	1	100	0.32	128	150	19.6	18.1	90	5.4	45.8	150.0	46.7	-1.8	-9.8	-11.6	-2.3	11
77	75136			5-1-17	H	SS	45624	2	2	101	0.32	124	146	20.9	21.7	110	5.8	48.1	233.8	48.6	-0.7	32.1	31.5	-1.4	11
78	75150			5-2-17	H	SS	45013	2	2	82	0.25	116	137	17.9	20.5	110	4.8	44.5	194.9	40.2	-2.5	12.7	10.2	-5.6	11
79	75171			5-2-17	H	SS	45663	1	1	99	0.31	126	148	19.0	18.7	95	6.0	51.7	148.5	48.2	1.1	-10.5	-9.4	-1.6	11
80	75204			5-3-17	Sc	SS	45897	2	1	106	0.34	130	153	17.3	20.8	85	5.2	51.1	155.8	50.6	0.8	-6.9	-6.0	-0.4	11
81	75216			5-3-17	P	SS	25132	1	1	112	0.36	138	162	20.3	14.2	90	5.2	43.5	160.2	50.1	-3.0	-4.7	-7.7	-0.6	11
82	75228			5-3-17	H	SS	45197	1	1	109	0.35	123	145	18.3	16.7	90	5.2	46.5	158.1	53.2	-1.5	-5.7	-7.2	0.9	12
83	75232			5-4-17	H	SS	35190	2	1	103	0.33	124	146	19.1	18.5	85	3.2	27.5	153.5	46.1	-11.0	-8.0	-19.0	-2.6	12
84	75235			5-4-17	Sc	SS	15148	2	1	90	0.28	119	140	17.4	21.1	85	4.4	42.8	140.4	43.6	-3.3	-14.6	-17.9	-3.9	12
85	75271			5-4-17	H	SS	15082	1	1	90	0.28	116	137	18.7	17.4	90	5.0	43.6	140.4	44.4	-2.9	-14.6	-17.5	-3.5	12
86	75275			5-4-17	P	SS	A50480	1	1	103	0.33	128	150	17.8	14.6	85	6.0	56.2	153.5	50.8	3.4	-8.0	-4.7	-0.3	12
87	75278			5-5-17	H	SS	15558	1	1	126	0.41	160	188	17.8	16.8	105	6.0	56.2	163.8	54.9	3.4	-2.9	0.5	1.8	12
88	75297			5-5-17	H	SS	45199	1	1	109	0.35	133	156	19.5	18.9	110	6.4	54.4	158.1	52.8	2.5	-5.7	-3.3	0.7	12
89	75315			5-6-17	H	SS	45046	1	1	106	0.34	136	160	20.8	17.9	95	6.2	51.5	155.8	49.5	1.0	-6.9	-5.8	-0.9	12

+ Wool Value on YRL animals uses 2 X 2018 shearing weights

* SS = Selected Sires

** WRI = Western Range Index

*** EBV = Estimated Breeding Values



								Birth & Performance						Aug '18 Wool Data				INDEX **			EBVs ***				
Ct	Animal ID	Buyer #	Sale Price	Date Born	Horn Status	Sire *	Dam	Birth Type	Birth Rear	WW	ADG	YW	Aug 2018 Wt	Avg. Mic.	cv Mic	12M ADJ SL in MM	2018 FLC WT ADJ	Wool Value	Lamb Value	WRI	R7 Wool	R7 Lamb	R7 Comb	WRI	Pen #
90	75338			5-6-17	H	SS	95966	1	1	104	0.34	124	146	20.2	17.7	110	4.8	40.2	153.9	49.2	-4.6	-7.8	-12.4	-1.1	13
91	75371			5-8-17	H	SS	736'	2	2	105	0.34	127	149	19.0	19.2	105	6.8	58.6	240.9	54.2	4.6	35.7	40.3	1.4	13
92	75375			5-8-17	H	SS	45579	1	1	95	0.31	119	140	18.5	17.6	105	6.0	52.7	144.4	49.1	1.6	-12.6	-10.9	-1.1	13
93	75404			5-10-17	Sc	SS	A50291	1	1	109	0.36	121	142	19.7	16.2	110	5.4	45.7	158.1	54.9	-1.9	-5.7	-7.6	1.8	13
94	75407			5-10-17	Sc	SS	25690	2	1	104	0.34	121	142	18.1	18.6	105	5.6	51.0	153.9	53.7	0.8	-7.8	-7.0	1.2	13
95	75420			5-10-17	P	SS	A50372	2	1	93	0.30	117	138	17.9	16.1	95	5.2	48.3	142.3	47.9	-0.6	-13.6	-14.2	-1.7	13
96	75427			5-10-17	P	SS	95349	2	2	96	0.31	116	137	18.9	14.0	105	5.0	43.3	226.5	48.9	-3.1	28.5	25.4	-1.2	13
97	75463			5-11-17	H	SS	45708	1	1	97	0.32	123	145	17.8	19.4	110	5.4	50.6	146.5	48.7	0.6	-11.5	-11.0	-1.3	13
98	75465			5-11-17	H	SS	25112	1	1	108	0.36	127	149	19.4	19.0	110	5.2	44.3	157.7	52.7	-2.6	-5.9	-8.5	0.7	14
99	75467			5-11-17	H	SS	25885	1	1	111	0.37	126	148	20.2	17.0	90	0.0	0.0	158.7	44.2	-24.7	-5.4	-30.1	-3.5	14
100	75468			5-11-17	H	SS	45164	1	1	94	0.31	122	144	19.4	16.2	95	5.2	44.3	142.9	46.2	-2.6	-13.3	-15.9	-2.6	14
101	75474			5-11-17	P	SS	95457	1	1	110	0.36	133	156	18.0	19.1	95	6.4	58.9	158.4	55.3	4.7	-5.6	-0.9	2.0	14
102	75475			5-11-17	P	SS	55254	1	1	108	0.36	131	154	19.2	14.3	110	6.4	54.8	157.7	54.0	2.7	-5.9	-3.2	1.3	14
103	75487			5-11-17	H	SS	15195	2	2	106	0.35	120	141	16.9	19.6	95	0.0	0.0	244.2	45.0	-24.7	37.3	12.6	-3.2	14
104	75524			5-11-17	H	SS	95288	2	1	90	0.29	128	150	20.6	20.8	95	0.0	0.0	140.4	32.5	-24.7	-14.6	-39.3	-9.4	14
105	75563			5-14-17	P	SS	95637	2	2	97	0.32	119	140	18.4	19.2	110	5.4	47.9	226.5	50.5	-0.8	28.5	27.7	-0.4	14
106	71420			5-10-17	P	SS	41247	1	1	104	0.34	119	140	19.1	17.7	110	7.8	67.0	153.9	57.5	8.8	-7.8	1.0	3.1	15
107	71453			5-10-17	P	SS	51500	1	1	84	0.27	118	139	19.8	17.1	105	6.2	52.3	134.4	43.4	1.4	-17.6	-16.1	-4.0	15
108	71455			5-10-17	P	SS	41691	1	1	99	0.32	125	147	18.0	18.4	95	7.0	64.4	148.5	52.2	7.5	-10.5	-3.1	0.4	15
109	71484			5-10-17	P	SS	41440	1	1	103	0.34	116	136	17.6	16.4	110	7.8	74.3	153.5	58.5	12.4	-8.0	4.4	3.6	15
110	71488			5-10-17	P	SS	31110	1	1	101	0.33	128	151	17.5	15.9	95	5.2	50.0	150.5	49.2	0.3	-9.5	-9.3	-1.1	15
111	71490			5-10-17	P	SS	21678	1	1	105	0.35	119	140	16.1	18.7	95	8.0	86.8	155.4	59.8	18.7	-7.1	11.6	4.2	15
112	71502			5-11-17	P	SS	11471	1	1	107	0.35	125	147	18.6	15.5	110	6.8	59.5	157.3	56.1	5.0	-6.1	-1.1	2.4	15
113	71505			5-11-17	H	SS	41188	1	1	99	0.32	119	140	17.4	16.5	95	5.2	50.5	148.5	50.7	0.5	-10.5	-10.0	-0.3	15

+ Wool Value on YRL animals uses 2 X 2018 shearing weights

* SS = Selected Sires

** WRI = Western Range Index

*** EBV = Estimated Breeding Values



								Birth & Performance						Aug '18 Wool Data				INDEX **			EBVs ***				
														12M ADJ 2018											
Ct	Animal ID	Buyer #	Sale Price	Date Born	Horn Status	Sire *	Dam	Birth Type	Birth Rear	WW	ADG	YW	Aug 2018 Wt	Avg. Mic.	cv Mic	SL in MM	FLC WT ADJ	Wool Value	Lamb Value	WRI	R7 Wool	R7 Lamb	R7 Comb	WRI	Pen #
114	71509			5-11-17	H	SS	41343	1	1	125	0.42	135	159	19.5	15.6	110	6.6	56.1	165.0	62.5	3.3	-2.3	1.0	5.6	16
115	71531			5-11-17	H	SS	41165	2	2	106	0.35	116	136	17.8	20.7	110	6.2	58.1	244.2	57.6	4.3	37.3	41.6	3.1	16
116	71533			5-11-17	H	SS	31086	2	1	97	0.32	117	138	17.9	17.8	110	5.0	46.4	146.5	49.8	-1.5	-11.5	-13.1	-0.8	16
117	71539			5-12-17	P	SS	11017	3	2	116	0.39	131	154	19.4	17.3	110	7.6	64.7	324.3	61.6	7.6	77.4	85.0	5.1	16
118	71542			5-12-17	H	SS	31406	2	2	102	0.34	125	147	19.0	21.3	90	4.2	36.2	237.1	48.7	-6.6	33.8	27.2	-1.3	16
119	71589			5-14-17	P	SS	31517	2	1	123	0.42	151	178	18.4	14.6	110	6.0	53.2	164.8	57.6	1.9	-2.4	-0.5	3.1	16
120	71601			5-14-17	P	SS	21208	2	1	104	0.35	129	152	18.2	16.8	110	6.2	56.0	153.9	53.3	3.3	-7.8	-4.5	1.0	16
121	71624			5-14-17	P	SS	31079	2	2	103	0.34	118	139	19.3	17.2	110	6.4	54.7	239.0	55.5	2.6	34.7	37.4	2.1	16
122	71636			5-14-17	H	SS	31263	1	1	104	0.35	129	152	15.5	14.0	95	5.4	61.5	153.9	52.7	6.0	-7.8	-1.8	0.7	16
123	71643			5-14-17	P	SS	41353	1	1	99	0.33	122	144	19.3	16.6	105	5.8	49.5	148.5	50.7	0.0	-10.5	-10.5	-0.3	17
124	71644			5-14-17	H	SS	A10594	1	1	98	0.32	121	142	19.0	19.6	110	5.6	48.3	147.0	50.3	-0.6	-11.3	-11.9	-0.5	17
125	71665			5-15-17	P	SS	11094	1	1	98	0.33	122	143	19.1	20.0	110	5.4	46.4	147.0	49.8	-1.5	-11.3	-12.8	-0.8	17
126	71672			5-15-17	H	SS	21361	2	1	107	0.36	128	150	19.2	18.3	95	4.0	34.3	157.3	50.9	-7.6	-6.1	-13.7	-0.2	17
127	71674			5-15-17	P	SS	41449	2	2	108	0.36	124	146	17.8	17.8	105	5.8	54.3	246.0	56.5	2.4	38.2	40.7	2.6	17
128	71688			5-15-17	P	SS	A10436	1	1	97	0.32	125	147	18.2	20.5	95	4.4	39.7	146.5	46.9	-4.9	-11.5	-16.4	-2.2	17
129	71689			5-15-17	H	SS	91053	2	1	104	0.35	126	148	17.5	21.6	95	4.2	40.4	153.9	50.9	-4.5	-7.8	-12.4	-0.2	17
130	71727			5-17-17	H	SS	51159	1	1	106	0.36	135	159	17.1	20.5	105	6.0	60.3	155.8	53.2	5.4	-6.9	-1.5	0.9	17
131	71743			5-17-17	H	SS	41855	1	1	97	0.32	128	150	20.4	19.8	105	6.4	53.4	146.5	49.4	2.0	-11.5	-9.6	-1.0	17
132	71751			5-17-17	P	SS	91239	1	1	110	0.37	126	148	16.9	19.3	95	5.0	51.0	158.4	56.1	0.8	-5.6	-4.8	2.4	18
133	71753			5-17-17	P	SS	41714	1	1	91	0.30	130	153	16.5	18.6	105	6.2	64.2	141.1	46.8	7.4	-14.2	-6.9	-2.3	18
134	71756			5-18-17	H	SS	21423	1	1	116	0.40	144	169	20.7	18.7	110	6.6	54.9	161.2	56.3	2.7	-4.2	-1.5	2.5	18
135	71790			5-21-17	P	SS	A10137	1	1	112	0.39	128	150	19.2	22.3	110	6.0	51.4	160.2	58.5	1.0	-4.7	-3.7	3.6	18
136	71844			5-22-17	H	SS	51607	1	1	93	0.32	120	141	18.6	18.3	110	4.6	40.3	142.3	47.4	-4.6	-13.6	-18.2	-2.0	18
137	71858			5-23-17	LSc	SS	41362	1	1	109	0.38	131	154	18.0	22.9	95	7.0	64.4	158.1	58.8	7.5	-5.7	1.7	3.7	18
138	71901			5-26-17	P	SS	61309	1	1	93	0.32	124	146	19.0	18.9	105	6.0	51.7	142.3	49.6	1.1	-13.6	-12.5	-0.9	18
139	71954			6-24-17	P	SS	A10682	1	1	107	0.42	116	136	19.5	15.7	110	5.4	45.9	157.3	65.6	-1.8	-6.1	-7.9	7.1	18

+ Wool Value on YRL animals uses 2 X 2018 shearing weights

* SS = Selected Sires

** WRI = Western Range Index

*** EBV = Estimated Breeding Values



								Birth & Performance						Aug '18 Wool Data				INDEX **			EBVs ***				
														12M ADJ 2018											
Ct	Animal ID	Buyer #	Sale Price	Date Born	Horn Status	Sire *	Dam	Birth Type	Birth Rear	WW	ADG	YW	Aug 2018 Wt	Avg. Mic.	cv Mic	SL in MM	FLC WT ADJ	Wool Value	Lamb Value	WRI	R7 Wool	R7 Lamb	R7 Comb	WRI	Pen #
140	65327			4-17-16	H	SS	45232	1	1	97	0.54	133	222	21.0	18.8	95	17.0	70.4	146.5	100.5	0.8	-1.5	-0.8	0.8	19
141	65358			4-18-16	P	SS	45661	1	1	85	0.47	118	197	20.2	15.5	120	15.6	65.3	135.2	91.2	-1.8	-7.2	-9.0	-3.8	19
142	65363			4-18-16	H	SS	15326	1	1	0	0.00	128	226	21.1	16.7	90	13.6	56.3	0.0	14.2	-6.3	-74.8	-81.1	-42.3	19
143	65423			4-20-16	P	SS	45465	1	1	88	0.49	129	215	20.5	15.3	95	15.8	65.8	138.2	92.3	-1.5	-5.7	-7.2	-3.3	19
144	65427			4-20-16	Sc	SS	35022	1	1	108	0.62	150	250	20.0	17.3	95	17.2	72.3	157.7	108.9	1.7	4.1	5.8	5.1	19
145	65446			4-21-16	P	SS	25389	2	1	103	0.59	144	248	21.2	19.5	115	16.0	66.2	153.5	103.8	-1.4	2.0	0.6	2.5	19
146	65479			4-22-16	H	SS	15464	1	1	103	0.60	142	235	21.3	21.0	100	17.4	71.9	153.5	107.1	1.5	2.0	3.5	4.1	20
147	65518			4-24-16	P	SS	15667	1	1	94	0.55	0	212	17.7	17.0	115	12.0	56.7	142.9	127.7	-6.1	-3.3	-9.4	14.4	20
148	65565			4-26-16	Sc	SS	15249	1	1	91	0.53	119	191	18.1	16.1	100	14.0	63.8	141.1	98.5	-2.5	-4.2	-6.8	-0.1	20
149	65584			4-26-16	H	SS	25070	2	2	82	0.47	0	197	19.9	16.7	105	16.8	70.8	194.9	125.5	1.0	22.7	23.7	13.3	20
150	65610			4-27-16	H	SS	15082	1	1	90	0.53	122	232	21.8	16.5	115	19.0	77.4	140.4	105.0	4.2	-4.6	-0.3	3.1	20
151	65641			4-28-16	H	SS	35311	2	2	93	0.55	133	235	24.4	16.2	100	19.0	53.5	221.0	104.8	-7.7	35.7	28.0	3.0	20
152	65652			4-28-16	H	SS	25818	2	1	112	0.68	153	267	19.6	18.7	90	13.4	56.8	160.2	110.3	-6.0	5.3	-0.7	5.7	21
153	65677			4-29-16	P	SS	15530	2	1	89	0.53	141	255	19.8	17.7	90	14.6	61.6	138.8	93.1	-3.6	-5.3	-9.0	-2.9	21
154	65805			5-13-16	H	SS	25885	1	1	93	0.61	130	208	19.9	18.9	95	14.8	62.4	142.3	108.6	-3.3	-3.6	-6.9	4.9	21
155	69004			4-9-16	Sc	SS	39095	1	1	93	0.49	133	229	22.8	19.2	95	16.8	61.3	142.3	91.9	-3.8	-3.6	-7.4	-3.5	21
156	69011			4-11-16	P	SS	49195	1	1	95	0.51	139	232	20.7	14.4	125	16.6	69.0	144.4	93.6	0.0	-2.6	-2.5	-2.6	21
157	69016			4-12-16	Sc	SS	49191	1	1	98	0.53	143	219	18.7	15.5	95	20.0	87.2	147.0	103.2	9.1	-1.3	7.9	2.2	21

+ Wool Value on YRL animals uses 2 X 2018 shearing weights

* SS = Selected Sires

** WRI = Western Range Index

*** EBV = Estimated Breeding Values



								Birth & Performance						Aug '18 Wool Data				INDEX **			EBVs ***				
Ct	Animal ID	Buyer #	Sale Price	Date Born	Horn Status	Sire *	Dam	Birth Type	Birth Rear	WW	ADG	YW	Aug 2018 Wt	Avg. Mic.	cv Mic	12M ADJ SL in MM	2018 FLC WT ADJ	Wool Value	Lamb Value	WRI	R7 Wool	R7 Lamb	R7 Comb	WRI	Pen #
158	75576			5-14-17	H	SS	25377	3	1	97	0.32	121	142	19.6	19.1	95	5.0	42.4	146.5	49.0	-3.5	-11.5	-15.1	-1.2	22
159	75578			5-14-17	H	SS	45084	2	1	118	0.40	132	155	18.7	15.3	110	5.2	45.3	161.7	58.2	-2.1	-3.9	-6.0	3.4	22
160	75610			5-14-17	H	SS	951173	1	1	121	0.41	145	171	20.7	19.2	85	3.8	31.6	162.1	52.4	-8.9	-3.7	-12.6	0.5	22
161	75615			5-14-17	H	SS	25827	1	1	94	0.31	122	143	18.4	17.6	105	6.0	53.2	142.9	48.9	1.9	-13.3	-11.5	-1.2	22
162	75622			5-14-17	H	SS	45036	1	1	106	0.35	118	139	18.1	15.1	95	5.4	49.2	155.8	55.4	-0.1	-6.9	-7.0	2.0	22
163	75632			5-15-17	Sc	SS	25305	1	1	95	0.31	118	139	18.6	18.9	90	4.4	38.5	144.4	47.4	-5.5	-12.6	-18.0	-2.0	22
164	75637			5-16-17	H	SS	55070	1	1	95	0.32	128	151	19.4	21.2	105	6.2	52.8	144.4	48.0	1.7	-12.6	-10.9	-1.7	22
165	75673			5-17-17	H	SS	15520	1	1	101	0.34	121	142	20.3	16.2	95	5.6	46.8	150.5	51.9	-1.3	-9.5	-10.8	0.3	22
166	75674			5-17-17	H	SS	A50283	1	1	105	0.35	138	162	20.4	17.0	110	6.8	56.7	155.4	52.0	3.6	-7.1	-3.4	0.3	23
167	75676			5-17-17	H	SS	25250	1	1	109	0.37	128	150	18.7	16.9	95	4.8	41.8	158.1	53.8	-3.8	-5.7	-9.6	1.3	23
168	75696			5-18-17	H	SS	25069	2	1	114	0.39	131	154	19.1	17.3	110	6.0	51.6	160.7	58	1.1	-4.4	-3.3	3.6	23
169	75734			5-21-17	Sc	SS	45633	1	1	106	0.36	121	142	19.8	16.1	95	5.0	42.2	155.8	54.6	-3.6	-6.9	-10.5	1.6	23
170	75741			5-21-17	H	SS	451001	1	1	98	0.33	133	157	17.9	19.4	110	5.2	48.3	147.0	48.0	-0.6	-11.3	-11.9	-1.7	23
171	75758			5-22-17	LSc	SS	35340	3	2	104	0.36	130	153	21.5	16.8	110	5.2	42.9	316.1	51.6	-3.3	73.3	70.0	0.1	23
172	75759			5-22-17	P	SS	35144	1	1	110	0.38	126	148	17.9	19.3	85	6.6	61.3	158.4	59.7	5.9	-5.6	0.3	4.2	23
173	75774			5-23-17	H	SS	45862	1	1	101	0.35	130	153	20.3	16.7	95	5.0	41.8	150.5	49.5	-3.8	-9.5	-13.4	-0.9	23
174	75808			5-26-17	H	SS	15248	1	1	103	0.36	135	159	17.7	23.8	85	5.4	51.0	153.5	51.9	0.8	-8.0	-7.3	0.3	24
175	77005			4-29-17	H	SS	37109	2	1	98	0.31	122	143	18.0	20.7	95	5.2	47.8	147.0	47.6	-0.8	-11.3	-12.1	-1.9	24
176	77018			5-4-17	P	SS	37088	3	1	98	0.31	119	140	18.1	20.2	105	6.6	60.2	147.0	52.1	5.4	-11.3	-5.9	0.4	24
177	77032			5-13-17	H	SS	47030	1	1	104	0.35	129	152	18.8	17.5	105	5.8	50.4	153.9	51.7	0.5	-7.8	-7.4	0.2	24
178	77036			5-19-17	H	SS	37072	1	1	99	0.33	121	142	19.4	18.8	95	4.6	39.2	148.5	49.7	-5.1	-10.5	-15.7	-0.8	24
179	79009			4-17-17	H	SS	49193	1	1	119	0.37	129	152	20.1	15.3	110	8.0	67.1	161.8	58.3	8.8	-3.9	5.0	3.5	24
180	79014			4-24-17	H	SS	59088	2	1	87	0.26	119	140	18.6	20.4	110	5.8	50.8	136.6	42.7	0.6	-16.5	-15.8	-4.3	24
181	79035			5-2-17	H	SS	A90497	1	1	104	0.33	122	144	19.6	17.4	110	5.8	49.2	153.9	51.1	-0.1	-7.8	-8.0	-0.1	24

+ Wool Value on YRL animals uses 2 X 2018 shearing weights

* SS = Selected Sires

** WRI = Western Range Index

*** EBV = Estimated Breeding Values



								Birth & Performance						Aug '18 Wool Data				INDEX **			EBVs ***				
														12M ADJ 2018											
Ct	Animal ID	Buyer #	Sale Price	Date Born	Horn Status	Sire *	Dam	Birth Type	Birth Rear	WW	ADG	YW	Wt	Avg. Mic.	cv Mic	SL in MM	FLC WT ADJ	Wool Value	Lamb Value	WRI	R7 Wool	R7 Lamb	R7 Comb	WRI	Pen #
182	79044			5-2-17	H	SS	49181	2	1	107	0.34	133	157	19.3	27.0	105	6.6	56.4	157.3	51.8	3.5	-6.1	-2.7	0.2	25
183	79057			5-6-17	P	SS	59009	1	1	100	0.32	125	147	20.0	14.9	105	6.2	52.1	150.0	49.6	1.3	-9.8	-8.4	-0.9	25
184	79064			5-8-17	H	SS	unk	1	1	103	0.34	123	145	16.8	17.8	95	5.8	59.4	153.5	52.7	5.0	-8.0	-3.1	0.7	25
185	79065			5-8-17	H	SS	A90946	2	1	94	0.30	123	145	18.2	20.5	95	6.0	54.2	142.9	47.9	2.4	-13.3	-11.0	-1.7	25
186	79073			5-9-17	H	SS	A90902	1	1	117	0.39	139	163	17.8	18.5	95	4.8	44.9	161.5	54.1	-2.3	-4.0	-6.3	1.4	25
187	79076			5-9-17	H	SS	49165	1	1	107	0.35	133	157	19.4	17.0	95	5.6	47.7	157.3	50.8	-0.9	-6.1	-7.0	-0.3	25
188	79081			5-11-17	H	SS	A90999	2	1	110	0.36	133	156	18.6	20.5	110	6.0	52.5	158.4	54.6	1.5	-5.6	-4.0	1.6	25
189	79085			5-11-17	H	SS	unk	1	1	115	0.38	133	156	18.8	18.1	105	6.0	52.1	161.0	56.8	1.3	-4.3	-2.9	2.8	25
190	79088			5-11-17	H	SS	39016	2	2	99	0.32	126	148	17.6	16.4	110	4.0	38.1	230.5	46.9	-5.7	30.5	24.8	-2.2	26
191	79092			5-11-17	H	SS	unk	1	1	104	0.34	121	142	20.7	16.9	95	5.0	41.6	153.9	51.1	-3.9	-7.8	-11.8	-0.1	26
192	79098			5-12-17	Sc	SS	unk	1	1	103	0.34	131	154	18.8	18.1	95	5.0	43.4	153.5	49.0	-3.0	-8.0	-11.1	-1.2	26
193	79158			5-15-17	H	SS	unk	1	1	109	0.37	124	146	17.6	15.7	95	6.2	59.1	158.1	57.5	4.8	-5.7	-0.9	3.1	26
194	79164			5-15-17	P	SS	unk	1	1	106	0.36	123	145	18.6	16.7	85	4.8	42.0	155.8	52.9	-3.7	-6.9	-10.6	0.8	26
196	79203			5-15-17	H	SS	unk	1	1	116	0.39	126	148	19.1	14.9	95	6.4	55.0	161.2	60.7	2.8	-4.2	-1.4	4.7	26
197	79214			5-15-17	H	SS	unk	1	1	111	0.37	124	146	17.2	15.4	110	5.6	55.6	158.7	57.7	3.1	-5.4	-2.3	3.2	26
198	79221			5-15-17	H	SS	unk	1	1	110	0.37	128	151	19.2	14.9	85	5.2	44.6	158.4	54.3	-2.4	-5.6	-8.0	1.5	26

+ Wool Value on YRL animals uses 2 X 2018 shearing weights

* SS = Selected Sires

** WRI = Western Range Index

*** EBV = Estimated Breeding Values



								Birth & Performance						Aug '18 Wool Data				INDEX **			EBVs ***				
Ct	Animal ID	Buyer #	Sale Price	Date Born	Horn Status	Sire *	Dam	Birth Type	Birth Rear	WW	ADG	YW	Aug 2018 Wt	Avg. Mic.	cv Mic	12M ADJ 2018		Wool Value	Lamb Value	WRI	R7 Wool	R7 Lamb	R7 Comb	WRI	Pen #
																SL in MM	FLC WT ADJ								
201	71014			4-26-17	-	SS	41371	2	1	77	0.23	105	124	17.9	17.9	105	5.6	52.0	126.3	41.2	3.1	-10.2	-7.1	-0.6	27
202	71066			4-30-17	-	SS	31702	1	1	74	0.22	106	125	18.9	17.3	85	5.4	46.7	122.1	38.7	0.5	-12.3	-11.8	-1.8	27
203	71074			4-30-17	-	SS	61033	1	1	70	0.21	94	111	19.4	15.4	105	6.0	51.1	116.9	40.6	2.7	-14.9	-12.2	-0.9	27
204	71087			4-30-17	-	SS	31264	2	2	70	0.21	94	110	19.3	16.7	95	4.8	41.0	173.5	38.9	-2.4	13.4	11.0	-1.7	27
205	71094			5-1-17	-	SS	41280	2	2	74	0.23	91	107	19.5	12.9	105	5.8	49.3	178.5	43.6	1.7	15.9	17.7	0.6	27
206	71110			5-1-17	-	SS	51307	1	1	80	0.25	116	136	19.6	17.2	105	7.2	61.0	130.4	42.7	7.6	-8.1	-0.5	0.1	27
207	71129			5-2-17	-	SS	41537	2	1	67	0.20	101	119	20.2	22.4	105	5.4	45.2	113.2	36.3	-0.3	-16.7	-17.0	-3.0	27
208	71212			5-4-17	-	SS	31452	2	1	82	0.26	98	115	18.9	15.9	90	5.0	43.3	132.8	45.3	-1.3	-6.9	-8.2	1.4	27
209	71251			5-4-17	-	SS	11562	1	1	72	0.22	89	105	16.5	21.9	85	5.4	55.9	119.5	43.7	5.1	-13.6	-8.5	0.6	28
210	71321			5-6-17	-	SS	51074	1	1	82	0.26	101	119	16.8	18.4	105	5.0	51.2	132.8	45.3	2.7	-6.9	-4.2	1.4	28
211	71434			5-10-17	-	SS	31333	2	2	79	0.25	99	117	18.6	17.4	105	5.4	47.3	188.1	44.9	0.7	20.7	21.5	1.3	28
212	71525			5-11-17	-	SS	11639	3	3	73	0.23	93	109	17.3	17.2	85	3.8	37.3	267.8	41.4	-4.2	60.6	56.3	-0.5	28
213	71537			5-12-17	-	SS	41370	2	2	67	0.21	99	116	19.2	16.6	85	5.0	42.8	165.6	37.8	-1.5	9.5	8.0	-2.3	28
214	71550			5-12-17	-	SS	61731	2	2	80	0.26	108	127	19.5	16.7	100	6.0	51.0	191.5	44.3	2.6	22.4	25.0	0.9	28
215	71603			5-14-17	-	SS	31510	2	1	98	0.32	116	136	18.6	14.7	85	5.6	49.0	147.0	52.2	1.6	0.2	1.8	4.9	28
216	71647			5-14-17	-	SS	51086	1	1	67	0.21	85	100	16.9	19.4	105	5.2	53.0	113.2	42.7	3.6	-16.7	-13.1	0.1	28
217	71668			5-15-17	-	SS	41357	2	1	71	0.23	93	109	18.0	14.3	90	3.8	35.0	118.6	40.2	-5.4	-14.0	-19.5	-1.1	28
218	71687			5-15-17	-	SS	41566	1	1	84	0.27	113	133	18.3	20.6	95	5.2	46.5	134.4	44.3	0.4	-6.1	-5.7	0.9	29
219	71717			5-17-17	-	SS	11078	2	2	76	0.25	110	129	18.8	16.0	90	4.4	38.2	183.4	39.6	-3.8	18.4	14.6	-1.4	29
220	71746			5-17-17	-	SS	41426	1	1	81	0.26	100	118	17.0	19.0	105	5.0	50.8	131.2	46.4	2.5	-7.7	-5.2	2.0	29
221	71777			5-19-17	-	SS	41115	1	1	79	0.26	115	135	20.4	18.5	105	6.6	55.1	128.8	43.3	4.6	-8.9	-4.3	0.5	29
222	71802			5-21-17	-	SS	31718	2	2	66	0.21	89	105	19.9	19.8	90	4.2	35.4	165.6	38.8	-5.2	9.5	4.3	-1.8	29
223	71900			5-26-17	-	SS	81529	1	1	86	0.29	90	106	19.2	17.0	105	6.2	53.1	135.9	54.6	3.7	-5.4	-1.7	6.1	29
224	71950			6-24-17	-	SS	21522	1	1	64	0.23	100	118	16.4	17.6	90	5.0	52.4	108.8	42.2	3.3	-18.9	-15.6	-0.1	29
225	71956			6-24-17	-	SS	A10582	2	2	65	0.24	88	104	17.9	17.7	90	3.4	31.6	163.8	42.5	-7.1	8.6	1.5	0.1	29

+ Wool Value on YRL animals uses 2 X 2018 shearing weights

* SS = Selected Sires

** WRI = Western Range Index

*** EBV = Estimated Breeding Values



								Birth & Performance						Aug '18 Wool Data				INDEX **			EBVs ***				
Ct	Animal ID	Buyer #	Sale Price	Date Born	Horn Status	Sire *	Dam	Birth Type	Birth Rear	WW	ADG	YW	Aug 2018	Avg. Mic.	cv Mic	12M	FLC WT	Wool Value	Lamb Value	WRI	R7 Wool	R7 Lamb	R7 Comb	WRI	Pen #
													Wt			ADJ									
226	75021			4-27-17	-	SS	45145	1	1	89	0.27	113	133	16.7	14.1	95	6.0	61.6	138.8	46.6	7.9	-3.9	4.0	2.1	30
227	75033			4-27-17	-	SS	45535	1	1	87	0.27	102	120	19.5	16.4	105	4.4	37.4	136.6	44.0	-4.2	-5.0	-9.2	0.8	30
228	75042			4-28-17	-	SS	25630	2	2	63	0.18	95	112	18.4	21.8	85	3.0	26.6	160.2	31.6	-9.6	6.8	-2.8	-5.4	30
229	75043			4-28-17	-	SS	15332	2	2	77	0.23	95	112	18.4	18.2	90	4.8	42.6	183.4	42.4	-1.6	18.4	16.8	0.0	30
230	75090			4-30-17	-	SS	25892	2	2	88	0.27	105	124	21.3	16.8	95	5.6	46.3	208.6	45.9	0.2	31.0	31.2	1.8	30
231	75168			5-2-17	-	SS	45970	1	1	80	0.25	107	126	19.2	15.8	90	5.4	46.3	130.4	41.8	0.2	-8.1	-7.9	-0.3	30
232	75205			5-3-17	-	SS	45565	2	2	63	0.19	93	109	18.5	13.8	85	4.0	35.1	160.2	34.6	-5.3	6.8	1.4	-3.9	30
233	75267			5-4-17	-	SS	95107	1	1	68	0.21	99	116	18.8	20.4	105	4.4	38.2	114.2	36.1	-3.8	-16.2	-20.0	-3.2	30
234	75304			5-5-17	-	SS	15095	2	2	71	0.22	105	124	20.1	17.7	105	4.8	40.3	173.5	36.6	-2.7	13.4	10.7	-2.9	31
235	75351			5-7-17	-	SS	45672	2	2	75	0.23	94	110	20.2	15.5	85	4.6	38.5	181.0	41.6	-3.6	17.2	13.5	-0.4	31
236	75379			5-8-17	-	SS	35265	1	1	79	0.25	106	125	17.9	19.4	90	5.0	46.4	128.8	42.1	0.3	-8.9	-8.6	-0.2	31
237	75430			5-10-17	-	SS	95567	1	1	79	0.25	102	120	19.8	18.3	120	4.6	38.8	128.8	41.8	-3.5	-8.9	-12.4	-0.3	31
238	75433			5-10-17	-	SS	85987	1	1	68	0.21	105	123	18.9	18.4	100	5.6	48.4	114.2	37.5	1.3	-16.2	-14.9	-2.5	31
239	75439			5-10-17	-	SS	25282	1	1	80	0.25	100	118	18.9	19.4	110	7.0	60.6	130.4	47.8	7.4	-8.1	-0.7	2.7	31
240	75554			5-14-17	-	SS	45668	2	1	74	0.24	98	115	20.5	18.4	95	5.8	48.3	122.1	43.0	1.3	-12.3	-11.0	0.3	31
241	75587			5-14-17	-	SS	95766	2	2	73	0.23	93	109	19.7	14.3	90	5.0	42.3	178.5	42.6	-1.7	15.9	14.2	0.1	31
242	75629			5-15-17	-	SS	35010	1	1	82	0.27	106	125	21.0	18.9	90	5.0	41.4	132.8	43.3	-2.2	-6.9	-9.1	0.4	31
243	75669			5-17-17	-	SS	A50327	1	1	87	0.29	109	128	20.3	16.3	95	5.8	48.5	136.6	47.6	1.4	-5.0	-3.7	2.6	32
244	75672			5-17-17	-	SS	95574	1	1	67	0.21	97	114	18.2	17.3	95	5.8	52.4	113.2	40.5	3.3	-16.7	-13.4	-1.0	32
245	75698			5-18-17	-	SS	15317	2	1	92	0.31	121	142	19.8	18.3	95	6.0	50.7	141.7	48.4	2.4	-2.5	0.0	3.0	32
246	75729			5-21-17	-	SS	25011	2	2	75	0.25	109	128	20.3	18.7	90	4.6	38.5	181.0	39.5	-3.7	17.2	13.5	-1.5	32
247	75806			5-26-17	-	SS	45311	2	2	74	0.25	85	100	19.9	18.8	85	4.0	33.7	178.5	44.8	-6.0	15.9	9.9	1.2	32
248	79036			5-2-17	-	SS	59098	2	1	60	0.18	88	103	20.9	20.7	90	5.0	41.5	102.6	35.0	-2.2	-22.0	-24.2	-3.7	32
249	79090			5-11-17	-	SS	unk	1	1	88	0.28	117	138	18.7	19.4	110	6.8	59.3	138.2	47.6	6.7	-4.2	2.5	2.6	32
250	79121			5-30-17	-	SS	49160	1	1	78	0.27	104	122	17.0	17.4	90	5.0	50.8	127.9	45.8	2.5	-9.4	-6.9	1.7	32

+ Wool Value on YRL animals uses 2 X 2018 shearing weights

* SS = Selected Sires

** WRI = Western Range Index

*** EBV = Estimated Breeding Values



We appreciate your continued support!

