CONSTRUCTION CODE AUTHORITY

Of Saskatchewan



"Building and Fire Code Consulting, Municipal Services and Inspections"

Plan Review Checklist – House Addition

Home Owner/Builders: The following information is required when submitting an application for a residential building permit and before a building permit is issued. The plan review will not begin until all required information is provided.

Required Information:

- 2 sets of Site Plans with the following information
 - Show size and location of proposed house addition
 - Show size and location of existing buildings on property
 - Show lot dimensions and shape
 - Show distance between buildings and property lines
 - Show North direction arrow
- 2 sets of House Addition Layout Drawings with the following information
 - Exterior and Interior wall locations
 - Window sizes and locations
 - Door sizes, locations and swing direction
 - Heating unit/system location
- 2 sets of House Addition Structural Drawings with the following information
 - Foundation Detail (type, size, layout and location)
 - Wall Detail (interior and exterior)
 - Roof Detail (eng truss, roof rafters)
 - Floor Detail (eng joists, dimensional lumber)
- 2 copies of the **Building Permit Application** properly filled out
- 1 copy of the Mechanical Ventilation Design Summary filled out by the mechanical contractor, • if applicable
- 1 copy of the Energy Efficiency Compliance Forms filled out by a qualified person, if applicable •
- 1 copy of the Spray Foam Tech Data Sheet properly filled out, if applicable •

Required On-Site Inspections: (inspection requirements may change depending on the project type and size)

- Plan Review (Prior to the commencement of any construction)
- Foundation (Prior to pouring concrete on engineered foundations or prior to backfill) •
- Framing (Prior to insulating and applying vapour barrier to the exterior walls)
- Insulation and Vapour Barrier (Prior to covering walls and ceiling with wall/gypsum board) •
- Final (Prior to moving in or occupying the building)