38740

# MATERIAL SAFETY DATA SHEET

## Section I -- PRODUCT & COMPANY IDENTIFICATION

**PRODUCT NUMBER** B603

**PRODUCT NAME** NCP-2 Battery Terminal Protectors

HMIS CODES Health: 0, Flammability: 1, Reactivity: 0

**MANUFACTURER'S NAME** 

The Noco® Company

Cleveland, OH 44122

**EMERGENCY TELEPHONE NO.** 

(800) 424-9300

INFORMATION TELEPHONE NO.

(800) 456-6626

**DATE OF PREPARATION** 

15-MARCH-2011

Section II HAZARDOUS INGREDIENTS									
% by WT	CAS No.	INGREDIENT	PEL PPM	TLV PPM	TLV MG/M³	LEL			
8	64741-95-3	Deasphalted Residuum	None	None	5MG/M <sup>3</sup>	None			
1	64742-65-0	Solvent De-waxed	None	None	5MG/M <sup>3</sup>	None			

SARA HAZARD: None (Not listed - Title III, Section 313)

**CARCINOGENICITY**: This product is not considered a suspected animal carcinogen by the National Toxicity Program, the International Agency for Research on Cancer, or the Occupational Safety and Health Administration.

PURSUANT TO PROPOSITION 65: Certain raw materials used in making this product may contain small amounts of materials as impurities which are regulated by Proposition 65. See section X.

Section III PHYSICAL DATA									
Boiling Range: Appearance & Odor: Volatile:	Above 600 °F Red, lubricant-like Negligible	Vapor Density: Solubility in Water:	Heavier than air No	Specific Gravity: Evaporation Rate:	N/A Slower than ether				

# Section IV -- FIRE & EXPLOSION HAZARDS

FLASH POINT

LEL

532-COCF See section II

#### **EXTINGUISHING MEDIA**

Extinguish with dry chemical, CO2, water spray, foam, sand or earth and foam may cause frothing.

## **SPECIAL FIRE FIGHTING PROCEDURES**

Wear self-contained breathing apparatus and protective clothing.

## **UNUSUAL HAZARDS**

None known

# Section V -- HEALTH HAZARD DATA

## THRESHOLD LIMIT VALUE: (See section II Hazardous Ingredients)

## **ROUTES OF ENTRY**

Inhalation: No Skin: Yes Ingestion: Yes

#### **EFFECTS OF OVEREXPOSURE SKIN**

This material may cause skin irritation. Prolonged or repeated contact may cause redness, burning, and dermatitis,

#### EYE

This material may cause eye irritation. Direct contact may cause burning, tearing and redness.

#### INGESTION

Ingestion on this material may cause irritation of the digestive tract.

#### CHRONIC

Cancer: no information found in standard references.

#### **EMERGENCY AND FIRST AID PROCEDURES**

Ingestion: If swallowed do no induce vomiting, give 2 or 3 cups of milk or water to drink. Seek medical attention.

Inhalation: If irritation of nose or throat develops, move away from source of exposure and into fresh air.

Eye Contact: For direct contact, flush the affected eye(s) with clean water. Seek medical attention.

Skin Contact: Do not use gasolines, thinners, or solvents to remove products from skin. Wipe material from skin and remove contaminated clothing. Cleanse affected area(s) thoroughly by washing with mild soap and water and, if necessary, a waterless skin cleaner. If irritation or redness develops and persists, seek medical attention.

## **Section VI -- REACTIVITY DATA**

#### STABILITY

Stable

## INCOMPATIBILITY

Avoid contact with strong oxidizing agents. Extended Exposure to high temperatures may cause decomposition.

#### **HAZARDOUS DECOMPOSITION PRODUCTS**

Thermal decomposition in the presence of air may yield major amounts of oxides of carbon and minor amounts of oxides of sulfur and nitrogen.

## **HAZARDOUS POLYMERIZATION**

Will not occur

## Section VII -- SPILL OR LEAKAGE PROCEDURES

## STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Wash down any excess liquid with water.

#### **WASTE DISPOSAL METHOD**

Dispose of product in accordance with local, county, state and federal regulations.

# **Section VIII -- SPECIAL PROTECTION INFORMATION**

## RESPIRATORY PROTECTION

None

#### PROTECTIVE GLOVES

Recommended for prolonged or repeated contact.

#### **EYE PROTECTION**

Safety glasses

#### **VENTILATION**

None

#### OTHER PROTECTIVE EQUIPMENT

None

# **Section IX -- SPECIAL PRECAUTIONS**

#### PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE

Do not store near incompatible substances, (see section VI)

#### OTHER PRECAUTIONS

None

## **PURSUANT TO PROPOSITION 65**

Proposition 65 applies to list of chemicals named by the Governor of California as carcinogens or reproductive toxins. Warning requirements for specific chemicals take effect one year after they are added to the Governor's list. Other chemicals already added to the Governor's list will be regulated later under Proposition 65.

## **Section X -- HAZARDOUS MATERIAL IDENTIFICATION**

Communication of physical property, health, and safety information is a key factor in our product safety program. With this information you can better fulfill your obligation to educate exposed personnel in the proper handling techniques required to maintain safety in the workplace. Listed in this section is NPCA-HMIS classification for this product.

## **HMIS CLASSIFICATION CODE**

Health: 0 - Least Hazard Flammability: 1 - Slight Hazard Reactivity: 0 - Least Hazard

Personal Protection: B - Glasses and Gloves

The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.