

Dorothy



AMF

Wing

Archery Equipment
1975

'75'

INDEX

Armguards	16
Arrow-making Materials and tools	15-16
Arrow Nocks	16
Arrow Rests	18
Arrows	
Aluminum	12-13
Fiberglass	12-13
"Switch-A-Point"	13
Wood	13
Books, Instructional	21
Bow Cases	17
Bowfishing	20
Bow Quiver	14
Bow Sights	19
Bow Square	18
Bow Stringer	6, 18
Bowstrings	18
Bowstring Wax	18
Bows	
Compound	7-8
Hunting	4-5
Target	2-3
Utility	10
Brush Buttons	15
Buck Lure	15
Camouflage Items	15
Cements	16
Chest Protector	17
Compound Bow Accessories	9
Compound Bow String Changer	6, 9
Cushion Plunger	18
Dealer Aids	20
Films	21
Gloves	16
Hunting Accessories	15
Hunting Points	15
Kisser Button	18
Klickers	18
Nocking Points	18
Peepsight	19
Quivers	14, 16
Sets (Packaged)	11, 14
Sling	17
Stabilizers	9, 19
String Server	18
String Silencers	15
Tabs	16
Target Faces	21
Tip Protectors	18




"Whether you take up archery as a youngster and pursue it for a lifetime, or whether you come to it as an adult you'll find it a challenging, personally rewarding sport. I know because I've spent a lifetime with archery myself, helping bring its excitement and satisfaction to others. Wing's fine equipment and our organization have helped me do this over the past 23 years.

Archery offers something to everyone, and Wing has the perfect equipment for every purpose. We stake our reputation for excellence in design and precision in manufacturing on every piece of equipment we make. Our quality control system ensures our upholding that standard.

If you seek the challenging physical action of bowhunting or the concentration of target shooting, Wing can get you started or help you improve. I personally give our equipment the ultimate test—shooting on a hunt—so you can shoot with confidence, from javelina to elk. Explore the world of archery in these pages, then meet champion-quality Wing products in person at your Wing dealer."

Bob Lee

PRESIDENT
AMF/WING ARCHERY



"With all the time and effort a champion must put into training and practice in order to succeed it doesn't make sense to use anything but the best equipment. I believe in Wing Archery products. They offer improvement for every archer. Wing's precision helps the beginner fine-tune his shooting and gives him the encouragement he needs. Top-line competition equipment that I help design gives the tournament archer the speed and accuracy he demands.

Archery gives everyone a chance to develop personal skills in a sport. For me it has meant world travel, meeting people, hard work, and tournament competition. I've been proud of my successes (US National Champion—Outdoor 1971, Indoor 1971, 1972; World Target Archery Champion 1971; World Field Champion 1972), particularly winning the Olympic Gold Medal in Munich.

As Chief Advisor for Wing I'm helping design equipment, developing archery instruction methods, and training young archers. You'll find my signature on a number of Wing bows and my illustrated instructions for developing good style and shooting habits in every Wing Set for young archers."

John C. Williams



"We've spent a lot of time on the drawing board and come up with some solid engineering advances to recreate a strong, reliable compound-action bow—the 1975 Wing Compound* Bow by Ketchum. As an experienced archer (1970 National Field Archery Champion) I've helped Wing redesign our compounds with greater simplicity and significantly increased limb strength. Innovations like new torque-eliminating efficiency mounts make Wing Compound Bows really reliable equipment.

The theory of compound bow design—reducing effort without losing arrow force, enabling greater arrow speeds than possible with conventional bows—is a sound one. With our new design, the compound bow has become a more practical invention.

Shooting Wing Compound Bows is a different experience for both novice and veteran archers. It offers the beginner rapid results in improved shooting accuracy because it reduces hand torque and makes the full draw position easier to hold. The champion archer will appreciate its consistent and reliable accuracy. I'm proud to have helped design the 1975 Wing Compound Bows."

*Licensed under Allen Pat. #3486495

Frank Ketchum

WING ARCHERY EQUIPMENT... DESIGNED BY CHAMPIONS



TARGET BOWS

PRESENTATION II

With championship design, feel, and performance, the Presentation II is Wing's answer for the archer who needs a high-standard performing bow. Our exclusive limb-coupling system allows quick, easy limb changes. Three sets of limbs in a variety of draw weights allow for maximum versatility.

Presentation II, Wing's standard bearer, gives the same super performance for hunting or target shooting. Just switch limbs for target or hunting. Five stabilizer positions and built-in stabilizer insert allow exact mass and stability adjustments. A sight window cut well past center compensates for arrow-size changes. The grip design discourages torquing and encourages consistency and accuracy.

STANDARD EQUIPMENT includes stabilizer insert, Wing flip rest, professional bowstring with monofilament serving.

OPTIONAL EQUIPMENT: Wing stabilizer (p 19), sight extension (p 19), cushion plunger (p 18), bow quiver (p 14), quick-attach fishing reel (p 20), bow stringer (p 18), stabilizer adapter bolts (p 19), padded case (long, p 16; short, p 17).

AMO lengths: 62", 68", 70"
Brace height: 62": 7 7/8-8 7/8", 68": 8 1/4-9 1/4", 70": 8 7/8-9 7/8"
Weights: 68" and 70", 25 to 50 lb
62" stocked in 40, 45, 50 & 55 lb
(Allow additional delivery time for 35, 60 & 65 lb)

Riser: WINGWOOD in attractive black and rose with decorative ebony and pearl cap

Glass color: 62", black; 68" & 70", white
Catalog number: 115 (complete)
116 (riser only)
117 (limbs only, pair)

JOHN WILLIAMS TAKEDOWN BOW

This exciting design in takedown bows by Gold-Medal Champion John Williams provides Wing excellence with economy.

Incorporating features usually found only in the most expensive professional models, we offer the John Williams Takedown Bow at the moderate price desired by archery enthusiasts. Its design and convenience are based on a target champion's experiences.

Equipped with a lightweight magnesium riser, the bow is offered in 66" and 70" lengths with ivory, black or blue riser and ivory limbs.

STANDARD EQUIPMENT on the bow includes sight adapter, three stabilizer inserts and hole for cushion plunger.

OPTIONAL EQUIPMENT: Wing stabilizer (p 19), sight extension (p 19), cushion plunger (p 18), and bow stringer (p 18), padded case (long, p 16; short, p 17).

AMO length: 66", 70"
Brace height: 66": 7 7/8-8 7/8",
70": 8 1/8-9 1/8"
Weight: 25 to 50 lb
Riser: Magnesium in ivory, blue and black
Glass color: Ivory. Weights of 45 lb and over are black
Physical weight: Approximately 2 lb, 12 oz
Catalog number: 130 (target bow)
132 (riser only)
133 (limbs, specify length)

SWIFT WING

Swift Wing has many features found only on more expensive bows. A ladies' tournament bow, a fine target bow, and a smart choice in a hunting bow, Swift Wing is economically priced. High-

density WINGWOOD riser makes this an exceptionally handsome bow.

STANDARD EQUIPMENT includes built-in stabilizer insert, Wing flip rest, custom bowstring.

OPTIONAL EQUIPMENT: Padded vinyl case (p 16), Wing stabilizer (p 19), sight extension (p 19), cushion plunger (p 18), professional bowstring (p 18), bow stringer (p 18).

AMO length: 66"
Brace height: 7 3/4-8 3/4"
Weights: 25 to 40 lb at 28" draw length;
also available in hunting weights: 45, 50, 55 lb
Riser: WINGWOOD
Glass color: White
Catalog number: 119

FALCON 66"

Designed with expensive bow features, yet economically priced for the beginner, the Falcon is perfect starting equipment for women and youth.


This tournament-quality bow has full working recurves, form-fitting riser, stabilizer adapter, large sight window, and wide overdraw. Exotic hardwood riser combined with durable fiberglass limbs makes the Falcon 66" a bow the beginner will be proud to use in the field, at indoor lanes, or at home.

STANDARD EQUIPMENT includes built-in stabilizer insert and padded shelf rest.

OPTIONAL EQUIPMENT: Flannel bow case (p 16), Wing stabilizer (p 19), sight extension (p 19), cushion plunger (p 18), professional bowstring (p 18), bow stringer (p 18).

AMO length: 66"
Brace height: 7 1/2-8 1/2"
Weights: 20, 25, 30, 35, 40 lb
at 28" draw length
Riser: Exotic hardwood
Glass colors: Assorted
Catalog number: 100

WING ARCHERY EQUIPMENT...




"Accuracy, greater arrow speeds, and ease of takedown. As a competition archer, these are things I look for in a bow. As Chief Advisor for Wing, these qualities are what we work together to maintain and improve. That's why I think you'll be satisfied personally and competitively with Wing."

John C. Williams

DESIGNED BY CHAMPIONS



HUNTING BOWS



PRESENTATION II HUNTER

One of bowhunting's most admired trophy winners. Designed by Bob Lee for hunting enthusiasts, the Presentation II Hunter combines consistency, speed, and accuracy.

High-density WINGWOOD riser aids accuracy and consistency. Exclusive positive limb coupling makes for quick conversion from a superb hunting bow to a fine target model. The AMO 62" hunting limbs are interchangeable with 68" and 70" limbs. With limbs removed, transportation is easier than ever.


STANDARD EQUIPMENT includes stabilizer insert and bow quiver adapter screws.

OPTIONAL EQUIPMENT: Wing stabilizer (p 19), sight extension (p 19), cushion plunger (p 18), hunting sight (p 19), bow quiver (p 14), quick-attach fishing reel (p 20), bow stringer (p 18).

AMO length: 62"
Brace height: 7 7/8 - 8 7/8"
Weights: Stocked in 40, 45, 50 & 55 lb (allow additional delivery time for 35, 60 & 65 lb)
Riser: WINGWOOD in attractive black and rose with decorative ebony and pearl cap
Glass color: Black
Catalog number: 115 (complete)
116 (riser only)
117 (limbs only, pair)

JOHN WILLIAMS TAKEDOWN BOW

Gold Medalist John Williams and AMF Wing Archery President Bob Lee joined skills to design this bow with fine performance and moderate price. Ease of takedown makes this light hunting bow a



"Although it's a challenging way to hunt, bowhunting is also the most satisfying to me. The excitement of stalking your game armed with bow and arrow and the action at the moment of decision are unequalled by other sports. I think you'll find Wing products give you the performance you want on a hunt."

Bob Lee

favorite for backpacking and hunting. Many top-line features, including magnesium riser and fiberglass laminated limbs.

STANDARD EQUIPMENT includes the sight adapter, bow-quiver inserts, and adapter bolts for quiver and hunting stabilizer.

OPTIONAL EQUIPMENT: Wing hunting stabilizer (p 19), hunting sight (p 19), bow quiver (p 14), quick-attach fishing reel (p 20) and bow stringer (p 18).

AMO lengths: 62", 66"
Brace height: 62": 8 1/4 - 9 1/4", 66": 7 7/8 - 8 7/8"
Weights: Stocked in 40, 45, 50 & 55 lb
Riser: Black
Glass color: Black
Physical weight: Approximately 2 lb, 10 oz
Catalog number: 131 (hunting)
132 (riser only)
133 (limbs, specify length)

THUNDERBIRD

The bowhunter's bow. . .Thunderbird combines smooth draw, maximum cast, and handsome riser in a rugged bow.

Smooth drawing limb design in AMO 54" length for compactness and AMO 62" for extra stability. Riser of high-density WINGWOOD has plenty of mass for accuracy.

STANDARD EQUIPMENT includes inserts to accommodate the hunting stabilizer, ultralight Wing bow quiver and quick-attach fishing reel.

OPTIONAL EQUIPMENT: Wing bow quiver (p 14), hunting sight (p 19), quick-attach fishing reel (p 20), bow stringer (p 18), hunting stabilizer (p 19).

AMO lengths: 54", 62"
Brace height: 54": 7 1/4 - 8 1/4", 62": 8 - 9"
Weights: Stocked in 40, 45, 50 & 55 lb (allow additional delivery time for 35, 60, 65 & 70 lb)
Riser: Black WINGWOOD
Glass color: Black

Catalog number: 120 (62")
121 (54")

RED WING HUNTER

The bowhunter's choice for consistent performance, strength, accuracy and stability. Red Wing Hunter is a basic bow in two lengths suitable for any hunting need. For solid performance and ease of travel, this bow remains the game-hunter's choice.

STANDARD EQUIPMENT includes inserts for the Wing bow quiver, hunting stabilizer and quick-attach fishing reel:

OPTIONAL EQUIPMENT: Wing bow quiver (p 14), hunting sight (p 19), quick-attach fishing reel (p 20), bow stringer (p 18), hunting stabilizer (p 19).

AMO lengths: 52", 58"
Brace height: 52": 7 1/4 - 8 1/4", 58": 8 - 9"
Weights: Stocked in 40, 45, 50 & 55 lb (allow additional delivery time for 35, 60, 65 & 70 lb)
Riser: WINGWOOD
Glass color: Natural brown
Catalog number: 122 (58")
123 (52")

HAWK

Strong, accurate and stable, Hawk has the versatility that makes Wing hunting bows famous. Simple, yet reliable, Hawk is the dependable bow for the first-time hunter.

STANDARD EQUIPMENT includes inserts to accommodate the ultralight Wing bow quiver, hunting stabilizer and quick-attach fishing reel.

OPTIONAL EQUIPMENT: Wing bow quiver (p 14), hunting sight (p 19), quick-attach fishing reel (p 20), bow stringer (p 18), hunting stabilizer (p 19).

AMO length: 58"
Brace height: 7 3/4 - 8 3/4"
Weights: 35, 40, 45, 50 lb
Riser: Exotic hardwoods
Glass color: Brown
Catalog number: 112 (bow only)
128 (set, see p 14)

WING ARCHERY EQUIPMENT...

DESIGNED BY CHAMPIONS



COMPOUND BOWS

COMPOUND BOW

The 1975 Wing Compound Bow* by Ketchum features the latest engineering advances in compound bow design. You must see and use the Wing Compound Bow to fully appreciate its advancement in ease of fine tuning.

If you're looking for simplicity plus strength and reliability, you'll find it in the '75 Wing Compound Bow. New torque-eliminating efficiency mounts provide a smoother draw, with greater break-over to the relaxed full draw, and provide quieter movement in the working parts of the compound.

The working recurve limbs are designed to ensure the advantage of greater string tension at brace height. This allows

a wider selection of arrows to be used, including those made of wood, glass or aluminum.

Ease of maintenance, ease of cable change, and ease of adjustment, if needed, are advances you'll enjoy with the Wing Compound Bow. See your Wing dealer for a demonstration and full details about the 1975 Wing Compound Bow.

*Licensed under Allen Pat. #3486495

NEW 53" TARGET MODEL

STANDARD EQUIPMENT includes target riser, Wing cushion plunger, Swinger rest, stabilizer inserts, needle bearings, and target bowstring.

AMO string length: 51"
Axle-to-axle length: 53"
Brace height: 9 1/2"-10 1/2"

Draw length: 25 to 33"
Limb weights: 20-30 lb, 30-40 lb,
40-50 lb
Color: White
Catalog number: 140 (complete, specify
standard or low-
wrist grip)
142 (standard-wrist
handle only)
143 (low-wrist handle only)
145 (limb only, specify
upper or lower)

691 Compound bowstring
changer. Target 58" model.
695 Compound bowstring
changer. Hunter and Target
48" and 53" models.

COMPOUND BOW WARRANTY

Your purchase of a Wing Compound Bow from an authorized Wing dealer is protected.

Each Limb and Riser has its own serial number, and each bow is accompanied by a registration card when you buy it. Fill out and mail the card within ten days of purchase.


If your registered Wing Compound has a limb, idler or eccentric failure within six months of purchase date, Wing Archery will repair or replace them free of charge. This warranty does not cover strings or cables, or limbs that fail because of misuse, improper handling, or limb damage caused by improper string changing.

Repair or replacement of limbs, idlers, or eccentrics will be made for one-half of the purchase price after six months and up to thirty-six months after purchase date.


The Compound Handle is guaranteed against breakage for three years. The warranty does not cover risers that have been drilled or tapped after they leave the factory. You must return the bow to us for inspection. Replacement will be made with a Compound of the same model or closest model available.

Return the bow postpaid and insured. Your authorized Wing dealer will be happy to assist you in returning the bow to the factory.


COMPOUND BOW STRING CHANGER



A must for the compound bow archer. A simple, convenient way to re-string.




The archer places the slotted plate on flat area below S-hook.



Stands on bowstring and pulls up on riser until other end of stringer can slide on above other S-hook.



Relax riser and the string can be changed without losing adjustment.



"These compound bows could improve your beginning archery skills with quick results. Experienced archers will agree with me that the new Wing Compound Bows have smoother action and deliver the bonus of greater arrow speed. Improved accuracy alone is reason enough to try them."

Frank Ketchum



COMPOUND BOWS



HUNTING MODEL

STANDARD EQUIPMENT includes stabilizer inserts, bow quiver adapters, needle bearings, riser drilled and tapped for Wing cushion plunger, and hunting professional bowstring. Leather grip available as no-charge option.

AMO string length: 46"
Axle-to-axle length: 48"
Brace height: 9 1/2 to 10 1/2"
Draw length: 24 to 32"
Limb weights: 35-50 lb, 45-60 lb, 55-70 lb
Color: Black riser and limbs
Catalog number: 141 (complete)
144 (hunting riser only)
146 (limb only, specify upper or lower)



COMPOUND BOW ACCESSORIES

- 650 Compound replacement cable for all models.
- 673 Target 53" model Professional Bowstring, black monofilament served. Specify 10, 12, or 14-strand.
- 674 Hunting model Professional Bowstring. Specify 12, 14, or 16-strand.
- 693 Target 53" model Professional Bowstring. Specify 10, 12, 14, or 16-strand.
- 672 Stabilizer, specify 36" or 24" length.
- 675 Padded Vinyl Compound Target Case, with stabilizer tube insert, for 53" model.
- 692 Compound Hunting Case, short. Holds compound bow with 501 bow quiver attached.
- 691 Compound bowstring changer. Target 58" model.
- 695 Compound bowstring changer. Hunter and Target 48" and 53" models.
- 697 Cable S-hook

ECCENTRIC-WHEEL ASSEMBLY

- 654 Eccentric-wheel axle, keepers and washers, each.
- 653 Eccentric wheel, each. Specify size: 1 1/4", 1 1/2", 1 3/4", 2", 2 1/4".
- 676 Eccentric cable setscrew, each.
- 655 Eccentric-wheel bearings, each.
- 684 Eccentric washer, each.

IDLER ASSEMBLY


- 677 1975 Idler assembly, each.
- 657 Limb-bracket bolt, washer and nut, each.
- 678 1975 Limb bracket, each.
- 679 1975 Limb-bracket axle and keepers, each.
- 680 1975 Idler bracket, each.
- 681 1975 Idler axle, keepers and washers.
- 665 Idler wheel, each.
- 683 Idler washer, each.
- 685 Axle keeper, each.

LIMB-COUPLER ASSEMBLY

- 666 Limb-coupler assembly.
- 667 Limb-coupler block.
- 668 Barrel nut.
- 669 Coupler pin.

TORQUE RELIEF MOUNT ASSEMBLY

- 689 Wing Torque Relief Mount Kit. This will update 1974 Wing Compound Bows. 2 torque relief mounts, 2 weight adjustment bolts, 2 fine-tuning adjustment and cable deadend with cable-lock setscrew, 2 idler assemblies, and 2 cables.
- 686 Torque relief mount, each.
- 688 Fine-tuning adjustment seat, each.
- 694 Lock nut.
- 687 Fine-tuning adjustment bolt and setscrew, each.
- 671 Cable-lock setscrew.
- 690 Weight adjustment washer, each.
- 682 1975 Limb-weight-adjustment bolt.



WING ARCHERY EQUIPMENT...

DESIGNED BY CHAMPIONS



UTILITY BOWS

FALCON

A winner all the way with beauty and dependability! The unique Falcon is designed with features usually found only in more expensive bows. Full working recurves, a form-fitting handle, wide overdraw and full center-sight window make Falcon more than just a beginner's bow. Riser of exotic hardwood combines beauty and strength to make the Falcon an exciting introduction to archery.

AMO length: 62"
Brace height: 7 1/2-8 1/2"
Weights: 20, 25, 30, 35, 40 lb at 28" draw length
Riser: Exotic hardwood
Glass colors: Assorted
Catalog number: 124

NIGHTHAWK

Redesigned by Gold-Medalist John Williams, the Williams Signature Nighthawk is the ideal bow for beginners—on the range or at school. With increased recurve and a more custom-fitting handle, the Nighthawk helps develop technique easily and gradually, as it should be.

AMO length: 60"
Brace height: 7-8"
Weights: 15, 20, 25, 30, 35 lb at 28" draw length
Riser: Maple
Glass colors: Assorted
Catalog number: 125

LITTLE WING

The beginning bow with the professional look! Little Wing is the bow for the youngster who is just starting but doesn't want to look like a beginner. Tropical hardwood riser, glass-and-maple laminated limbs, contoured handle, and center-shot sight window add up to super performance. Little Wing looks just like Mom's and Dad's bows and performs like them for the youngster.

AMO length: 48"
Brace height: 6-7"
Weight: 20 lb at 24" draw length
Draw limit: 28"
Riser: Tropical hardwood
Glass colors: Assorted
Catalog number: 126



YOUTH SETS

JOHN WILLIAMS YOUTH SET

A great beginning for young archers! Includes a 50", 18 lb recurved glass bow, four cedar target arrows, shooting tab, armguard with matching belt quiver, John Williams Instruction Chart, instruction booklet, target face.

Minimum dealer pack: 3 sets/box
Catalog number: 901

JOHN WILLIAMS EXPLORER SET

Designed for the teenager and the young adult. Perfect for Scouting. Includes a 56", 25 lb recurved glass bow, six 26" target arrows, shooting tab and armguard, belt quiver, John Williams Instruction Chart, instruction booklet, four-color target.

Minimum dealer pack: 3 sets/box
Catalog number: 902

BOB LEE BOWHUNTER SET

Perfect start for the beginning bowhunter. Includes a 56", 45 lb recurved glass bow, four matched hunting arrows, shooting tab and armguard, bow quiver, John Williams Instruction Chart, instruction booklet, four-color target.

Minimum dealer pack: 3 sets/box
Catalog number: 903

JOHN WILLIAMS BEGINNER SET

A complete instructional set for the young beginner who wants excellence. Features the Little Wing Bow, six 26" target arrows, shooting tab and armguard, belt quiver, John Williams Instruction Chart, instruction booklet, four-color target.

Minimum dealer pack: 3 sets/box
Catalog number: 127

HAWK SET

Top-quality bowhunting set for the serious hunter. See p 14 for details.

Catalog number: 128

WING YOUTH BOW

Solid glass recurved bow: 50", 18 lb

Packed 6/carton
Catalog number: 904

WING EXPLORER BOW

A John Williams Signature Bow, solid glass, recurved: 56", 25 lb

Packed 4/carton
Catalog number: 905

WING HUNTER BOW

Solid glass recurved bow: 56", 45 lb

Packed 4/carton
Catalog number: 906





ARROWS: SHAFTS AND POINTS

Right on target—every time! Wing arrows are precisely matched, uniform and true to the mark for bowhunting or top-notch target shooting.

With three great kinds of arrows to choose from you're sure to make the right choice for your particular archery needs.

Wing arrows are manufactured in aluminum, fiberglass, and wood. In aluminum Wing offers its popular Red Wing Arrow and Wing Aluminum Target Arrows. Both feature Easton shafting for professional-grade aluminum arrows.

Two grades of fiberglass arrows, Wing Custom Glass and Wing Glass, give the archer a choice of price ranges for a tough straight shaft that is unaffected by normal temperatures and moisture.

Wing's Port Orford cedar arrows are manufactured from the finest cedar stock available. They offer economy in carefully spine- and weight-matched wood arrows.

All Wing aluminum arrows have Bjorn nocks as standard equipment. All Wing arrows are measured in accordance with AMO standards.

WING ALUMINUM TARGET ARROWS

203/204 24SRT. Sizes 1516, 1616, 1716, 1816, 1916, 1718, 1818. 203 Full-length, points unattached. **Specify bow weight.**

204 Cut to length & target points installed. **Specify bow weight and draw length.**

RED WING ALUMINUM HUNTING ARROWS

Dull red anodizing eliminates glare. Sizes 1916, 1918, 2016, 2018, 2020, 2117, 2219. **Specify bow weight and draw length.**

205/206 Full-length, broadhead adapters included but unattached. 205 Crested 206 Uncrested

207/208 Cut to length, broadhead adapters installed.

207 Crested 208 Uncrested

209/210 Cut to length, field points installed.

209 Crested 210 Uncrested

211/212 Cut to length, single-blade razorheads installed.

211 Crested 212 Uncrested

213/214 Cut to length, 3-blade Bodkin hunting points installed.

213 Crested 214 Uncrested

215/216 Cut to length, 4-blade razorheads installed.

215 Crested 216 Uncrested

217/218 Cut to length, six 4-blade razorheads and six field points installed.

217 Crested 218 Uncrested

WING CUSTOM GLASS and WING GLASS ARROWS

Wing Glass and Custom Glass arrows are made of the same fine fiberglass shafting. Custom Glass Arrows feature attractive dip and multicolored cresting plus full 5" helical fletching. Wing Glass Arrows have full 5" fletching without dip or cresting.

WING CUSTOM GLASS and GLASS TARGET ARROWS

Sizes A through K (equivalent to 1-11) Weights: 20-70 lb. **Specify bow weight and draw length.**

220/221 Full-length, target points included but unattached.

220 Crested 221 Uncrested

224/225 Cut to length, target points installed.

224 Crested 225 Uncrested

WING CUSTOM GLASS and GLASS HUNTING ARROWS

Sizes F through K (equivalent to 6-11) Weights: 40-70 lb. **Specify bow weight and draw length.**

222/223 Full-length, broadhead adapters included but unattached.

222 Crested 223 Uncrested

226/227 Cut to length, broadhead adapters installed.

226 Crested 227 Uncrested

228/229 Cut to length, field points installed.

228 Crested 229 Uncrested

230/231 Cut to length, single-blade razorheads installed.

230 Crested 231 Uncrested

232/233 Cut to length, 3-blade Bodkin broadheads installed.

232 Crested 233 Uncrested

234/235 Cut to length, 4-blade razorheads installed.

234 Crested 235 Uncrested

236/237 Cut to length, six 4-blade razorheads and six field points installed.

236 Crested 237 Uncrested



WING HAWK ARROWS

Top-quality wood arrows with fully-pointed shaft and standard two-color crest. Full 5" helical fletching. Spine-matched to within 5 lb. **Specify bow weight and draw length.**

240 Full-length, no points. Available in 35 to 70 lb weights in 5 lb increments.

241 Cut to length, target points installed. Available in 26" through 30" lengths, 30 to 50 lb weights in 5-lb increments.

WING HAWK HUNTING ARROWS Available in 28", 29", 30", and 31" lengths, 35 to 70 lb weights in 5 lb increments. **Specify bow weight and draw length.**

242 Cut to length, field points installed.

243 Cut to length, single-blade razorheads installed.

244 Cut to length, 3-blade Bodkin broadheads installed.

245 Cut to length, 4-blade razorheads installed.

246 Cut to length, six 4-blade razorheads and six field points installed.

WING OWL ARROWS

Economical arrows just right for beginners as well as experienced archers. Diagonal 5" fletching, full painted shafts, attractive cresting. Spine-matched to within 10 lb. Available in dozens and half-gross display cartons.

247 Full-length, no points. Available in 30 to 60-lb weights in 10-lb increments. **Specify bow weight.**

248 Cut to length, target points installed. Available in 26" to 30" lengths, 30 to 60-lb weights in 10-lb increments. **Specify bow weight and draw length.**

WING OWL HUNTING ARROWS

Available in 28", 29", 30" lengths, 30 to 60-lb weights in 10-lb increments. **Specify bow weight and draw length.**

249 Cut to length, field points installed.

250 Cut to length, single-blade razorheads installed.

251 Cut to length, 3-blade Bodkin broadheads installed.

252 Cut to length, 4-blade razorheads installed.

253 Cut to length, six 4-blade razorheads & six field points installed.

254 WING FLU-FLU. In 29" length only. 125-grain blunt points installed. 35 to 70-lb weights in 5-lb increments. Packaged 4/box. **Specify bow weight.**

255 WING RAVEN. In 26" and 28" lengths only, target points installed. **SUITABLE ONLY FOR BOWS UNDER 40 LB.** Packaged in half-gross boxes. **Specify draw lengths** (e.g., all 26", or half 26" and half 28"), unless other lengths specified.

WING "SWITCH-A-POINT" ARROWS

Now one arrow can do the work of three! You can switch-a-point simply by unscrewing the point on the arrow and replacing it with another. It's done with aluminum inserts in Wing Red Wing Aluminum and Glass Arrows. Now you don't have to own a lot of extra arrows—just a handful of points! Wing "Switch-A-Point" Arrows are the most versatile, economical way to buy arrows!

RED WING ALUMINUM "SWITCH-A-POINT" ARROWS

Your best value in aluminum hunting arrows, featuring Easton 24SRT shafting, dull red anodizing to eliminate glare, and helical fletching. Sizes 1916, 1918, 2016, 2018, 2020, 2117, 2219. **Specify bow weight and draw length.**

260/261 Full-length, "Switch-A-Point" inserts included.

260 Crested 261 Uncrested

262/263 Cut to length, "Switch-A-Point" inserts installed. No points.

262 Crested 263 Uncrested

276/277 Cut to length, "Switch-A-Point" broadhead adapters installed. No points.

276 Crested 277 Uncrested

264/265 Cut to length, "Switch-A-Point" 125-grain field points installed.

264 Crested 265 Uncrested

266/267 Cut to length, "Switch-A-Point" 125-grain blunt points installed.

266 Crested 267 Uncrested

268/269 Cut to length, "Switch-A-Point" single-blade razorheads installed.

268 Crested 269 Uncrested

270/271 Cut to length, "Switch-A-Point" 3-blade Bodkin broadheads installed.

270 Crested 271 Uncrested

272/273 Cut to length, "Switch-A-Point" 4-blade razorheads installed.

272 Crested 273 Uncrested

274/275 Cut to length, six "Switch-A-Point" 4-blade razorheads & six "Switch-A-Point" 125-grain field points installed.

274 Crested

275 Uncrested

WING CUSTOM GLASS and GLASS "SWITCH-A-POINT" ARROWS

The versatility of Wing's "Switch-A-Point" system gives you the superior performance of Wing Custom Glass Arrows and the economy of Wing Glass Arrows with interchangeable points. Both Wing Custom Glass and Wing Glass Arrows are available in "Switch-A-Point" sizes F through K, and in weights from 40 to 75 lb. Wing Custom Glass Arrows are dipped and crested. Wing Glass Arrows are not. **Specify bow weight and draw length.**

280/281 Full-length, "Switch-A-Point" inserts included but not installed. No points.

280 Crested 281 Uncrested

282/283 Cut to length, "Switch-A-Point" inserts installed. No points.

282 Crested 283 Uncrested

296/297 Cut to length, "Switch-A-Point" broadhead adapters installed. No points.

296 Crested 297 Uncrested

284/285 Cut to length, "Switch-A-Point" 125-grain field points installed.

284 Crested 285 Uncrested

286/287 Cut to length, "Switch-A-Point" 125-grain blunt points installed.

286 Crested 287 Uncrested

288/289 Cut to length, "Switch-A-Point" single-blade razorheads installed.

288 Crested 289 Uncrested

290/291 Cut to length, "Switch-A-Point" 3-blade Bodkin broadheads installed.


290 Crested 291 Uncrested

292/293 Cut to length, "Switch-A-Point" 4-blade razorheads installed.

292 Crested 293 Uncrested

294/295 Cut to length, six "Switch-A-Point" 4-blade razorheads and six "Switch-A-Point" 125-grain field points installed.

294 Crested 295 Uncrested



128



HAWK SET

Everything the serious hunter needs for the big hunt. .in Wing's top-quality bowhunting set. Includes the Wing Hawk Bow, a versatile, stable, accurate recurve composite bow, and the Wing Bow Quiver, six Hawk Hunting Arrows, glove and armguard, John Williams Instruction Chart, instruction booklet, 24" deer target face.

Catalog number:
128 (set, with 45-lb bow)
112 (bow only, see p 5)



BOW QUIVER

The standard of the industry and the most popular bow quiver made. Light, but rugged for lasting service, the unique design in aluminum and nylon makes arrows rattleproof. Won't scratch, mar your bow, or interfere with shooting. The clamp securely holds six arrows of any size. Right- or left-handed archers can use the same quiver. Easy to attach and load, the Wing Bow Quiver keeps arrows at hand for quick, smooth take-out. Comes with adjustable sliding brackets to attach to any Wing hunting bow in seconds, and with tape-on pads for all other bows. Insert adapter No. 550 for all Wing Bows also available.

Catalog number:
501 (complete)
502 Arrow clamp
503 Rod clamps and screws
504 Tape-on pads
505 Cup insert
506 Brackets (complete)
507 Allen wrench
550 Insert adapter (pair)



508 Bow-Quiver Adapters. For use in place of limb bolts on Presentation II, Competition II, and Compound models to accommodate Wing Bow Quiver.



501

HUNTING ACCESSORIES


512



514/515



516



518



521



517

509 RAZORHEAD KIT. 1 doz/pkg
510 Razorheads minus auxiliary blades. 1 doz/pkg
511 Razorhead auxiliary blades only. 1 doz/pkg

512 BODKIN HEADS. Triple-bladed broadheads. 1 1/32", 125-grain. One size fits all tapered shafts. 6/pkg

514/515 BRUSH BUTTONS. Soft rubber: brush-proof your bow and quiet string noise. Easy to attach, won't interfere with shooting.

514 Regular.
515 Super.

516 SAUNDERS KWIK-LOK ARROW HOLDER. Holds arrow in bow for hunting. Keeps arrow action-ready, releases instantly on draw.

517 CENTIPEDE SILENCER. Eliminates bowstring noise. Ideal for compound bows. 2/pkg

518 BOHNING DRI-TITE WATERPROOFING. Dri-Tite

waterproofs your feathers without stiffening them. 12 bottles/box.

519 KWIKEE KWIVER. Lightweight bow quiver snaps on and off in seconds. Six pairs in display carton.


520 KWIKEE KOVER. Covers broadheads to protect hunters. Attaches instantly.

521 BUCK LURE. Attracts deer, also camouflages human scent.
825 WING PATCH. Our distinctive official sew-on patch in blue, green, and black.

530 CAMOUFLAGE BOW COVER. Genuine camouflaging in five-color cotton cloth.

531 HEAD NET. Fits over cap and face, has drawstring adjustment. Easy to see through, keeps out insects.

ARROW-MAKING MATERIALS AND TOOLS



RAW ALUMINUM SHAFTS, POINTS, AND ADAPTERS

Points included except as noted.

302 WING TARGET. Sizes 1516, 1616, 1716, 1816, 1916, 1718, 1818.

303 RED WING HUNTING. Sizes 1916, 1918, 2016, 2018, 2020, 2117, 2219. Broadhead adapters included. No points. NOTE: No minimum order on Wing arrows.

301 EASTON X7. Sizes 1614, 1714, 1814, 1914, 2014, 1516, 1616, 1716, 1816, 1916.

353 EASTON XX75. Sizes 1416, 1516, 1518, 1616, 1618, 1713, 1716, 1718, 1813, 1816, 1818, 1820, 1913, 1916, 1918, 1920, 2013, 2016, 2018, 2020, 2114, 2117, 2214, 2219.

354 EASTON 24SRT-X. Sizes same as XX75, plus 1413, but no 2117.

355 EASTON SWIFT. Sizes 1413, 1416, 1516, 1616, 1716, 1816, 1916, 2016, 1518, 1618, 1718, 1818, 1918, 2018, 1820, 1920, 2020, 2117, 2219.

Target points or broadhead adapters included.

357 EASTON XX75 shafts with broadhead adapters.

358 EASTON 24SRT-X shafts with broadhead adapters.

NOTE: All Easton products must be ordered in minimum quantities of five (5) dozen. These are drop shipped directly from the Easton factory to the dealer.

305 EASTON X7 INSERT TARGET POINTS.

306 TWO-PIECE INSERT TARGET POINTS.



307 SPECIAL HEAVY INSERT TARGET POINTS X7.

356 SWIFT INSERT TARGET POINTS.

308 BROADHEAD ADAPTERS. 5° taper.

WING GLASS SHAFTS, POINTS, AND ADAPTERS

The finest glass shafts available. Extremely strong, unharmed by heat or moisture. Full-length only.

304 WING GLASS SHAFTS. Sizes A-K (correspond to Sizes 1-11).



309 NOCK INSERTS. Specify shaft size.

310 TARGET POINTS. Specify shaft size.

311 BROADHEAD ADAPTERS. Specify shaft size.

WING "SWITCH-A-POINTS"

Fit "Switch-A-Point" arrows and shafts on page 13. Aluminum shaft sizes 1916, 1918, 2016, 2018, 2020, 2117, 2219. Glass shaft sizes F-K (correspond to 6-11) and 7-11.



312/313 INSERTS

312 For aluminum shafts.

313 For glass shafts.



314/315 125-GRAIN FIELD POINTS.

314 For aluminum shafts.

315 For glass shafts.



316/317 125-GRAIN BLUNT POINTS.

316 For aluminum shafts.

317 For glass shafts.



318 BROADHEAD ADAPTERS.

Fit all sizes of aluminum and glass shafts.

MILLER MASTER FLETCHER

The precision fletcher for the archer who wants perfection as he builds his own arrows. Includes all features of the best equipment available: magnetic clamp-holders, feather spacing of 90°, 120°, and 75°-105°.



322

323

324

325

322 With straight clamp.
323 With helical clamp (left wing).
324 Extra straight clamp.
325 Extra helical clamp (left wing).



326

326 MILLER STANDARD FLETCHER.

A lower-priced precision fletcher with feather-spacing adjustments usually found only on more expensive tools. Complete with straight clamp.

ARROW-MAKING MATERIALS AND TOOLS



360/361/362/363



337/338



339



340/341



350/351/352



332



334



336



348

FLEX-FLETCH FLETCHING

Amazingly flexible yet highly durable, Flex-Fletch springs back to life even if your arrow completely penetrates the target. Revolutionary Flex-Fletch can be pushed or pulled through the butt when an arrow hits a soft spot. Completely waterproof and unaffected by temperature. Easy to apply with jig or cement. Usually outlives the arrow! In white, yellow, orange, green, brown, or fluorescent red. 1 doz/pkg. One color per package.

360 Parabolic 2-in
361 Parabolic 3-in
362 Hunting and field 4-in
363 Hunting 5-in

CEMENTS

332 BOHNING FLETCH-TITE. Superior fletching cement for aluminum or wood. Waterproof bond air-dries rapidly. Will not grow brittle with age.

334 EASTON 24SRT-X CEMENT. Formulated especially for aluminum arrows. Use on nocks, feathers, or vanes.

336 BOHNING FERR-L-TITE. The perfect cement to attach points to arrows. In stick form.

348 FIVE-MINUTE EPOXY. Perfect adhesive for attaching nocks and points to glass shafts. Excellent for repairs.

BJORN NOCKS

The most precise nocks made. Smooth design provides more comfort. Snap action on string. Specify size 1/4", 9/32", or 5/16".

337 White or black.

338 Fluorescent green or orange.

339 MYCRO INDEX NOCKS. Sizes: 1/4", 9/32", 5/16", 11/32".

In black or white. Specify size and color.

FIELD POINTS. 125-grain, blued finish, with tapered hole.

340 11/32".

341 5/16".

FEATHERS



Die-cut left-wing, parabolic shape. Top-quality ground base. Specify white or dyed white. Specify color: black, red, orange, yellow, blue, green, white. 3 doz/pkg

350 3" feathers.

351 4" feathers.

352 5" feathers.

HUNTING AND TARGET TACKLE



423



425



424



409

403 WING TOURNAMENT QUIVER. Handy belt quiver, attach or remove without removing belt. Lightweight vinyl. Economically priced.

404 WING PRO QUIVER. Excellent side quiver designed to pro specifications. Top-quality vinyl, complete with belt clip, scorecard pocket and large zippered pocket for accessories. Divider strap. Black only. Specify right or left.

402 WING HOLSTER QUIVER. Comfort and style make this holster quiver a favorite. Beautifully trimmed and stitched in quality vinyl. Scorecard and pencil pockets plus large accessory pocket with Velcro closing. Divider loop. Black only. Specify right or left.

405 STUDENT BELT QUIVER. Tough, leather-like material. Belt loop. Holds 6-8 arrows.

406 PADDED BOW CASE. Leather-grained vinyl with 3/8" padded lining. Carrying handle.

Specify length: 52", 62", or 66" (66" case can accommodate bows to 72").

407 FLANNEL BOW CASE. Sturdy flannel in soft nap finish. 6" wide, tie-down flap. Specify 63" or 72" length.

409 PADDED VINYL CARRYING CASE. This handy zippered case holds one handle and a set of limbs and has pockets for stabilizer and bowsight. Provides attractive protection for equipment and space-saving convenience for the archer traveling to tournaments or on hunting trips.

428 HUNTER BELT QUIVER. Holds six broadheads ready to be drawn on a moment's notice. The Hunter Belt Quiver is the "quick draw" holster of archery. Complete with shaft separators, belt tunnel, and tie-down thongs. Foam rubber inside bottom protects blade heads. Adjusts for right or left hand.

431 METAL GROUND QUIVER. Holds arrows while

429 WING TACKLE CASE



A case for all archery seasons. Roomy enough to hold three dozen hunting or target arrows plus quiver, bow and accessories. One opening displays two compartments—upper half has 1/2" foam to protect the bow, lower half for accessories. Ideal for hunting trips as well as traveling to tournaments. Vinyl covered for years of dependable use.

shooting and bow while retrieving arrows. Vinyl-coated push-in bar secures quiver firmly.

410 TAN DOUBLE-SEAM GLOVE. Closed end, soft leather tip. Specify size: S, M, L, or XL.

411 BROWN SINGLE-SEAM GLOVE. Open end with heavy-duty elastic. Specify size: S, M, L, or XL.

414 WILSON TAB. Improved tab cut to fit more comfortably than ever. Felt finger fenders provide excellent protection. Right or left hand. Specify size: S, M, or L.

416 COWHIDE TAB. Soft leather-backed tab. Right or left hand. Specify size: S, M, or L.

417 ARMGUARD—JUNIOR. Split leather. Two elastic loops, hook fastens instantly.

fasteners. Three steel reinforcing rods.

420 ARMGUARD—HUNTING. Larger guard for hunting, has Velcro fasteners. Three steel reinforcing rods.



421 ARMGUARD—RANGE. Gives maximum protection. Ventilated, has Velcro fasteners. 11 1/2" long. Four steel reinforcing rods.

423 STANDARD BOW SLING. A must for tournament shooters. Keeps bow securely in hand. Self-adhesive, fastens easily to bow.

424 BOW SADDLE. Ends bow slipping in hand. Self-adhesive, install in seconds. Ideal for target or hunting.

425 CHEST PROTECTOR. The only protector that really keeps you cool. Completely adjustable, perfect fit provided by elastic lacing. Specify: right- or left-handed, black or white. Specify size: S or L.

BOWSTRINGS, ARROW RESTS, STRING ACCESSORIES



701 CUSTOM BOWSTRINGS. Made of continuous-fiber Dacron® polyester thread to ensure longer string life. Specify bow weight: 15 through 80 lb. Specify length: 52", 54", 56", 58", 60", 62", 64", 66", 68", 69", or 70". Hunting bow strings (lengths 52" to 62" and 12 strands or more) are black.

STRAND CHART
 Up to 25 lb: 8
 25-35 lb: 10
 35-40 lb: 12
 45-55 lb: 14
 55 lb and up: 16

700A Above strings in plastic tubes for restocking string display.

702 PROFESSIONAL BOWSTRINGS. For the exacting archer. Extra-strong double-loop black Dacron polyester string with full monofilament serving. Specify bow weight: 15 through 55 lb. Specify length: 66", 68", 69", 70" or 72".

700B Above strings in plastic tubes for restocking display.

730 DOUBLE-LOOP BOWSTRING. With center serving. Specify length: 48", 50", 52", 54", or 56". Weight up to 40 lb.

POSINOCK. Positive nocking points. Positions string peep. Easy to clamp on string.

731 For 11/32" nock.
732 For 5/16" nock.
733 For 9/32" nock.
734 For 1/4" nock.
735 Single. For all nock sizes.

703 PRO-TECTO-TIP. Lightweight plastic protects bow tip. Holds string in place securely. Specify size: Standard (red) or Large (blue).

706 NOK-SET. Positive nocking point. Guaranteed not to slip. Adjusts to any bowstring diameter. Specify size: T (target) or H (hunting). 5/pkg

707 Dealer package of 100.
708 Nok-Set Tool only.

709 KISSER BUTTON. Slips easily onto string, adjusts merely by turning. Ensures proper anchor. 12 on a card.

710 POTAWATOMI BOW SQUARE. Helps measure brace height. Also helps locate nocking point, kisser button and string peep.

711 HOYT KLICKER. Self-adhesive, mounts easily on bow. Perfect draw check. A sure help for freezing.

724 ADJUSTABLE "CLACKER" DRAW CHECK. Improves aim and gives the same draw every shot. "Clacks" when you reach full draw. Precision-made stainless steel base and tempered steel

clacker spring. Adjusts to arrow length, has fine adjustment so archer can vary draw without removing clacker from the bow. 5" long.

725 EVANS REST. Fits entirely under arrow. Improved delicate spring action allows lighter spring tension on rest. Easy application with pressure-sensitive adhesive. Right or left hand.


704 NOCK-RITE. Ensures fast, accurate shooting with no slippage of arrow on string.

712 WING FLIP REST. Ideal for target shooting or hunting. Specify right or left hand.

713 WING FEATHER REST. Horizontal feathers mounted on leather, ensures smooth arrow flight. Self-adhesive for easy installation. Specify right or left hand.

714 HOYT PRO REST. Non-interfering rest with pressure plate that provides for positive clearance of vanes or feathers. Magic retaining finger prevents arrow from falling off rest. Flexible shaft prevents arrow bounce. Self-adhesive backing. Specify right or left hand.

715 ARROW PLATE AND REST. Adhesive-backed arrow plate and arrow rest ensure quiet drawing and shooting for hunters.



717 TYPE "B" DACRON POLYESTER STRING. Prewaxed Dacron polyester means you'll make the longest-lasting finest string possible.

718 "SPEED-SPIN" STRING SERVER. Complete with nylon thread. Provides fast, perfect servings.

719 EXTRA NYLON THREAD. Specify color: red, black, yellow, green, blue, or white.



720 EXTRA MONOFILAMENT SERVING THREAD.

721 BOWSTRING WAX. Will make your bowstrings last longer.

727 CUSHION PLUNGER. Most popular tuning aid for the precision shooter. Adjusts for windage and plunger spring tension.

716 WING BOW STRINGER. A must for any archer. The only way to assure safe bow stringing. Prevents limb twisting, protects archer. Anyone can string heavy bows with ease. Enlarged pockets easily accommodate any tip.

BOWSIGHTS AND STABILIZERS



801 CAVALIER BOWSIGHT. Positive windage and elevation locks. All-metal construction. Unique, wide locking nut works easily and efficiently. Hooded pin aperture. Accommodates any two-wire aperture.

802 REYNOLDS BOWSIGHT. Removable, double-adjustable bow sight. Takes prism, pins, or double-wire apertures. 10 to 100 yards elevation adjustment. Vertical adjustment further compensates on "heavy" days.

804 CAVALIER BASIC SIGHT. All-metal construction. Wind and elevation adjustments with positive lock. Post sight with red pin.

805 RAINBOW HUNTING SIGHT. For instant, accurate sighting in the field. You preset color-coded pins for five distances. Blue, red, yellow, white, and black dots are easy to see on a plastic rangefinder. Fits any size bow for easy installation.

807 UNIVERSAL ADAPTER BAR. For Wing Sight Extension. For longer sight bases.

810 STRING PEEP. Unbreakable hard vinyl. Inserts easily in string. Serves as rear sight. Round hole.

823 WING HUNTING STABILIZER. Improves accuracy, quiets bow. Flex-coupling gives both stabilization and smoothness. Fits Wing Stabilizer inserts.

824 FLEXI-COUPLER. For a consistently accurate shooting average. Wing Flexi-Coupler allows the bow to move during the shooting sequence while its lightweight tubular rod and weighted head remain relatively stable. Gives truer sight and adds stability to arrow. The Flexi-Coupler faster damping action decreases the shock and vibration of bow limbs after the arrow is released. Black.

540 STABILIZER ADAPTER BOLTS. Allow for twin stabilizers on Presentation II limb. Adapter is tapped to receive stabilizer.

541 STABILIZER ADAPTER CONVERTERS. Allow for interchange of units with different thread size to Wing equipment or Wing accessories to bows of other manufacturers. Specify sizes.

5/16 x 24 to 5/16 x 18
 1/4 x 20 to 5/16 x 18
 1/4 x 20 to 1/4 x 28
 1/4 x 28 to 1/4 x 20
 5/16 x 18 to 1/4 x 20
 5/16 x 18 to 5/16 x 24

806 WING SIGHT EXTENSION. Mounts easily on side of bow. Extends forward or backward, adjusts vertically to align sight with bowstring. A must for tournament shooters who seek perfection.

808 SIGHT EXTENSION BASE.

860 CAVALIER PROFESSIONAL SIGHT. Allows extremely easy movement of sight block with positive locking. Fine adjustments for both elevation and windage. Adjustable spring-loading prevents accidental movement. The aperture is supplied with a detachable adjustable level. Fits Wing Sight Extension without adapter plate.

863 APERTURE AND REMOVABLE LEVEL.

WING STABILIZER
 Fits any bow. The dynamically designed head and black anodized aluminum rod put stability into your shooting, let you adjust to different conditions. Rod fastens easily into the bow insert.

816 STABILIZER SET. One rod and one weight. Specify length: 22", 15", or 10".

817 ROD. Specify length: 22", 15", or 10".

818 WEIGHT. 3 3/4-oz.

819 WEIGHT. 6-oz.

820 INSERT.

822 WING HUNTING SIGHT. Fully adjustable, attaches quickly to any bow. Four completely adjustable sighting bars. Set all four for predetermined distances. Quicker, more accurate and more dependable. Each sighting pin is color-coded for immediate distance recognition. All four pins adjust both vertically and horizontally. Mounting screws furnished with sight. Specify right or left hand.

848 Extra SIGHTING PINS.

882 ADAPTER PLATE. For Wing Sight Extension.

849 ACCRA SIGHT. Dependable new sight has the most up-to-date distance-marking features. You select your own distance notations right on the sight.

821 APERTURE AND LEVEL.

BOWFISHING ACCESSORIES

WING BOWFISHING KIT

Start enjoying the excitement of bowfishing! Everything you need for this action sport is in Wing's Complete Bowfishing Kit. A smooth-feeding reel with bracket tapes easily to bow (or screw the new quick-attach model onto any Wing hunting bow) and a 50-foot line of strong nylon braid convert your bow to fishing gear. Kit also includes the toughest fiberglass arrow made, complete with easy-off, case-hardened harpoon head.

601 COMPLETE KIT (excluding bow) with double-barbed point (No. 607) and improved tape-on reel and line (No. 604).

602 Same as No. 601 with Quick-Attach Reel (No. 603).

603 IMPROVED QUICK-ATTACH REEL AND LINE. Screws quickly to the stabilizer insert on all Wing hunting bows. Complete with 50 feet of nylon line.

604 IMPROVED TAPE-ON REEL AND LINE. Complete with 50 feet of nylon line. Fits all hunting bows.

605 LAYFLETCHED ARROW. With Easy-Off Point (No. 607).

606 LAYFLETCHED ARROW. Without point.


607 EASY-OFF HARPOON HEAD. Double-barbed. With case-hardened Easy-Off Tip.

608 EASY-OFF TIP. Extra, double-barbed.

610 NYLON LINE. Braided line in 50-foot length.

611 Extra LAYFLETCH.

614 STINGAREE FISH POINT. Double-barbed point. No time lost removing point. Closes completely for removal from fish. Automatically opens to 2" on drawback when retrieving game. Perfect for the big ones!



DEALER AIDS

WING IT! Wing Archery Division's dealer aids are waiting to serve you profitably. Use the full line of in-store displays and choose from the wide selection of films, books and other items available for use by schools, archery clubs, and civic groups. Wing dealer aids are great for building local interest in archery as a sport and for building sales of fine archery equipment.

726 WING DEALER BOW-STRING RACK. Functional and appealing sturdy wire rack. Designed to hold 75 Wing Bowstrings in plastic tubes. "Wing Bowstrings" banner attached. Specify hunting or target assortment.

255 WING RAVEN ARROW DEALER PACK. Attractive packaging of Raven wood practice arrows. Each has crest, full-painted shaft and 3" fletch. Target points only. Packed in half-gross display cartons containing 3 dozen each of 26" and 28" arrows, unless otherwise specified. Not recommended for bows over 40 lb.

874 PEGBOARD HANGER. Holds 5 bows. Saves space. Removes pressure on bow limbs to prevent warping. Has various pegboard holes for multi-hanging arrangements.



874




726



255

Recommended brace height is the distance measured from the pivot point of the riser to the bowstring.

(See illustration)



To achieve the recommended brace height, it may be necessary to twist or untwist the bowstring because of stretching or variation in the number of strands. Brace height may also be varied according to individual preference to produce quieter shooting or altered performance.

TARGETS

Printed in full color, targets and target faces are available in two types of stock: Tear-Resistant Tag Stock and Toughened Stock. Both last much longer than regular faces.



COLOR TARGETS

Toughened:

835 16" square.

836 24" square.

837 36" square.

839 48" square, official NAA.


Tear-Resistant Tag Stock:

840 16" square.

841 24" square.


842 36" square.

843 48" square, official NAA.



845

846



847



844

COLOR FACES

Printed on extra-heavy paper.

844 24" square, 2/pack.

845 24" deer, 2/pack.

846 18" fox, 3/pack.

847 12" bobcat, 4/pack.

FILMS AND BOOKS

829 SHARK HUNTING WITH BOB LEE. 19 minutes of hard-hitting action, spine-tingling excitement as Bob Lee stalks the man-eater shark on a bowfishing expedition in the Gulf of Mexico. Sure to create new interest and stimulate sales. Order this film right away.

830 HONDO JAVELINA. We took our cameras along to capture on film an incredible contest of skill between Wing's Bob Lee and the wiles of the ferocious fighter, the javelina. Don't miss it! Make reservations today for your archery, civic or community action club.

831 7 STEPS TO GOLD. An excellent way to teach archery. Comprehensive instructions on how to teach and how to shoot are covered in this enlightening and entertaining film. John Williams and Jim Ploen are featured in the film.

834 ELK HUNTING WITH BOB LEE. Go with Bob Lee and John Culpepper to New Mexico high country in search of the elusive bull elk. Enjoy the thrill of being close to nature and seeing many wild animals.

Request reservations from:
WING FILM SERVICE
Route 1
Jacksonville, Texas 75766
Include \$5 rental fee. Specify alternate dates in the event we are unable to meet your preference.

BOOKS CAN IMPROVE SKILLS AND INCREASE ENJOYMENT OF ARCHERY

828 "ANSWERS TO ARCHERY" BOOKLET. Anyone can learn to shoot. This book tells how. "Answers to Archery" contains detailed instructions and a glossary of terms for the novice archer. All the information beginners need to start off right.

833 "ARCHERY TIPS FOR THE COACH AND TEACHER" BOOKLET. Gives pointers on all phases of archery. Includes topics such as warmup, stance, nocking, string alignment, aiming, releasing, follow-through and more. Author Jim Ploen discusses principles of muscular physiology that can be applied to archery, equipment needs and isometric exercises to get you in shape for

shooting. Excellent for classroom and archery clubs.

832 "WINNER OR LOSER". The pressures, problems, and psychological aspects of sporting competition. "Winner or Loser" is a factual analysis based on 16 years' experience of a successful competition shooter, Shig Honda. A must for advanced archers.

WARRANTY

Your purchase from an authorized Wing dealer is protected. Each Wing bow is numbered, and you receive a registration card for your bow when you buy it. Fill out and mail the card within 10 days of purchase.

If your registered bow fails within six months of purchase date, Wing Archery will repair it or replace it if it is not repairable. The warranty does not cover bows that fail because of misuse, improper handling, or limb damage caused by improper stringing.

Repair or replacement will be made for one-half the purchase price after six months and up to 36 months after purchase date.

You must return the bow to us for inspection. Replacement will be made with a bow of the same model and weight or the closest model available.

This warranty is valid only for bows purchased from authorized Wing Dealers, but dealers are not authorized to make adjustments. REPLACEMENT IS MADE ONLY BY THE FACTORY SERVICE DEPARTMENT.

This warranty is transferable from one owner to another provided the original owner registers the bow at the time of purchase.

If the normal requirements of the Wing warranty are met, Wing takedown bow handles carry a full replacement or repair warranty for three years.

The normal three-year warranty that applies on one-piece bows also applies on the takedown limbs. Limb replacements will be made only in pairs. Single limbs cannot be supplied.

The words WING and WINGWOOD are registered trademarks of AMF Incorporated.

PLEASE NOTE:

Wing orders are filled with all care and speed possible. To avoid delays, please check your order carefully before mailing to make sure you have furnished all catalog numbers, bow weights and lengths, as applicable. Also, be sure arrow information is correct, including arrow lengths and bow weights.

Your local Wing dealer takes pride in helping you select proper equipment. If no dealer is nearby, write us and we will direct you to the nearest dealer.



AMF/Wing Archery Division
Route 1
Jacksonville, Texas 75766

ARCHERY ORGANIZATIONS

National Field Archery Association (NFAA)
Route 2, Box 514
Redlands, California 92373

National Archery Association (NAA)
2833 Lincoln Hiway East
Ronks, Pennsylvania 17572

American Indoor Archery Association (AIAA)
P. O. Box 174
Grayling, Michigan 49738

Archery Manufacturers Organization (AMO)
618 Chalmers
Flint, Michigan 48503

Professional Archers Association (PAA)
1270 W. Reid Rd.
Flint, Michigan 48507

The Pope and Young Club
P. O. Box 1
Squaw Valley, California 93646

Professional Bowhunter Society % Bowhunter
P. O. Box 5377
Fort Wayne, Indiana 46805

Archery Lane Operators Association
1500 N. Chatsworth
St. Paul, Minnesota 55117



Box 1930
Route 1, Jacksonville, Texas 75766
214/586-2416

EXPORT SALES OFFICE: AMF INCORPORATED
SPORTS PRODUCTS GROUP—International Division
777 Westchester Avenue, White Plains, New York 10604
Phone (914) 694-9000 * Cable AMMAFOCO, White Plains

BOWS

Cat. No.	Description	Sugg. Retail	Dealer Net
*115	PRESENTATION II — Complete Available 70" 68" 62"	\$275.00	\$123.75
*116	PRESENTATION II — Handle Only	155.00	69.75
*117	PRESENTATION II — Limbs Only Available 70" 68" 62"	120.00	54.00
*130	WILLIAMS TAKE-DOWN Target Available 70" 66"	160.00	72.00
*131	WILLIAMS TAKE-DOWN Hunter Available 66" 62"	160.00	72.00
*132	WILLIAMS TAKE-DOWN Handle Only Specify Long or Short	75.00	33.75
*133	WILLIAMS TAKE-DOWN Limbs Only Available 70" 66" 62" (When ordering 66", specify Long or Short Handle)	85.00	38.25
*119	SWIFT WING 66"	125.00	56.25
*120	THUNDERBIRD 62"	120.00	54.00
*121	THUNDERBIRD 54"	120.00	54.00
*122	RED WING HUNTER 58"	90.00	40.50
*123	RED WING HUNTER 52"	90.00	40.50
*112	HAWK 58"	75.00	33.75
*124	FALCON 62"	65.00	29.25
*100	FALCON 66"	75.00	33.75
*125	NIGHTHAWK 60"	55.00	24.75
*126	LITTLE WING 48"	45.00	20.25
*127	LITTLE WING SET	46.50	20.93
*128	HAWK SET	100.00	45.00

COMPOUND BOWS

*140	COMPOUND Target	270.00	162.00
*142	COMPOUND Target Handle Only (High Wrist)	100.00	60.00
*143	COMPOUND Target Handle Only (Standard)	100.00	60.00
*145	COMPOUND Limb Only—Target Ea.	60.00	36.00
*141	COMPOUND Hunting	247.00	148.00
*144	COMPOUND Hunting Handle Only	80.00	48.00
*146	COMPOUND Limb Only—Hunting Ea.	60.00	36.00

ARROWS

*203	WING TARGET ALUMINUM 24SRTX Full length—points unattached Sizes: 1516; 1616; 1716; 1816; 1916; 1718; 1818. Specify: Bow Weight	Dz. 34.50 12 Dz. 19.67 100 Dz. 18.69	20.70 19.67 18.69
*204	WING TARGET ALUMINUM 24SRTX W/Target Points installed. Sizes: 1516; 1616; 1716; 1816; 1916; 1718; 1818. Specify: Bow Weight and Draw Length.	Dz. 35.50 12 Dz. 20.24 100 Dz. 19.23	21.30 20.24 19.23

ARROWS—Continued

Cat. No.	Description	Sugg. Retail	Dealer Net
*205	RED WING ALUMINUM HUNTING Full length—Broadhead Adaptors unattached. Sizes: 1916; 1918; 2016; 2018; 2020; 2117; 2219. Specify: Bow Weight.	Dz. 36.00 12 Dz. 20.52 100 Dz. 19.49	21.60 20.52 19.49
*206	UNCRESTED RED WING ALUMINUM HUNTING — Anodized Same as 205 (above) but uncrested.	Dz. 34.50 12 Dz. 19.67 100 Dz. 18.69	20.70 19.67 18.69
*207	RED WING ALUMINUM HUNTING — Anodized W/Broadhead Adaptors installed. Sizes: 1916; 1918; 2016; 2018; 2020; 2117; 2219. Specify: Bow Weight and Draw Length.	Dz. 38.50 12 Dz. 21.95 100 Dz. 20.85	23.10 21.95 20.85
*208	UNCRESTED RED WING ALUMINUM HUNTING — Anodized Same as 207 (above) but uncrested.	Dz. 37.00 12 Dz. 21.09 100 Dz. 20.04	22.20 21.09 20.04
*209	RED WING ALUMINUM HUNTING — Anodized W/Field Points installed. Sizes: 1916; 1918; 2016; 2018; 2020; 2117; 2219. Specify: Bow Weight and Draw Length.	Dz. 40.50 12 Dz. 23.09 100 Dz. 21.94	24.30 23.09 21.94
*210	UNCRESTED RED WING ALUMINUM HUNTING — Anodized Same as 209 (above) but uncrested.	Dz. 39.00 12 Dz. 22.23 100 Dz. 21.12	23.40 22.23 21.12
*211	RED WING ALUMINUM HUNTING — Anodized W/Single Blade Razorheads installed. Sizes: 1916; 1918; 2016; 2018; 2020; 2117; 2219. Specify: Bow Weight and Draw Length.	Dz. 47.50 12 Dz. 27.08 100 Dz. 25.73	28.50 27.08 25.73
*212	UNCRESTED RED WING ALUMINUM HUNTING — Anodized Same as 211 (above) but uncrested.	Dz. 46.00 12 Dz. 26.22 100 Dz. 24.91	27.60 26.22 24.91
*213	RED WING ALUMINUM HUNTING — Anodized W/Bodkin Hunting Points installed. Sizes: 1916; 1918; 2016; 2018; 2020; 2117; 2219. Specify: Bow Weight and Draw Length.	Dz. 45.00 12 Dz. 25.65 100 Dz. 24.37	27.00 25.65 24.37
*214	UNCRESTED RED WING ALUMINUM HUNTING — Anodized. Same as 213 (above) but uncrested.	Dz. 43.50 12 Dz. 24.80 100 Dz. 23.56	26.10 24.80 23.56
*215	RED WING ALUMINUM HUNTING — Anodized W/Four-Blade Razorheads installed. Sizes: 1916; 1918; 2016; 2018; 2020; 2117; 2219. Specify: Bow Weight and Draw Length.	Dz. 49.50 12 Dz. 28.22 100 Dz. 26.81	29.70 28.22 26.81
*216	UNCRESTED RED WING ALUMINUM HUNTING — Same as 215 (above) but uncrested.	Dz. 48.00 12 Dz. 26.81 100 Dz. 25.47	28.80 26.81 25.47
*217	RED WING ALUMINUM HUNTING — Anodized W/Six 4-Blade Razorheads and Six Field Points installed. Specify: Bow Weight and Draw Length. Sizes: 1916; 1918; 2016; 2018; 2020; 2117; 2219.	Dz. 46.00 12 Dz. 26.22 100 Dz. 24.91	27.60 26.22 24.91
*218	UNCRESTED RED WING ALUMINUM HUNTING — Anodized Same as 217 (above) but uncrested.	Dz. 44.50 12 Dz. 25.37 100 Dz. 24.10	26.70 25.37 24.10

ARROWS—Continued

Cat. No.	Description	Sugg. Retail	Dealer Net
*220	WING CUSTOM GLASS W/Target Points unattached. Sizes: A thru G. Weight 20-50 lbs. Specify: Bow Weight.	Dz. 29.50 12 Dz. 16.82 100 Dz. 15.98	17.70 16.82 15.98
*221	WING GLASS Same as 220 (above) but uncrested.	Dz. 28.00 12 Dz. 15.96 100 Dz. 15.16	16.80 15.96 15.16
*222	WING CUSTOM GLASS Full length - w/Broadhead Adaptors unattached. Sizes: G thru K. Weights: 40-75 lbs. Specify: Bow Weight.	Dz. 29.50 12 Dz. 16.82 100 Dz. 15.98	17.70 16.82 15.98
*223	WING GLASS Same as 222 (above) but uncrested.	Dz. 28.00 12 Dz. 15.96 100 Dz. 15.16	16.80 15.96 15.16
*224	WING CUSTOM GLASS W/Target Points installed. Sizes: A thru G. Weights: 20-50 lbs. Specify: Bow Weight and Draw Length.	Dz. 30.50 12 Dz. 17.39 100 Dz. 16.52	18.30 17.39 16.52
*225	WING GLASS Same as 224 (above) but uncrested.	Dz. 29.00 12 Dz. 16.53 100 Dz. 15.70	17.40 16.53 15.70
*226	WING CUSTOM GLASS W/Broadhead Adaptors installed. Sizes: G thru K. Weights: 40-75 lbs. Specify: Bow Weight and Draw Length.	Dz. 30.50 12 Dz. 17.39 100 Dz. 16.52	18.30 17.39 16.52
*227	WING GLASS Same as 226 (above) but uncrested.	Dz. 29.00 12 Dz. 16.53 100 Dz. 15.70	17.40 16.53 15.70
*228	WING CUSTOM GLASS W/Field Points installed. Sizes: G thru K. Weights: 40-75 lbs. Specify: Bow Weight and Draw Length.	Dz. 32.00 12 Dz. 18.24 100 Dz. 17.33	19.20 18.24 17.33
*229	WING GLASS Same as 228 (above) but uncrested.	Dz. 30.50 12 Dz. 17.39 100 Dz. 16.52	18.30 17.39 16.52
*230	WING CUSTOM GLASS W/Single-Blade Razorheads installed. Sizes: G thru K. Weights: 40-75 lbs. Specify: Bow Weight and Draw Length.	Dz. 39.50 12 Dz. 22.52 100 Dz. 21.39	23.70 22.52 21.39
*231	WING GLASS Same as 230 (above) but uncrested.	Dz. 38.00 12 Dz. 21.66 100 Dz. 20.58	22.80 21.66 20.58
*232	WING CUSTOM GLASS W/3-Blade Bodkin Broadheads installed. Sizes: G thru K. Weights: 40-75 lbs. Specify: Bow Weight and Draw Length.	Dz. 35.00 12 Dz. 19.95 100 Dz. 18.95	21.00 19.95 18.95
*233	WING GLASS Same as 232 (above) but uncrested.	Dz. 33.50 12 Dz. 19.10 100 Dz. 18.15	20.10 19.10 18.15
*234	WING CUSTOM GLASS W/4 Blade Razorheads installed. Sizes: G thru K. Weights: 40-75 lbs. Specify: Bow Weight and Draw Length.	Dz. 41.50 12 Dz. 23.66 100 Dz. 22.48	24.90 23.66 22.48
*235	WING GLASS Same as 234 (above) but uncrested.	Dz. 40.00 12 Dz. 22.80 100 Dz. 21.66	24.00 22.80 21.66

ARROWS—Continued

Cat. No.	Description	Sugg. Retail	Dealer Net
*236	WING CUSTOM GLASS W/Six 4-Blade Razorheads and six Field Points installed. Sizes: G thru K. Weights: 40 thru 75 lbs. Specify: Bow Weight and Draw Length.	Dz. 36.50 12 Dz. 20.81 100 Dz. 19.77	21.90 20.81 19.77
*237	WING GLASS Same as 236 (above) but uncrested.	Dz. 35.00 12 Dz. 19.95 100 Dz. 18.95	21.00 19.95 18.95
*240	WING HAWK — Cedar Arrows Full length — no points. Available in weights 35 to 70 lbs. in 5 lb. increments. Specify: Bow Weight.	Dz. 13.25 12 Dz. 7.55 100 Dz. 7.17	7.95 7.55 7.17
*241	WING HAWK — Cedar Arrows W/Target Points installed. Available in 26" thru 30" lengths. Weights: 30 to 50 lbs. in 5 lb. increments. Specify: Bow Weight and Draw Length.	Dz. 14.50 12 Dz. 8.27 100 Dz. 7.86	8.70 8.27 7.86
*242	WING HAWK — Cedar Arrows W/Field Points. Available in 28", 29", 30" lengths. Weights: 35 to 70 lbs. in 5 lb. increments. Specify: Bow Weight and Draw Length.	Dz. 15.25 12 Dz. 8.69 100 Dz. 8.26	9.15 8.69 8.26
*243	WING HAWK — Cedar Arrows W/Single Blade Razorheads. Available in 28", 29", 30" lengths. Weights: 35 to 70 lbs. in 5 lb. increments. Specify: Bow Weight and Draw Length.	Dz. 23.00 12 Dz. 13.11 100 Dz. 12.45	13.80 13.11 12.45
*244	WING HAWK — Cedar Arrows W/Hi-Precision 3-Blade Broadheads. Available in 28", 29", 30" lengths. Weights: 35 to 70 lbs. in 5 lb. increments. Specify: Bow Weight and Draw Length.	Dz. 20.00 12 Dz. 11.40 100 Dz. 10.83	12.00 11.40 10.83
*245	WING HAWK — Cedar Arrows W/4-Blade Razorheads. Available in 28", 29", 30" lengths. Weights: 35 to 70 lbs. in 5 lb. increments. Specify: Bow Weight and Draw Length.	Dz. 26.50 12 Dz. 15.11 100 Dz. 14.35	15.90 15.11 14.35
*246	WING HAWK — Cedar Arrows W/Six 4-Blade and Six Field Points. Available in 28", 29", 30" lengths. Weights: 35 to 70 lbs. in 5 lb. increments. Specify: Bow Weight and Draw Length.	Dz. 20.00 12 Dz. 11.40 100 Dz. 10.83	12.00 11.40 10.83
*247	WING OWL — Cedar Arrows Full length — no points. Available in weights 30 to 60 lbs. in 10 lb. increments. Specify: Bow Weight.	Dz. 12.00 ½ Gr. 36.00 100 Dz. 6.48	7.20 36.00 6.48
*248	WING OWL — Cedar Arrows W/Target Points installed. Available in 26" thru 30" lengths. Weights: 30 to 60 lbs. in 10 lb. increments. Specify: Bow Weight and Draw Length.	Dz. 13.50 ½ Gr. 42.00 100 Dz. 7.29	8.10 42.00 7.29
*249	WING OWL — Cedar Arrows W/Field Points. Available in 28", 29", 30" lengths. Weights: 30 to 60 lbs. in 10 lb. increments. Specify: Bow Weight and Draw Length.	Dz. 14.25 ½ Gr. 44.10 100 Dz. 7.70	8.55 44.10 7.70
*250	WING OWL — Cedar Arrows W/Single Blade Razorheads. Available in 28", 29", 30" lengths. Weights: 30 to 60 lbs. in 10 lb. increments. Specify: Bow Weight and Draw Length.	Dz. 24.50 ½ Gr. 75.00 100 Dz. 13.23	14.70 75.00 13.23

ARROWS—Continued

Cat. No.	Description	Sugg. Retail	Dealer Net
*251	WING OWL — Cedar Arrows W/Hi-Precision 3-Blade Broadheads. Available in 28", 29", 30" lengths. Weights: 30 to 60 lbs. in 10 lb. increments. Specify: Bow Weight and Draw Length.	Dz. 19.00 ½ Gr. 60.00 100 Dz. 10.26	11.40 60.00 10.26
*252	WING OWL — Cedar Arrows W/4-Blade Razorheads. Available in 28", 29", 30" lengths. Weights: 30 to 60 lbs. in 10 lb. increments. Specify: Bow Weight and Draw Length.	Dz. 26.00 ½ Gr. 84.00 100 Dz. 14.04	15.60 84.00 14.04
*253	WING OWL — Cedar Arrows W/Six 4-Blade Razorheads and Six Field Points. Available in 28", 29", 30" lengths. Weights: 30 to 60 lbs. in 10 lb. increments. Specify: Bow Weight and Draw Length.	Dz. 20.00 100 Dz. 10.80	12.00 66.00 10.80
*254	WING FLU-FLU—Cedar Arrows W/125 Gr. Blunt Point installed. Available in 29" length only. Weights: 35 to 70 lbs. in 5 lb. increments. Packed 4 per box.	½ Dz. 7.25 4.35	4.35
*255	WING RAVEN — Cedar Arrows W/Target Points installed. Available in 26", 28" lengths. Suitable for bows UNDER 40 lbs. (Packed in ½ Gross boxes). Specify: Lengths i.e.—half 26" and half 28" or all 26" or all 28".	½ Gr. 43.50 26.10	26.10
*260	RED WING ALUMINUM "SWITCH-A-POINT" Full length w/"Switch-A-Point" inserts unattached. No points. Sizes: 1916; 1918; 2016; 2018; 2020; 2117; 2219. Specify: Bow Weight.	Dz. 36.50 12 Dz. 20.81 100 Dz. 19.77	21.90 20.81 19.77
*261	UNCRESTED RED WING ALUMINUM "SWITCH-A-POINT" Same as 260 (above) but uncrested.	Dz. 35.00 12 Dz. 19.95 100 Dz. 18.95	21.00 19.95 18.95
*262	RED WING ALUMINUM "SWITCH-A-POINT" W/"Switch-A-Point" inserts installed. No Points. Sizes: 1916; 1918; 2016; 2018; 2020; 2117; 2219. Specify: Bow Weight and Draw Length.	Dz. 38.00 12 Dz. 21.66 100 Dz. 20.58	22.80 21.66 20.58
*263	UNCRESTED RED WING ALUMINUM "SWITCH-A-POINT" Same as 262 (above) but uncrested.	Dz. 36.50 12 Dz. 20.81 100 Dz. 19.77	21.90 20.81 19.77
*276	RED WING ALUMINUM "SWITCH-A-POINT" W/"Switch-A-Point" Broadhead Adaptors installed. Sizes: 1916; 1918; 2016; 2018; 2020; 2117; 2219. Specify: Bow Weight and Draw Length.	Dz. 40.50 12 Dz. 23.09 100 Dz. 21.94	24.30 23.09 21.94
*277	UNCRESTED RED WING "SWITCH-A-POINT" Same as 276 (above) but uncrested.	Dz. 39.00 12 Dz. 22.23 100 Dz. 21.12	23.40 22.23 21.12
*264	RED WING ALUMINUM "SWITCH-A-POINT" W/"Switch-A-Point" 125 Gr. Field Points installed. Sizes: 1916; 1918; 2016; 2018; 2020; 2117; 2219. Specify: Bow Weight and Draw Length.	Dz. 42.50 12 Dz. 24.23 100 Dz. 23.02	25.50 24.23 23.02
*265	UNCRESTED RED WING ALUMINUM "SWITCH-A-POINT" Same as 264 (above) but uncrested.	Dz. 41.00 12 Dz. 23.37 100 Dz. 22.20	24.60 23.37 22.20

ARROWS—Continued

Cat. No.	Description	Sugg. Retail	Dealer Net
*266	RED WING ALUMINUM "SWITCH-A-POINT" W/"Switch-A-Point" 125 Gr. Blunt Points installed. Sizes: 1916; 1918; 2016; 2018; 2020; 2117; 2219. Specify: Bow Weight and Draw Length.	Dz. 42.50 12 Dz. 24.23 100 Dz. 23.02	25.50 24.23 23.02
*267	UNCRESTED RED WING ALUMINUM "SWITCH-A-POINT" Same as 266 (above) but uncrested.	Dz. 41.00 12 Dz. 23.37 100 Dz. 22.20	24.60 23.37 22.20
*268	RED WING ALUMINUM "SWITCH-A-POINT" W/"Switch-A-Point" Single Blade Razorheads installed. Sizes: 1916; 1918; 2016; 2018; 2020; 2117; 2219. Specify: Bow Weight and Draw Length.	Dz. 49.50 12 Dz. 28.22 100 Dz. 26.81	29.70 28.22 26.81
*269	UNCRESTED RED WING ALUMINUM "SWITCH-A-POINT" Same as 268 (above) but uncrested.	Dz. 48.00 12 Dz. 27.36 100 Dz. 25.99	28.80 27.36 25.99
*270	RED WING ALUMINUM "SWITCH-A-POINT" W/"Switch-A-Point" 3-Blade Bodkin Broadheads installed. Sizes: 1916; 1918; 2016; 2018; 2020; 2117; 2219. Specify: Bow Weight and Draw Length.	Dz. 47.00 12 Dz. 26.79 100 Dz. 25.45	28.20 26.79 25.45
*271	UNCRESTED RED WING ALUMINUM "SWITCH-A-POINT" Same as 270 (above) but uncrested.	Dz. 45.50 12 Dz. 25.94 100 Dz. 24.64	27.30 25.94 24.64
*272	RED WING ALUMINUM "SWITCH-A-POINT" W/"Switch-A-Point" 4-Blade Razorheads installed. Sizes: 1916; 1918; 2016; 2018; 2020; 2117; 2219. Specify: Bow Weight and Draw Length.	Dz. 51.50 12 Dz. 29.36 100 Dz. 27.89	30.90 29.36 27.89
*273	UNCRESTED RED WING ALUMINUM "SWITCH-A-POINT" Same as 272 (above) but uncrested.	Dz. 50.00 12 Dz. 28.50 100 Dz. 27.08	30.00 28.50 27.08
*274	RED WING ALUMINUM "SWITCH-A-POINT" W/Six "Switch-A-Point" 4-Blade Razorheads and Six "Switch-A-Point" 125 Field Points installed. Sizes: 1916; 1918; 2016; 2018; 2020; 2117; 2219. Specify: Bow Weight and Draw Length.	Dz. 48.00 12 Dz. 27.36 100 Dz. 25.99	28.80 27.36 25.99
*275	UNCRESTED RED WING ALUMINUM "SWITCH-A-POINT" Same as 274 (above) but uncrested.	Dz. 46.50 12 Dz. 26.51 100 Dz. 25.18	27.90 26.51 25.18
*280	WING CUSTOM GLASS "SWITCH-A-POINT" Full length—w/"Switch-A-Point" inserts unattached. No Points. Sizes: G thru K. Weights: 40-75 lbs. Specify: Bow Weight.	Dz. 32.50 12 Dz. 18.53 100 Dz. 17.60	19.50 18.53 17.60
*281	UNCRESTED WING GLASS "SWITCH-A-POINT" Same as 280 (above) but uncrested.	Dz. 31.00 12 Dz. 17.67 100 Dz. 16.79	18.60 17.67 16.79
*282	WING CUSTOM GLASS "SWITCH-A-POINT" W/"Switch-A-Point" inserts installed. No Points. Sizes: G thru K. Weights: 40-75 lbs. Specify: Bow Weight and Draw Length.	Dz. 33.50 12 Dz. 19.10 100 Dz. 18.15	20.10 19.10 18.15

ARROWS—Continued

Cat. No.	Description	Sugg. Retail	Dealer Net
*283	UNCRESTED WING GLASS "SWITCH-A-POINT" Same as 282 (above) but uncrested.	Dz. 32.00 12 Dz. 18.24 100 Dz. 17.33	19.20 18.24 17.33
*296	WING CUSTOM GLASS "SWITCH-A-POINT" W/"Switch-A-Point" Broadhead Adaptors installed. Sizes: G thru K. Specify: Bow Weight and Draw Length.	Dz. 33.00 12 Dz. 18.81 100 Dz. 17.87	19.80 18.81 17.87
*297	WING GLASS "SWITCH-A-POINT" Same as 296 (above) but uncrested.	Dz. 31.50 12 Dz. 17.96 100 Dz. 17.06	18.90 17.96 17.06
*284	WING CUSTOM GLASS "SWITCH-A-POINT" W/"Switch-A-Point" 125 Gr. Field Points installed. Sizes: G thru K. Weights: 40 - 75 lbs. Specify: Bow Weight and Draw Length.	Dz. 34.00 12 Dz. 19.38 100 Dz. 18.41	20.40 19.38 18.41
*285	UNCRESTED WING GLASS "SWITCH-A-POINT" Same as 284 (above) but uncrested.	Dz. 32.50 12 Dz. 18.53 100 Dz. 17.60	19.50 18.53 17.60
*286	WING CUSTOM GLASS "SWITCH-A-POINT" W/"Switch-A-Point" 125 Gr. Blunt Points installed. Sizes: G thru K. Weights: 40 - 75 lbs. Specify: Bow Weight and Draw Length.	Dz. 34.00 12 Dz. 19.38 100 Dz. 18.41	20.40 19.38 18.41
*287	UNCRESTED WING GLASS "SWITCH-A-POINT" Same as 286 (above) but uncrested.	Dz. 32.50 12 Dz. 18.53 100 Dz. 17.60	19.50 18.53 17.60
*288	WING CUSTOM GLASS "SWITCH-A-POINT" W/"Switch-A-Point" Single Blade Razorheads installed. Sizes: G thru K. Weights: 40 - 75 lbs. Specify: Bow Weight and Draw Length.	Dz. 41.50 12 Dz. 23.66 100 Dz. 22.48	24.90 23.66 22.48
*289	UNCRESTED WING GLASS "SWITCH-A-POINT" Same as 288 (above) but uncrested.	Dz. 40.00 12 Dz. 22.80 100 Dz. 21.66	24.00 22.80 21.66
*290	WING CUSTOM GLASS "SWITCH-A-POINT" W/"Switch-A-Point" 3-Blade Bodkin Broadheads installed. Sizes: G thru K. Weights: 40 - 75 lbs. Specify: Bow Weight and Draw Length.	Dz. 37.00 12 Dz. 21.09 100 Dz. 20.04	22.20 21.09 20.04
*291	UNCRESTED WING GLASS "SWITCH-A-POINT" Same as 290 (above) but uncrested.	Dz. 35.50 12 Dz. 20.24 100 Dz. 19.23	21.30 20.24 19.23
*292	WING CUSTOM GLASS "SWITCH-A-POINT" W/"Switch-A-Point" 4-Blade Razorhead installed. Sizes: G thru K. Weights: 40 - 75 lbs. Specify: Bow Weight and Draw Length.	Dz. 43.50 12 Dz. 24.80 100 Dz. 23.56	26.10 24.80 23.56
*293	WING GLASS "SWITCH-A-POINT" Same as 292 (above) but uncrested.	Dz. 42.00 12 Dz. 23.94 100 Dz. 22.74	25.20 23.94 22.74
*294	WING CUSTOM GLASS "SWITCH-A-POINT" W/Six "Switch-A-Point" 4-Blade Razorheads and Six "Switch-A-Point" 125 Gr. Field Points installed. Sizes: G thru K. Weights: 40 - 75 lbs. Specify: Bow Weight and Draw Length.	Dz. 38.50 12 Dz. 21.95 100 Dz. 20.85	23.10 21.95 20.85

ARROWS—Continued

Cat. No.	Description	Sugg. Retail	Dealer Net
*295	UNCRESTED WING GLASS "SWITCH-A-POINT" Same as 294 (above) but uncrested.	Dz. 37.00 12 Dz. 21.09 100 Dz. 20.04	22.20 21.09 20.04

ARROW MAKING ACCESSORIES AND TOOLS

Cat. No.	Description	Sugg. Retail	Dealer Net
*302	WING TARGET RAW SHAFTS Points included. Sizes: 1516; 1616; 1716; 1816; 1916; 1718; 1818.	Dz. 20.00	12.00
*303	RED WING ALUMINUM RAW SHAFTS BHA included. Sizes: 1916; 1918; 2016; 2018; 2020; 2117; 2219.	Dz. 21.50	12.90
*301	EASTON X-7 RAW SHAFTS Points included. Sizes: 1614; 1714; 1814; 1914; 2014; 1516; 1616; 1716; 1816; 1916.	Dz. 47.95	28.77
*353	EASTON XX75 RAW SHAFTS Target Pts. or BHA included. Sizes: 1416; 1516; 1518; 1616; 1618; 1713; 1716; 1718; 1813; 1816; 1818; 1820; 1913; 1916; 1918; 1920; 2013; 2016; 2018; 2020; 2114; 2213; 2219.	Dz. 35.00 W-TP 21.00 #357 W-BHA 19.80	21.00 19.80
*354	EASTON 24 SRT-X RAW SHAFTS Target Pts. or BHA included. Sizes: Same as XX75 (353) except; Sizes 1413 and 2117 also available; 2213 not available.	Dz. 30.00 W-TP 18.00 #358 W-BHA 16.80	18.00 16.80
*355	EASTON SWIFT RAW SHAFTS Target Pts. or BHA included. Sizes: 1416; 1516; 1616; 1716; 1816; 1916; 2016; 1518; 1618; 1718; 1818; 1918; 2018; 1820; 1920; 2020; 2117; 2219; 1413.	Dz. 20.00	12.00
*305	X-7 INSERT TARGET POINTS	Dz. 5.25	3.15
*306	INSERT TARGET POINTS 2-piece.	Dz. 5.25	3.15
*307	SPECIAL HEAVY INSERT TARGET POINTS.	Dz. 7.50	4.50
*356	SWIFT INSERT TARGET POINT	Dz. 2.25	1.35
*308	BROADHEAD ADAPTERS 5 degrees for aluminum shafts.	Dz. 1.95	1.17
*304	WING GLASS SHAFTS Sizes: A thru K.	Dz. 13.50	8.10
*309	NOCK INSERTS For glass shafts. Sizes: A thru K. Specify: Shaft Size.	Dz. 1.75	1.05
*310	TARGET POINTS For glass shafts. Sizes: A thru G.	Dz. 2.25	1.35
*311	BROADHEAD ADAPTERS For glass shafts. Sizes: G thru K.	Dz. 2.25	1.35
*312	"SWITCH-A-POINT" INSERTS For aluminum shafts. Sizes: 1916; 1918; 2016; 2018; 2020; 2117; 2219.	Dz. 2.65	1.59
*313	"SWITCH-A-POINT" INSERTS For glass shafts. Sizes: G thru K.	Dz. 2.65	1.59

ARROW MAKING ACCESSORIES—Continued

Cat. No.	Description	Sugg. Retail	Dealer Net
*314	"SWITCH-A-POINT" FIELD POINTS 125 gr. For aluminum shafts. Sizes: 1916; 1918; 2016; 2018; 2020; 2117; 2219.	Dz. 2.25	1.35
*315	"SWITCH-A-POINT" FIELD POINTS 125 gr. For glass shafts. Sizes: G thru K.	Dz. 2.25	1.35
*316	"SWITCH-A-POINT" BLUNT POINTS 125 gr. Sizes: 1916; 1918; 2016; 2018; 2020; 2117; 2219.	Dz. 2.25	1.35
*317	"SWITCH-A-POINT" BLUNT POINTS 125 gr. For glass shafts. Sizes: G thru K	Dz. 2.25	1.35
*318	"SWITCH-A-POINT" BROADHEAD ADAPTERS. All sizes. Aluminum and glass.	Dz. 2.65	1.59
322	MILLER MASTER FLETCHER W/straight clamp.	Ea. 20.00	12.00
323	MILLER MASTER FLETCHER W/helical clamp (left wing)	Ea. 22.00	13.20
324	EXTRA STRAIGHT CLAMP	Ea. 5.25	3.15
325	EXTRA HELICAL CLAMP (left wing)	Ea. 6.85	4.11
326	MILLER STANDARD FLETCHER	Ea. 10.00	6.00
332	BOHNING FLETCH-TITE CEMENT	Ea. 1.25	.75
334	EASTON 24SRTX CEMENT	Ea. 1.15	.69
336	BOHNING FERR-L-TITE (Stick)	Ea. 1.00	.60
*337	BJORN NOCKS White, Black. Sizes: 1/4"; 9/32"; 5/16".	Dz. 1.60 Per 100 10.00	.96 6.00
*338	BJORN NOCKS Flourescent Orange, Green, Ruby, Blue. Sizes: 1/4"; 9/32"; 5/16".	Dz. 1.60 Per 100 10.00	.96 6.00
*339	MYCRO NOCKS Colors: Black, White. Sizes: 1/4"; 9/32"; 5/16"; 11/32".	Dz. .55 Per 100 2.10	.33 1.26
*340	FIELD POINTS 11/32" 125 Gr.	Dz. 1.35 Per 100 8.50	.81 5.10
*341	FIELD POINTS 5/16 125 Gr.	Dz. 1.35 Per 100 8.50	.81 5.10
348	FIVE MINUTE EPOXY	Ea. 1.75	1.05
*350	3" FEATHERS — DIE CUT Dyed White. Colors: Black, Blue, Red, Orange, Green, White, Yellow.	3 Dz. 2.50 Per 100 6.25	1.50 3.75
*351	4" FEATHERS — DIE CUT Dyed White. Colors: Black, Blue, Orange, Red, Green, Yellow, White.	3 Dz. 3.75 Per 100 9.50	2.25 5.70
*352	5" FEATHERS — DIE CUT Dyed White. Colors: Black, Blue, Orange, Red, Green, Yellow, White.	3 Dz. 4.75 Per 100 12.25	2.85 7.35
*360	FLEX-FLETCH VANES 2"	Dz. 2.50	1.50
*361	FLEX-FLETCH VANES 3"	Dz. 3.00	1.80
*362	FLEX-FLETCH VANES 4"	Dz. 3.25	1.95
*363	FLEX-FLETCH VANES 5"	Dz. 3.50	2.10

LEATHER GOODS

Cat. No.	Description	Sugg. Retail	Dealer Net
*404	WING PRO QUIVER—VINYL Specify: Right Hand or Left Hand.	Ea. 14.25	8.55
*402	WING HOLSTER QUIVER—VINYL. Specify: Right Hand or Left Hand.	Ea. 10.95	6.57
*403	WING TARGET QUIVER	Ea. 8.25	4.95
*405	STUDENT BELT QUIVER	Ea. 2.10	1.26
406	PADDED BOW CASE	Ea. 15.00	9.00
407	FLANNEL BOW CASE	Ea. 3.75	2.25
409	PADDED VINYL TAKE-DOWN CARRYING CASE.	Ea. 20.00	12.00
410	TAN-DOUBLE SEAM GLOVE Sizes: X-Large; Large; Medium; Small.	Ea. 3.75	2.25
411	BROWN-SINGLE SEAM GLOVE Sizes: X-Large; Large; Medium; Small.	Ea. 3.50	2.10
414	WILSON TAB Sizes: Large; Medium; Small. Right or Left Hand.	Ea. 3.10	1.86
416	COWHIDE TAB Sizes: X-Large; Large; Medium; Small. Right or Left Hand.	Ea. 1.75	1.05
417	ARM GUARD—JUNIOR	Ea. 1.65	.99
418	ARM GUARD—TARGET 2 Straps-velcro.	Ea. 3.25	1.95
419	ARM GUARD—Ventilated 2 Straps-velcro.	Ea. 4.50	2.70
420	ARM GUARD—HUNTER 3 Straps-velcro.	Ea. 5.00	3.00
421	ARM GUARD—RANGE 4 Straps-velcro.	Ea. 5.75	3.45
*423	STANDARD BOW SLING	Ea. 1.75	1.05
*424	BOW SADDLE	Ea. 1.50	.90
425	CHEST PROTECTOR Black or White. Small or Large. Left or Right Hand.	Ea. 7.25	4.35
*428	HUNTER QUIVER—VINYL	Ea. 10.50	6.30
*431	GROUND QUIVER	Ea. 4.25	2.55

HUNTING ACCESSORIES

*501	BOW QUIVER	Ea. 16.50	9.90
*502	ARROW CLAMP	Ea. 3.00	1.80
*503	ROD CLAMPS AND SCREWS	Pr. 2.25	1.35
*504	TAPE ON PADS	Pr. .75	.45
*505	CUP INSERT	Ea. .75	.45
*506	BRACKETS (complete)	Pr. 3.00	1.80
507	ALLEN WRENCH	Ea. .15	.09
*508	P-11—BOW QUIVER ADAPTERS	Pr. 3.25	1.95
*509	RAZORHEAD KIT COMPLETE (1 Dz. Heads and Auxiliary Blades)	Ea. 11.50	6.90
*510	RAZORHEADS (Less Auxiliary Blades)	Dz. 9.75	5.85
*511	AUXILIARY BLADES	Dz. 1.75	1.05
*512	BODKIN	1/2 Dz. 2.95	1.77

HUNTING ACCESSORIES—Continued

Cat. No.	Description	Sugg. Retail	Dealer Net
*514	BRUSH BUTTON—REGULAR	Pr. .90	.54
*515	BRUSH BUTTON—SUPER	Pr. 1.00	.60
*516	SAUNDERS KWIK-LOK ARROWHOLDER	Ea. 2.85	1.71
*517	STRING SILENCERS	Pr. 1.50	.90
518	DRI-TITE WATERPROOFING	Ea. 1.25	.75
*519	KWIKEE KWIVER	Pr. 5.95	3.57
*520	KWIKEE KOVER	Ea. 2.50	1.50
521	BUCK LURE	Ea. 2.50	1.50
*530	CAMO BOW COVER	Ea. 3.25	1.95
531	CAMO HEAD NET	Ea. 3.25	1.95
*540	STABILIZER ADAPTOR BOLTS	Pr. 3.25	1.95
*541	STABILIZER ADAPTOR CONVERTOR	Ea. 2.25	1.35
*550	BOW QUIVER INSERT ADAPTORS	Pr. 1.25	.75

BOWFISHING ACCESSORIES

*601	BOWFISHING KIT W/New, Improved tape-on Reel and Easy-Off Point.	Ea. 8.50	5.10
*602	BOWFISHING KIT W/New, Improved Quick-Attach Reel and Easy-Off Point.	Ea. 12.95	7.77
*603	REEL AND LINE New, Improved Quick-Attach Reel.	Ea. 8.95	5.37
604	REEL AND LINE New, Improved Tape-on Reel.	Ea. 5.25	3.15
*605	LAYFLETCHED ARROW W/EASY-OFF POINT	Ea. 2.65	1.59
*606	LAYFLETCHED ARROW Without Points.	Ea. 1.50	.90
*607	DOUBLE-BARBED EASY-OFF POINT (Complete)	Ea. 1.50	.90
*608	EXTRA CASE-HARDENED EASY-OFF TIP	Ea. 1.00	.60
610	EXTRA 50 FT. LINE	Ea. 1.10	.66
*611	EXTRA LAYFLETCH	Ea. .60	.36
*614	STINGAREE FISH POINT	Ea. 2.75	1.65

COMPOUND ACCESSORIES

*650	COMPOUND CABLE	Ea. 3.75	2.25
*653	ECCENTRIC WHEEL (Without Bearing)	Ea. 2.50	1.50
*654	ECC. AXLE, WASHERS, KEEPERS	Ea. 1.75	1.05
*655	ECCENTRIC WHEEL BEARING	Ea. 3.50	2.10
*657	LIMB BRACKET BOLT, WASHERS & NUT	Ea. .60	.36
*665	IDLER WHEEL	Ea. 2.50	1.50
*666	LIMB COUPLER ASSEMBLY	Ea. 7.00	4.20

COMPOUND ACCESSORIES—Continued

Cat. No.	Description	Sugg. Retail	Dealer Net
*667	LIMB COUPLER BLOCK	Ea. 4.75	2.85
*668	BARREL NUT	Ea. 2.00	1.20
*669	COUPLER PIN	Ea. .25	.15
*671	CABLE LOCK SET SCREW	Ea. .25	.15
*672	STABILIZER 36" or 24" (specify)	Ea. 12.50	7.50
*674	BOWSTRING, HUNTING	Ea. 1.60	.96
*675	PADDED COMPOUND CASE— TARGET	Ea. 31.50	18.90
*676	ECCENTRIC CABLE SET SCREW	Ea. .25	.15
*677	IDLER ASSEMBLY (complete)	Ea. 5.95	3.57
*678	LIMB BRACKET	Ea. 1.00	.60
*679	LIMB BRACKET AXLE AND KEEPERS	Ea. .60	.36
*680	IDLER BACKET	Ea. 1.25	.75
*681	IDLER AXLE, WASHERS, KEEPERS	Ea. .60	.36
*682	LIMB ADJUSTMENT BOLT (2")	Ea. .35	.21
*683	IDLER WASHER	Ea. .05	.03
*684	ECCENTRIC WASHER	Ea. .25	.15
*685	ECCENTRIC AXLE KEEPER	Ea. .05	.03
*686	EFFICIENCY MOUNT	Ea. 5.45	3.27
*687	FINE TUNING ADJUSTMENT BOLT	Ea. 2.50	1.50
*688	FINE TUNING SEAT	Ea. 1.50	.90
*689	CONVERSION KIT (Complete)	Ea. 35.00	21.00
*690	CONICAL WASHER	Ea. .15	.09
*691	COMPOUND STRING CHANGER TARGET	Ea. 3.95	2.37
*692	PADDED COMPOUND CASE— HUNTING	Ea. 28.50	17.10
*693	BOWSTRING, TARGET	Ea. 2.25	1.35
*694	LOCK NUT	Ea. .25	.15
*695	COMPOUND STRING CHANGER HUNTER	Ea. 3.95	2.37
*697	S-HOOK	Ea. .25	.15

BOWSTRINGS AND BOWSTRING ACCESSORIES — ARROW RESTS

*701	CUSTOM BOWSTRINGS Lengths: 52"; 54"; 56"; 58"; 60"; 62"; 64"; 66"; 68"; 69"; 70". Weights: 15 thru 80 lbs.	Ea. 1.60	.96
*700A	Above String in Tube.	Ea. 1.75	1.05
*702	PROFESSIONAL BOWSTRINGS Lengths: 66"; 68"; 69"; 70"; 72". Weights: 15 thru 55 lbs.	Ea. 2.25	1.35
*700B	Above String in Tube.	Ea. 2.40	1.44
*730	DOUBLE LOOP BOWSTRINGS Lengths: 48"; 50"; 52"; 54"; 56".	Ea. 1.10	.66
*703	PROTECTO-TIP Specify: Large or Small.	Ea. .75	.45

BOWSTRINGS AND ACCESSORIES—Continued

Cat. No.	Description	Sugg. Retail	Dealer Net
*704	NOCK-RITE NOCKING POINT	Ea. 1.35	.81
*706	NOK-SET Pkg. of 5. Specify: "T" (target) "H" (hunting)	Pkg. 1.35	.81
*707	NOK-SET Dealer Pkg. of 100 Specify: "T" (target) "H" (hunting)	Pkg. 20.00	12.00
708	NOK-SET TOOL	Ea. 1.50	.90
*709	KISSER BUTTON	Ea. .85	.51
710	POTAWATOMI BOWSQUARE	Ea. 5.25	3.15
*711	HOYT KLICHER	Ea. 1.50	.90
*712	WING FLIP REST Specify: Right or Left Hand	Ea. .85	.51
*713	WING FEATHER REST Specify: Right or Left Hand.	Ea. 1.00	.60
*714	HOYT PRO REST Specify: Right or Left Hand.	Ea. 1.35	.81
*715	ARROW PLATE AND REST	Ea. .80	.48
716	WING BOW STRINGER	Ea. 3.75	2.25
717	TYPE "B" DAGRON	Ea. 2.85	1.71
718	SPEED-SPIN STRING SERVER	Ea. 3.75	2.25
719	EXTRA NYLON THREAD Colors: Red, Black, Blue, Green, Yellow, White.	Ea. 1.50	.90
720	EXTRA MONOFILAMENT THREAD (Orange)	Ea. 1.50	.90
721	BOWSTRING WAX	Ea. 1.50	.90
*724	ADJUSTABLE TICKER DRAW CHECK	Ea. 2.75	1.65
*725	NEW SWINGER REST	Ea. 4.50	2.70
*726	BOWSTRING DISPLAY 75 Assorted Strings	Ea. 150.00	90.00
*727	WING CUSHION PLUNGER	Ea. 9.95	5.97
*731	POSI-NOK—11/32"	Ea. .80	.48
*732	POSI-NOK—5/16"	Ea. .80	.48
*733	POSI-NOK—9/32"	Ea. .80	.48
*734	POSI-NOK—1/4"	Ea. .80	.48
*735	POSI-NOK—Universal	Ea. .80	.48

SIGHT, SIGHT ACCESSORIES AND STABILIZERS

*801	CAVALIER BOWSIGHT	Ea. 5.95	3.57
*802	REYNOLDS BOWSIGHT	Ea. 11.95	7.17
*804	CAVALIER BASIC SIGHT	Ea. 3.25	1.95
*805	RAINBOW HUNTING SIGHT Specify: Right or Left Hand.	Ea. 12.95	7.77
*806	WING SIGHT EXTENSION	Ea. 13.95	8.37
*807	ADAPTOR BAR FOR SIGHT EXTENSION	Ea. 1.15	.69
*808	SIGHT EXTENSION BASE ONLY	Ea. 7.00	4.20
*810	STRING PEEP — round hole	Ea. 1.00	.60

SIGHTS AND ACCESSORIES—Continued

Cat. No.	Description	Sugg. Retail	Dealer Net
*816	WING STABILIZER (complete) Specify: 22", 15" or 10".	Ea. 13.50	8.10
*817	ROD ONLY Specify: 22", 15" or 10".	Ea. 8.25	4.95
*818	WEIGHT ONLY — 3 3/4 oz.	Ea. 5.25	3.15
*819	WEIGHT ONLY — 6 oz.	Ea. 5.25	3.15
*820	INSERT ADAPTER	Ea. 1.50	.90
*822	WING HUNTER SIGHT	Ea. 10.50	6.30
*823	WING HUNTING STABILIZER	Ea. 10.95	6.57
*824	FLEXI-COUPLER	Ea. 15.00	9.00
825	WING PATCH	Ea. 2.75	1.65
*827	NEW RAINBOW SIGHT BASE	Ea. 4.65	2.79
828	ANSWERS BOOKLET	Ea. .50	.30
832	WINNER OR LOSER BOOK	Ea. 5.95	3.57
833	COACHING TIPS BOOK	Ea. .50	.30
835	TARGET FACE TOUGHENIZED 16"	Ea. .40	.24
836	TARGET FACE TOUGHENIZED 24"	Ea. 1.00	.60
837	TARGET FACE TOUGHENIZED 36"	Ea. 2.00	1.20
839	TARGET FACE TOUGHENIZED 48"	Ea. 3.00	1.80
840	TARGET FACE TAG 16"	Ea. .40	.24
841	TARGET FACE TAG 24"	Ea. .65	.39
842	TARGET FACE TAG 36"	Ea. 1.85	1.11
843	TARGET FACE TAG 48"	Ea. 3.00	1.80
844	BULLSEYE FACE 24" 2 per pack	Ea. 1.35	.81
845	DEER FACE 24" 2 per pack	Ea. 1.35	.81
846	FOX FACE 18" 3 per pack	Ea. 1.10	.66
847	BOBCAT FACE 12" 4 per pack	Ea. 1.10	.66
*848	EXTRA SIGHT PIN	Ea. 1.35	.81
*849	ACCRA SIGHT (complete)	Ea. 39.95	23.97
*860	CAVALIER PRO SIGHT	Ea. 24.95	14.97
*863	CAVALIER APERTURE AND LEVEL	Ea. 4.00	2.40
874	BOW HANGER	Ea. 5.75	3.45
*882	WING ADAPTOR PLATE	Ea. 2.75	1.65

SOLID GLASS BOW AND SETS

*901	COMPLETE YOUTH SET 3 to a carton.	Ea. 15.95	9.57
*902	EXPLORER SET 3 to a carton.	Ea. 19.95	11.97
*903	BOW HUNTING SET 3 to a carton.	Ea. 22.95	13.77
*904	YOUTH BOW 50" - 15# at 24" 6 to a carton.	Ea. 8.95	5.37
*905	EXPLORER BOW 56" - 25# 4 to a carton.	Ea. 10.95	6.57
*906	HUNTER BOW 56" - 45# 4 to a carton.	Ea. 11.50	6.90