

509 Water St. Bolivar, OH 44612 Phone: 330-455-1181 Fax: 330-455-1191

The Magic is the Media

A ISO 9001:2008 – ANSI-ISO-ASQ Q9001-2008 Company

SECTION I

PRODUCT NAME OR NUMBER (as it appears on labe Magic® Aerospace SuperStrip Blast Abrasive	I)
MANUFACTURER'S NAME	EMERGENCY TELEPHONE NO.
U.S. Technology Media Inc. ADDRESS (Number, Street, City, and Zip Code)	(330) 455-1181 DATE PREPARED/REVISED – NO.
509 Water ST., Bolivar OH. 44612	September 29 2015-5
MATERIAL DESCRIPTION, PROPER SHIPPING NAME Blast Abrasive	
HAZARD CLASSES (as applicable)	
CHEMICAL FAMILY: Various	FORMULA: N.A.

SECTION II – INGREDIENTS (list all ingredients)

CAS REGISTRY NO.	Approx. %W	CHEMICAL NAME (S)	OSHA PEL	ACGIH TLV	Other Limits Recommended
9003-08-1	>1%	Polymerized Urea-Melamine			
9011-05-6		Formaldehyde Compound			
9004-34-6		w/Alpha Cellulose Filler and			
1318-93-0		Montmorillonite Clay			
00142-22-3	>1%	Polycarbonate			
2764-13-8	<1%	Anti-static Agent-Cal Stat			
		600			
N.A.	<1%	Pigments and Additives			

SECTION III – PHYSICAL DATA

BOILING POINT °FC	N.A.	SPECIFIC GRAVITY (H ₂ 0=1)	1.36		
			-		
			1.46		
MELTING POINT°FC	N.A.	PERCENT VOLATILE BY VOLUME	N.A.	PERCENT SOLID	100
		(%)		BY WEIGHT (%)	
VAPOR DENSITY (AIR=1)	N.A.	EVAPORATION RATE (=1)	N.A.		
SOLUBILITY IN WATER	N.A.	pH=	4 - 8		
APPEARANCE AND ODOR: Multicolored granules with slight plastic odor MATERIAL FORM: Solid				Solid	

SECTION IV – FIRE AND EXPLOSION HAZARD DATA

		LEL	UEL		
FLASH POINT°FC: N.A.	FLAMMABLE: N.A.	N.A.	N.A.		
EXTINGUISING MEDIA: Carbon dioxide, dry chemicals, or water fog					
SPECIAL FIRE FIGHTING PROCEDURES: None					
UNUSUAL FIRE AND EXPLOSION HAZARDS: None					

Magic® Aerospace SuperStrip Blast Abrasive*** Page 1 of 2

SECTION V – HEALTH HAZARD DATA

EFFECTS OF OVEREXPOSURE – Conditions to Avoid:					
Mechanical injury to eyes and/or skin can occur.	PERMISSIBLE EXPOSURE LIMIT				
PRIMARY ROUTES OF ENTRY: Inhalation I Skin Contact Of Other (specify)					
EMERGENCY AND FIRST AID PROCEDURES: Abrasive dust – cross exposure can irritate respiratory tract.					
Move to fresh air. If irritation persists, a physician should be consulted. Prolonged exposure to lead chromate					
could lead to increased incidence of disease.					
CARCINOGENICITY: NTP? Pb. Cr. Cd IARC Monographs? Pb. Cr. CD OSHA Regulated? Yes					

SECTION VI – REACTIVITY DATA

	UNSTA	ABLE		CONDI	CONDITIONS TO AVOID: None known		
STABILITY ST		LE	х				
INCOMPATIBILI	INCOMPATIBILITY (materials to avoid): None						
HAZARDOUS D	HAZARDOUS DECOMPOSITION or BYPRODUCTS: Noxious gas and odors including, methyl methacrylate,						
formaldehyde, ca	formaldehyde, carbon monoxide, hydrogen cyanide						
	MAY OCCUR CONDITIONS TO AVOID: Temperature above 370°C						
HAZARDOUS POLYMERIZATION OCCUR		X					
		UCCUR					

SECTION VII – SPILL OR LEAK PROCEDURES

 STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Careful clean-up and return to packaging for containment. Vacuum if possible. Avoid compressed air.

 WASTE DISPOSAL METHOD: Sanitary landfill in accordance with Federal, State, and Local regulations.

 CERCLA (Superfund) REPORTABLE QUANTITY (in Ibs.): N.A.

 RCRA HAZARDOUS WASTE NO. (40 CFR 261.33): N.A.

 VOLATILE ORGANIC COMPOUND (VOC) (as packaged, minus water): N.A.

 □ Theoretical _____ Ibs. /gal.

SECTION VIII – SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (Specify Type): Provide adequate ventilation. NIOSH/MSHA approved respiratory protection as required.					
VENTILATION	N LOCAL EXHAUST (Specify Rate): Controlled w/hepa filter SPECIAL:				
	MECHANICAL (General – Specify Rate): OTHER:				
PROTECTIVE GLOVES (Specify Type): Normal EYE PROTECTION (Specify Type): Safety goggles					
OTHER PROTECTION EQUIPMENT: OSHA/NIOSH cartridge filter					

SECTION IX – SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Contain in drums, vacuum is preferable in the event of a spill.

OTHER PRECAUTIONS:

Prepared by:

Name (print): Casey Williams | Title: Quality Assurance Manager | Date Reviewed: September 29 2015-5

Magic® Aerospace SuperStrip Blast Abrasive *** Page 2 of 2