



S P E C I F I C A T I O N S

TA-3350 | MediaHub™ Mini

Introducing MediaHub Mini, the smallest and most powerful mobile device to TV connectivity panel on the market today. The focus is on simplicity, providing guests with the most important, and universally accepted mobile connections to charge and play (USB, Bluetooth, and HDMI). MediaHub Mini offers USB fast-charging for mobile devices. Bluetooth pairing means that your guests can listen to their music over the TV speakers without docking the phone, providing the freedom to roam and multi-task. HDMI is the universal method for connecting mobile phones, tablets, laptops, digicams, and gaming consoles to HDTV's.



- Flush Mounts into wide range of furnishings, millwork, casegoods, and partition walls.
- 2.1 amp, 5 volt USB charge port for tablets and smart phones.
- Standard .5 amp, 5 volt USB charge port for simultaneously charging additional phone or accessory.
- Bluetooth pairing point for wireless audio playback on the TV speakers.
- Audio jack option for audio playback on the TV speakers.
- HDMI port for displaying your movies, videos and photos on the in-room TV.
- Automatic Input switching via HDMI-CEC for any CEC enabled TV (Automatic Input switching for older displays using optional RS232 cable).
- Small footprint and choice of rubberized black or brushed metal finish, provide designer friendly aesthetics.
- Simple Installation - Power Supply and 3.5m HDMI cable included.



MediaHub Mini Front Ports

- A** Mini Stereo Jack
- B** HDMI Audio/Video
- C** Bluetooth Audio Pairing Point for Universal Wireless Music Playing
- D** High-Current 2.1 amp, 5 volt USB Charging Socket
- E** Standard .5 amp, 5 volt USB Charging Socket

Outside Bezel Dimensions

3.38" x 3.38" (86 x 86 mm)

Connection Requirements

- 1 HDMI port on the TV
- 1 AC/Mains Power Outlet

Cables & Power Supply Included

Unit ships with 11.8' (3.5 m) HDMI cable and 6 ft. (1.8 m) Power Supply.

Auto Input Switching

Auto Input Switching supported over HDMI-CEC with Samsung (AnyNet+), LG (Simplink), and Panasonic (VieraLink). Also supports auto switching over RS232 and RJP for non-CEC supported displays.

Optional RS232 cable available for automatic input switching on older models


Available Trims

The MediaHub Mini is available in two beautiful finishes, brushed aluminum or rubberized black. Compact and stylish, they are designed to fit any hotel room decor.



Visit our website at: www.teleadapt.com

Keeping Your World Connected™ and MediaHub™ Mini, are trademarks of TeleAdapt, Inc. iPod® and iPhone® are registered trademarks of Apple Inc., registered in the U.S. and/or other countries.



NOTES

1. Through hole cutout
2. Front of furniture or wall
3. Rear of furniture or rear wall
4. Minimum hole depth required is 45mm (1.77")

This drawing is to scale, however, if using an actual template please check exact size of your print out as output on printers can shift drawing scale.

IMPORTANT NOTE: When installing, to ensure a good fit, always cut and install a single unit before moving forward with the entire installation project.