

500 Water St. Rolivar, OH 44612 Phone: 330-455-1181 Fav: 330-455-1101

US Technology Polyplus Prime - Natural Non-Residue Abrasive Blast Media - (Type II)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 06/06/2018 Supersedes: not applicable Version: 1.0

SECTION 1: Identification of the substance/mixture

Product Identifier

Product form: Plastic Abrasive

Substance name: Polyplus Prime - Natural Blast Media (Type II)

CAS No.: 9004-34-6 Formula: CH4N2O Synonyms: Urea Polymer

Intended Use Of The Product

Use of the substance/mixture: Depainting

Name, Address, And Telephone Of The Responsible Party

US Technology Media Inc. 509 Water ST., Bolivar OH. 44612

330-455-1181

Emergency telephone number

Emergency number : 330-874-3094

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call US TECHNOLOGY - Day or Night

SECTION 2: Hazards identification

Classification of the substance or mixture

GHS-US classification

Eye Irrit. 2A H319

Label elements GHS-US labeling

(1)

Hazard statements (GHS-US) : H319 - Abrasive Dust irritant: Causes serious eye irritation

Precautionary statements (GHS-US) : P280 - Wear PPE - Dust mask and eye protection.

SECTION 3: Composition/information on ingredients

Substances

| Name | Product Identifier | % | GHS-US classification |
|--|--|-----|--------------------------------|
| Polymerized Urea/Formaldehyde Compound w/ Alpha Cellulose Filler | (CAS No.) 9004-34-6 9011-05-6 | 98% | Amino Thermoset Molded Plastic |
| Anti-Static Agent – Cal Stat 600 | 2764-13-8 | >1% | Amino Thermoset Molded Plastic |
| Pigments and Additives | 5280-80-8 13463-67-7 12769-96-9 | <2% | Amino Thermoset Molded Plastic |

SECTION 4: First aid measures

Description of first aid measures

First-aid measures general: If material is airborne, remove person from exposure.

First-aid measures after inhalation: Go to well ventilated area, keep in a position for comfortable breathing, call

Physician if symptoms persist.

First-aid measures after skin contact: Flush skin with water and soap.

First-aid measures after eye contact: Rinse cautiously for several minutes with water, remove contact lenses, if possible.

First-aid measures after ingestion: Rinse mouth.

Most important symptoms and effects, both acute and delayed

Symptoms/injuries: Eye irritation.

US Technology Polyplus Prime - Natural Non-Residue Abrasive Blast Media - (Type II)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/injuries after skin contact: Skin rash.

Symptoms/injuries after eye contact: Causes serious eye irritation.

Indication of any immediate medical attention and special treatment needed

If medical advice is needed, have product container or label at hand.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media: Alcohol foam, water, carbon dioxide, dry chemical.

Unsuitable extinguishing media: None.

Special hazards arising from the substance or mixture

Fire hazard: Highly flammable liquid and vapor.

Explosion hazard: Flame will form toxic vapors; avoid inhalation of smoke or vapors.

Advice for firefighters

Firefighting instructions: Exercise caution when fighting any chemical fire.

Protection during firefighting: Firefighters should wear full protective gear with independent breathing air.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures: Use special care to avoid static electric charges. Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Avoid breathing. Use only in a well-ventilated area. Handle in accordance with good industrial hygiene and safety practice.

For non-emergency personnel

Protective equipment: Use appropriate personal protection equipment (PPE).

Emergency procedures: Evacuate unnecessary personnel.

For emergency responders

Protective equipment: Equip cleanup crew with proper protection. Use appropriate personal protection equipment (PPE).

Emergency procedures: Ventilate area.

Environmental precautions

Prevent entry to sewers and public waters.

Methods and material for containment and cleaning up

For containment: Contain spill , then place in suitable container. Sweep or vacuum. **Methods for cleaning up:** Clear up spills immediately and dispose of waste safely.

Reference to other sections

See heading 8, Exposure Controls and Personal Protection.

SECTION 7: Handling and storage

Precautions for safe handling

Additional hazards when processed: None.

Precautions for safe handling: Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Avoid breathing. Use only in a well-ventilated area. Wear recommended personal protective equipment.

Hygiene measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

Conditions for safe storage, including any incompatibilities

Technical measures: None.

Storage conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use.

Incompatible products: Strong acids. Strong bases. Strong oxidizers.

Incompatible materials: Heat sources.
Storage area: Keep in dry place.
Special rules on packaging: None.
Specific end use(s): Filler.

US Technology Polyplus Prime - Natural Non-Residue Abrasive Blast Media - (Type II)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure controls/personal protection

Control parameters

| Polymerized Urea (CAS No.) 9004-34-6 | | |
|--------------------------------------|------------------------|--|
| USA ACGIH | ACGIH TWA (ppm) | |
| USA ACGIH | ACGIH STEL (ppm) | |
| USA OSHA | OSHA PEL (TWA) (mg/m3) | |
| USA OSHA | OSHA PEL (TWA) (ppm) | |

Exposure controls

Appropriate engineering controls : Ensure all national/local regulations are observed. Gas detectors should be used

> when flammable gases/vapors may be released. Proper grounding procedures to avoid static electricity should be followed. Ensure adequate ventilation, especially

in confined areas.

Personal protective equipment : Insufficient ventilation: wear respiratory protection. Protective goggles. Gloves.

Hand protection : Wear protective gloves.

Eye protection : Safety glasses.

Skin and body protection : Wear Long Sleeve Shirt.

: If exposure limits are exceeded or irritation is experienced, NIOSH approved Respiratory protection

respiratory protection should be worn.

Thermal hazard protection : Wear suitable protective clothing.

Other information : When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state : Dry powder **Appearance** : Grey powder Color : Grey

Odor : None

Odor threshold : No data available : No data available pН Relative evaporation rate (butylacetate=1) : No data available

Melting point : 500 °F

Freezing point : No data available **Boiling point** : Not applicable

Flash Point : 390° F

Auto-ignition temperature : No data available **Decomposition Temperature** : No data available Flammability (solid, gas) : No data available Vapor pressure : Not applicable. Relative vapor density at 20 °C : No data available Relative density : No data available Density : No data available Solubility : Insolvable

: No data available Log Pow Log Kow : No data available Viscosity, kinematic : No data available : No data available Viscosity, dynamic **Explosive properties** : No data available **Oxidizing properties** : No data available **Explosive limits** : Not applicable

Other information: No additional information available

US Technology Polyplus Prime - Natural Non-Residue Abrasive Blast Media - (Type II)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: Stability and reactivity

Reactivity Non-reactive.

Chemical Stability Stable under recommended handling and storage conditions (see section 7).

Possibility Of Hazardous Reactions Non-reactive.

Conditions To Avoid Avoid ignition sources. Heat. Sparks. Open flame.

Extremely high or low temperatures. Incompatible Materials Strong acids. Strong bases. Strong oxidizers.

Hazardous Decomposition Products Carbon oxides (CO, CO2). May release flammable and toxic gases.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity : Not classified

| Polymerized Urea (CAS No.) 9004-34-6 | |
|--------------------------------------|-------------------|
| LD50 oral rat | No Data Available |
| LD50 dermal rabbit | No Data Available |
| LC50 inhalation rat (mg/l) | No Data Available |

Skin corrosion/irritation: Not Applicable

Serious eye damage/irritation: Causes serious eye irritation.

Respiratory or skin sensitisation: Not Applicable

Germ cell mutagenicity: Not Applicable Carcinogenicity: Not Applicable Reproductive toxicity: Not Applicable

Specific target organ toxicity (single exposure): Not Applicable
Specific target organ toxicity (repeated exposure): Not Applicable

Aspiration hazard: Not Applicable

Symptoms/injuries after inhalation: Causes coughing.

Symptoms/injuries after eye contact: Causes serious eye irritation.
Symptoms/injuries after ingestion: Ingestion may cause nausea, vomiting.

SECTION 12: Ecological information

Toxicity

| Polymerized Urea (CAS No.) 9004-34-6 | |
|--------------------------------------|-------------------|
| LC50 fishes 1 | No Data Available |
| EC50 Daphnia 1 | No Data Available |
| LC50 fish 2 | No Data Available |
| EC50 Daphnia 2 | No Data Available |

Persistence and degradability

| Polymerized Urea (CAS No.) 9004-34-6 | |
|--------------------------------------|-----|
| Persistence and degradability | Not |

Bioaccumulative potential

| Polymerized Urea (CAS No.) 9004-34-6 | |
|--------------------------------------|-------------------|
| BCF fish 1 | No Data Available |
| Log Kow | No Data Available |
| Bioaccumulative potential | Not established |

Mobility in soil

No additional information available

Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

Waste treatment methods

Regional legislation (waste): U.S. - RCRA (Resource Conservation & Recovery Act) - Basis for Listing – 40 CFR261.2 Characteristic solid hazardous waste for Cd if in excess of 1 ppm, Cr if in excess of 5 ppm, or Pb is in excess of 5 ppm.

US Technology Polyplus Prime - Natural Non-Residue Abrasive Blast Media - (Type II)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

In accordance with ICAO/IATA/DOT/TDG

UN number : Not Applicable UN-No.(DOT) : Not applicable DOT NA no. Not applicable

DOT Packaging Exceptions (49 CFR

173.xxx)

: No Limitation

DOT Packaging Non Bulk (49 CFR

: No Limitation

173.xxx)

DOT Packaging Bulk (49 CFR 173.xxx)

Additional information

: No Limitation

Emergency Response Guide (ERG)

: No Limitation

Number

Other information : No supplementary information available.

Transport by sea

DOT Vessel Stowage Location : Below deck MFAG-No. : Not applicable

Air transport

DOT Quantity Limitations Passenger

aircraft/rail (49 CFR 173.27)

: Not applicable

DOT Quantity Limitations Cargo aircraft : Not applicable

only (49 CFR 175.75)

SECTION 15: Regulatory information

US Federal regulations

| RCRA – Disposal per 40CFR 261.2 | |
|---|--|
| Not Listed on the United States TSCA (Toxic Substances Control Act) inventory | |

US State regulations

| State or local regulations | U.S Massachusetts - Right To Know List |
|----------------------------|--|
| | U.S New Jersey - Right to Know Hazardous Substance |
| | List U.S Pennsylvania - RTK (Right to Know) List |

5 07/01/2015 EN (English)

US Technology Polyplus Prime - Natural Non-Residue Abrasive Blast Media - (Type II)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

Indication of changes : 11/13/201

Other information : This document has been prepared in accordance with the SDS requirements of the OSHA

Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

| Eye Irrit. 1 | Mild eye damage/eye irritation Category 1 |
|--------------|---|
| H319 | Causes serious eye irritation |

NFPA health hazard: 1 - Exposure could cause irritation but only minor residual injury even if no

treatment is given.

NFPA fire hazard : 0 - Liquids and solids that can be ignited under almost all ambient conditions.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive

with water.

HMIS III Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 0 Minimal Hazard
Physical : 0 Minimal Hazard

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS US (GHS HazCom) - US Only

07/01/2015 EN (English) 6