

Table of Contents

Page

1. Specialties

1

- a. Hinged Specialty Shape with Frame (Operable)
- b. Specialty Shape Frame Included In Rail — Z Frames only (non-operable panels)
- c. Specialty Shape without Frame
- d. Solid Rail Arch

2. Template Requirement


6

- a. Arches
 - b. Creating Template
 - c. Sending Template
-


Effective Sept 1st, 2009

Specialties


Hinged Specialty Shape* with Frame (Operable)




Left/Right Quarter Round Sunburst




Circle w/ Two Half Round Sunburst Sunburst




Circle Sunburst




Eyebrow Sunburst*




Elongated Eyebrow Sunburst*




Half Round Sunburst




Half Round w/ Horizontal Louvers




Circle w/ Horizontal Louvers




Oval w/ Horizontal Louvers




Hexagon Sunburst




Hexagon Sunburst w/ Straight Sides




Octagon Sunburst



Hexagon w/ Horizontal Louvers



Hexagon Straight Sides w/ Horizontal Louvers




Octagon w/ Horizontal Louvers

* For eyebrow and elongated eyebrow, the height should not be less than 1/5 of the width.


* Surcharge applies. Please see Options and Surcharge page for details

Specialties


Hinged Specialty Shape* with Frame (Operable)




**Left Angle Top w/
Center Tilt Rod**




**Right Angle Top w/
Center Tilt Rod**




**Louvered Arch Shutter
w/ Center Tilt Rod**




**Left Angle Top w/
Offset Tilt Rod**




**Right Angle Top w/
Offset Tilt Rod**




**Louvered Arch Shutter
w/ Offset Tilt Rod**




**Quarter Sunburst Panel
w/ Continuous Frame**




**Sunburst on Top
w/ Divider Strip**




**Sunburst on Top
w/ T Post**




**Sunburst on Top
w/ Continuous Frame**




Solid Rail Arch




**Left/Right
Quarter Arch**



Multiple Shapes Specialties



Multiple Shapes Specialties




Multiple Shapes Specialties

* Surcharge applies. Please see Options and Surcharge page for details

Specialties


Hinged Specialty Shape[†] with Frame (Operable)




Continuous Arch

Specialty Shape[†] Frame Included In Rail


-- Z Frames* only (non-operable panels) * except for Tilt Out Z frame




Left/Right Quarter Round Sunburst




Circle Sunburst




Eyebrow Sunburst[†]




Elongated Eyebrow Sunburst[†]




Half Round Sunburst



Hexagon Sunburst



Hexagon Sunburst w/ Straight Sides




Octagon Sunburst

* For eyebrow and elongated eyebrow, the height should not be less than 1/5 of the width.


[†] Surcharge applies. Please see Options and Surcharge page for details

Specialties


Specialty Shape[♦] without Frame




Left/Right Quarter Round Sunburst




Circle Sunburst




Triangle




Eyebrow Sunburst[†]




Elongated Eyebrow Sunburst[†]




Half Round Sunburst




Hexagon Sunburst




Hexagon Sunburst w/ Straight Sides




Octagon Sunburst




Half Round w/ Horizontal Louvers




Circle w/ Horizontal Louvers




Hexagon w/ Horizontal Louvers



Hexagon Straight Sides w/ Horizontal Louvers



Octagon w/ Horizontal Louvers




Oval w/ Horizontal Louvers

* For eyebrow and elongated eyebrow, the height should not be less than 1/5 of the width.


♦ Surcharge applies. Please see Options and Surcharge page for details

Specialties


Solid Rail Arch[†] (Not available in Woodbury[®])



2-sided
Solid Rail Arch



3-sided
Solid Rail Arch




4-sided
Solid Rail Arch

1) Solid Rail Arch is available in

- L frames
- Z frames
- Deco frames
- Hang strips

2) Max rail height of the Solid Rail Arch is 6" or less from the leg height as shown in the diagram below.



[†] Surcharge applies. Please see Options and Surcharge page for details.

Template Requirement


A template is necessary if the specialty shutter is

- Inside mount
- Will be mount on existing molding
- Imperfect arch
- Oval
- Is not listed in the program binder


Arches

1) Perfect Arch


When the same radius with same center point pass through all points on arch. Any specialty arch shutter order without a template will be made as a perfect arch.




Asymmetrical



Symmetrical



Asymmetrical



Symmetrical

Template Requirement


Creating Template

- Use thick paper stock such as butcher paper.
- Thinner paper may misrepresent the size and shape of the window due to wrinkles and creases.
- If one sheet of paper does not cover the entire arched area, you may tape multiple sheets together before attaching paper to the window.
- Make sure paper is large enough to extend beyond the arch's width and height
- Paper should cover below the transition points, where the top part of the window ends and the bottom of the arch begins

- Use pushpins to secure the paper to the wall as paint on the wall may peel if you use tape.
- Most arches can be outlined from the front. However, if necessary, you can cut a hole in the center of the paper and outline the arch from the back of the paper through the hole.
- The traced line should not be thicker than 1/16". Thick lines may misrepresent the actual size and shape of the opening. **Please mention whether outside edge or inside edge of line should be used for the shutters. If it is not mentioned then the outside edge of line will be used.**

- Always mark the transition points as well as draw and label the vertical centerline (divides arch in equal halves) on the paper. If it is a full oval shape, draw and label the horizontal and vertical centerlines.
- Mark the front side "Front" (facing the inside of the room), "Back" (facing the window), "Left," and "Right" on the corresponding sides of the template.
- **On the template, indicate your Company Name, Customer Account ID#, Side Mark, PO# and Order#** so that the template can be properly identified.
- Include the Specialty Shutter Template Form (see Forms section).

*** These requirements should be followed closely as incomplete templates may prolong lead time.**



Template Requirement

Sending Template

- By using couriers services such as FedEx and DHL, templates are usually delivered to China within 5 to 7 business days.
- Choose a shipping method that has tracking ability. Packages with content value greater than \$10.00 are subjected to customs duty.
- If the customs duty is not cleared or paid by the customer, the delivery process will be delayed. It is advised to write: **PAPER DOCUMENT ENCLOSED, NOT FOR COMMERCIAL RESALE** to avoid unnecessary custom duty.
- A CAD drawing will be send to you once we receive your template. The lead-time begins after we receive your final drawing confirmation.

Send your template to:

Attn: Tan Xiu Qing (Shutter Factory)
Company Name: Zhao Feng (Dong Guan) Window Fashions Co., Ltd
Address: SongYuan Industrial Park, QiShi Town,
DongGuan City, GuangDong Province
China 523517
Tel: +86 769 86716666