

**SECTION 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION 1**

**Product Name:** Aquamate pH Plus, Maintain Pool Pro pH Increaser, Swim Clear pH Plus, The Pool Place pH Plus  
**Product ID:** 5000  
**Synonyms:** Soda Ash, Disodium Carbonate, Sodium Carbonate, Anhydrous.  
**Date:** 4-30-2015  
**Molecular Formula:**  $\text{NA}_2\text{CO}_3$   
**Product Code:** 497-19-8  
**Recommended Use:** Water treatment pH increaser for swimming pools, spas and hot tubs.  
**Manufactured By:** Tronox Alkali Wyoming Corporation  
1735 Market Street  
Philadelphia, PA 19103  
877-362-2248 or 215-299-6904  
**Emergency Phone Number:** For leak, fire, spill or accident emergencies call Chemtrec 1-800-424-9300.  
**Packaged By:** Baleco International Inc.  
3200 Stateline Rd  
North Bend, OH 45052  
1-877-353-3002

**SECTION 2 HAZARDS IDENTIFICATION 2**

**Classification**

**OSHA Regulatory Status**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation: Category 2

**GHS Label elements, including precautionary statements**

**EMERGENCY OVERVIEW**

**Warning**

**Hazard Statements**

H319 – Causes serious eye irritation



**Precautionary Statements - Prevention**

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear eye protection/ face protection

**Precautionary Statements - Response**

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/ attention

**Hazards not otherwise classified (HNOC)**

No hazards not otherwise classified were identified.

**Other Information**

May be harmful if swallowed

**SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS 3**

Chemical Family: Alkali salt.

Formula: Na<sub>2</sub>CO<sub>3</sub>

Chemical Name	CAS No.	Weight %
Sodium Carbonate	497-19-8	100

**SECTION 4 FIRST AID MEASURES 4**

**Eye Contact:** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.

**Skin Contact:** Wash off with warm water and soap. Get medical attention if irritation develops and persists. Remove and wash contaminated clothing before re-use.

**Inhalation:** Remove person to fresh air. If signs/symptoms continue, get medical attention.

**Ingestion:** Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.

**Most important symptoms and effects, both acute and delayed:** Causes serious eye damage / eye irritation.

**Indication of immediate medical attention and special treatment needed, if necessary:** Treat symptomatically.

**SECTION 5 FIRE FIGHTING MEASURES 5**

**Suitable Extinguishing Media:** Use extinguishing agent suitable for type of surrounding fire.

**Specific Hazards Arising from the Chemical:** Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

**Hazardous Combustion Products:** Fumes of sodium oxide. Carbon oxides (COx).

**Explosion data**

**Sensitivity to Mechanical Impact:** Not sensitive.

**Sensitivity to Static Discharge:** Not sensitive.

**Protective equipment and precautions for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**SECTION 6 ACCIDENTAL RELEASE MEASURES 6**

**Personal Precautions:** Avoid dust formation. Sweep up to prevent slipping hazard.

**Other:** For further clean-up instructions, call Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

**Environmental Precautions:** Do not flush into surface water or sanitary sewer system.

**Methods for Containment:** Prevent large quantities of this product from contacting vegetation or waterways. Cover with plastic sheet to prevent spreading. Pick up and transfer to properly labeled containers. Keep in suitable and closed containers for disposal.

**Methods for Cleaning Up:** Pick up and transfer to properly labeled containers. Keep in suitable and closed containers for disposal. Dispose of waste as indicated in Section 13.

## **SECTION 7 HANDLING AND STORAGE 7**

**Handling:** Use air conveying/mechanical systems for bulk transfer to storage. Provide appropriate exhaust ventilation at places where dust is formed. In case of insufficient ventilation, wear suitable respiratory equipment if release of airborne dust is expected.

**Storage:** Store in original container. Keep in properly labeled containers. Keep containers tightly closed.

**Incompatible products:** Aluminum. Powdered aluminum. Acids.

## **SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION 8**

### **Control Parameters**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies. Local nuisance dust standards apply.

### **Appropriate Engineering Controls**

**Engineering measures:** Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

### **Individual protection measures, such as personal protective equipment**

**Eye/Face Protection:** Tightly fitting safety goggles.

**Skin and Body Protection:** Wear suitable protective clothing. Protective shoes or boots.

**Hand Protection:** Nitrile rubber, Neoprene gloves.

**Respiratory Protection:** In case of inadequate ventilation wear respiratory protection.

**Hygiene measures:** Handle in accordance with good industrial hygiene and safety practice.

**General information:** These recommendations apply to the product as supplied.

## **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES 9**

### **Information on basic physical and chemical properties**

<b>Appearance:</b>	Granules
<b>Physical State:</b>	Solid
<b>Color:</b>	White
<b>Odor:</b>	Odorless
<b>Odor Threshold:</b>	Not applicable
<b>pH:</b>	11.4 ( 1 % aqueous solution)
<b>Melting Point/Range:</b>	851 °C
<b>Freezing Point:</b>	No information available
<b>Boiling Point/Range:</b>	No information available
<b>Flash Point:</b>	Not applicable
<b>Evaporation Rate:</b>	No information available
<b>Flammability (solid, gas):</b>	Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes
<b>Flammability Limit in Air</b>	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
<b>Vapor Pressure:</b>	No information available
<b>Vapor Density:</b>	No information available
<b>Density:</b>	No information available

<b>Specific gravity:</b>	2.52
<b>Water Solubility:</b>	212.5 g/L @ 20 °C
<b>Solubility in other solvents:</b>	No information available
<b>Partition Coefficient:</b>	No information available
<b>Autoignition Temperature:</b>	No information available.
<b>Decomposition Temperature:</b>	400 °C
<b>Viscosity, kinematic:</b>	No information available
<b>Viscosity, dynamic:</b>	No information available
<b>Explosive Properties:</b>	Not explosive
<b>Oxidizing Properties:</b>	Non-oxidizing
<b>Molecular Weight:</b>	105.99
<b>Bulk Density:</b>	0.86 - 1.12 g/cm <sup>3</sup> (Dense grades) 0.70 - 0.90 g/cm <sup>3</sup> (Light Grades)
<b>K<sub>st</sub>:</b>	0 bar m/s

## SECTION 10 STABILITY AND REACTIVITY 10

**Reactivity:** None under normal use conditions.  
**Chemical Stability:** Stable. Decomposes by reaction with strong acid.  
**Possibility of Hazardous Reactions:** None under normal processing.  
**Conditions to avoid:** Exposure to air or moisture over prolonged periods.  
**Incompatible materials:** Aluminum. Powdered aluminum. Acids.  
**Hazardous Decomposition Products:** Sodium oxides. Carbon oxides (CO<sub>x</sub>).

## SECTION 11 TOXICOLOGICAL INFORMATION 11

### Product Information

<b>LD50 Oral:</b>	2,800 mg/kg (rat)
<b>LD50 Dermal</b>	> 2,000 mg/kg (rabbit)
<b>LC50 Inhalation</b>	2.3 mg/L (rat)
<b>Eye Contact</b>	Irritating to eyes.
<b>Skin Contact</b>	Non-irritating
<b>Sensitization</b>	Patch test on human volunteers did not demonstrate sensitization properties.

### Information on toxicological effects

**Symptoms** No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Chronic toxic</b>	No known effect.
<b>Mutagenicity</b>	No information available
<b>Carcinogenicity</b>	Not recognized as carcinogenic by Research Agencies (IARC, NTP, OSHA, ACGIH).
<b>Reproductive toxicity</b>	No information available.
<b>STOT – single exposure</b>	No information available.
<b>STOT – repeated exposure</b>	No information available.
<b>Aspiration hazard</b>	No information available.

## SECTION 12 ECOLOGICAL INFORMATION 12

### Ecotoxicity:

Active Ingredient	Duration	Species	Value	Units
Sodium Carbonate	96 h LC50	Bluegill sunfish	300	mg/l
Sodium Carbonate	48 h EC50	Ceriodaphnia	200-227	mg/l

**Persistence and Degradability:** Biodegradability does not pertain to inorganic substances.  
**Bioaccumulation:** Does not bioaccumulate.  
**Mobility:** Dissociates into ions.  
**Other Adverse Effects:** None known

**SECTION 13 DISPOSAL CONSIDERATIONS 13**

**Waste Disposal Methods:** This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). Dispose of in accordance with local regulations.  
**Contaminated Packaging:** Dispose of rinse water in accordance with local and national guidelines.

**SECTION 14 TRANSPORTATION INFORMATION 14**

**Department of Transportation (DOT):** Not regulated

**TDG:** Not regulated  
**ICAO/IATA:** Not regulated  
**IMDG/IMO:** Not regulated

**SECTION 15 REGULATORY INFORMATION 15**

**U.S. Federal Regulations**

**SARA 313:** Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**SARA 311/312 Hazard Categories**

**Acute Health Hazard:** Yes  
**Chronic Health Hazard:** No  
**Fire Hazard:** No  
**Sudden Release of Pressure Hazard:** No  
**Reactive Hazard:** No

**Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**US State Regulations**

**California Proposition 65:** This product does not contain any Proposition 65 chemicals.

**US State Right to Know Regulations:** This product does not contain any substances regulated by the state right-to-know regulations.

**International Inventories**

Component	TSCA (United States)	DSL (Canada)	EINECS/ELI NCS (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Sodium Carbonate 497-19-8 (100)	X	X	X	X	X	X	X	X

**Mexico – Grade** Moderate risk, Grade 2

**WHMIS Hazard Class**

D2B Toxic materials, Eye irritation  
Class E: Corrosive to aluminum. Not corrosive to animal skin or carbon steel.



D2B – Toxic



E - Corrosive

## SECTION 16

## OTHER INFORMATION

16

### HMIS RATING:

HEALTH	2
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	X

### NFPA:



**Revision Date:** 04/30/2015

**Reason for Revision:** Updates to all sections to bring into GHS compliance.

The information provided in this material safety data sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in text. This information should be available to all who will use, handles, store, transport, or otherwise be exposed to this product. This Information has been prepared for the guidance of plant engineering, operations and management and for persons working with or handling this product. Baleco believes this information to be reliable and up to date as of the date of publication, but makes no warranty that it is. Additionally, if this safety data sheet is more than three years old, you should contact Baleco at The phone number listed in section 1 to verify the safety data sheet is current.

This SDS is prepared according to the OSHA Hazard Communication Standard (29 CFR 1910.1200). Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, Baleco Int'l Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its safety and suitability for their purposes prior to use. In no event will Baleco Int'l Inc. be responsible for damages of any nature whatsoever resulting from the use or reliance upon information.

No representations or warranties, either expressed or implied, of merchant ability, fitness for a particular purpose or of any other nature, are made hereunder with respect to information or the product to which the information refers.

Prepared By: MSDS/SDS Department with information from the supplier.  
Baleco Int'l Inc.  
Cinti, OH 45211  
(513)353-3000

End of Safety Data Sheet