

CELOGEN[®] 760A

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : CELOGEN[®] 760A

Chemical name: Azodicarbonamide Modified

Use of substance/preparation: Used in polymer processing and modification.

Supplier: CelChem LLC
6519 Carema Lane
Naples, FL 34113 USA

Emergency telephone number: INFOTRAC 24 hour numbers:
USA & Canada: **1-800-535-5053**
Mexico: **01-800-681-1530**
Outside North America: **+1-352-323-3500 (collect)**

Contact: 239-228-2285
Email: customerservice@celchemllc.com

2. HAZARDS IDENTIFICATION

United States (US): According to OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

Combustible Dust

Respiratory sensitization – Category 1 – H334

Label Elements

Pictogram:



Signal Word:

Danger

Hazard Statement(s):

May form combustible dust concentrations in air.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary statement(s):

Avoid breathing dust.

[In case of inadequate ventilation] wear respiratory protection.

If inhaled: if breathing is difficult, remove person to fresh air and keep comfortable for breathing.

CELOGEN® 760A

If experiencing respiratory symptoms: Call a doctor.

Dispose of contents/container in accordance with appropriate Federal, State, and local regulations.

Other Hazards:

Avoid dispersion of dust in air to reduce potential for dust ignition/explosions.

3. COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT	CAS Number	Percent (w/w)	Substance Classification
Azodicarbonamide	123-77-3	60	Combustible Dust Respiratory sensitization – Category 1 – H334
Silicon Dioxide	Trade Secret	40	Not classified

4. FIRST AID MEASURES**Swallowing**

Do not induce vomiting. Rinse mouth and then drink water. Obtain medical attention.

Inhalation

Remove to fresh air. Obtain medical attention.

Skin contact

Remove contaminated clothing. Wash thoroughly with warm water using a mild soap. Obtain medical attention if irritation persists.

Eye contact

Immediately flush eyes with water and continue washing for several minutes. Obtain medical attention if irritation persists.

5. FIREFIGHTING MEASURES**Special firefighting procedures**

Evacuate all personnel from danger area.

Avoid dusting when handling and avoid all possible sources of ignition (spark or flame).

Use water spray to cool fire-exposed containers and structures.

Extinguishing media

Suitable:- water spray

- dry chemical

Hazardous combustion products are generated

Toxic fumes.

Ammonia.

Oxides of nitrogen.

Oxides of carbon.

Traces of incompletely burned carbon products.

Special protective equipment for firefighters

Self-contained breathing apparatus.

CELOGEN[®] 760A

Full protective clothing.

Unusual fire and explosion hazards

Heated containers may explode. Once ignited, this product will burn vigorously and with acceleration.

NFPA Classification:

Health: 2	Flammability: 3	Reactivity: 1	Special provisions: No data available.
------------------	------------------------	----------------------	---

6. ACCIDENTAL RELEASE MEASURES**Personal precautions**

Avoid all contact.

Environmental precautions

Avoid discharge to sewers or natural waters.

Methods for cleaning up

Avoid dispersion of dust.

Eliminate sources of ignition.

Collect in a suitable container for disposal.

Dispose of waste material in compliance with all federal, state, and local regulations.

Sweep up using non-sparking equipment.

7. HANDLING AND STORAGE**HANDLING****Handling precautions**

Avoid dispersion of dust to reduce fire and explosion potential. Take precautionary measures against static discharges.

STORAGE**Storage requirements**

Keep away from heat, sparks and flame. Store in a cool, dry and well-ventilated area. Keep container tightly closed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION**EXPOSURE LIMIT VALUES**

<u>Component</u>	<u>Country</u>	<u>Type</u>	<u>Value</u>	<u>Remark</u>
Azodicarbonamide	United Kingdom	OELV	1 mg/m ³	8 hour TWA
	United Kingdom	OELV	3 mg/m ³	15 minute exposure

ENGINEERING CONTROLS**Ventilation**

Local exhaust is suggested to prevent dust buildup.

PERSONAL PROTECTION**Respiratory protection**

CELOGEN[®] 760A

In case of occurrence of dust respiratory protective equipment is required.

Hand protection / protective gloves

Wear chemical resistant protective gloves

Eye protection

Wear safety glasses with side shields.

Skin protection

Wear protective clothing, such as long sleeves to minimize skin contact.

9. PHYSICAL AND CHEMICAL PROPERTIES**APPEARANCE**

Physical state	Powder
Color	yellow
Odor	Characteristic
Odor threshold	Not available
pH	Not available
Melting Point	200 - 215 °C 392 - 419 °F Decomposes
Freezing Point	Not applicable
Initial Boiling Point/Boiling Range	Not applicable
Flash Point	Decomposes
Flammability Limits	Upper: Not available Lower: Not available
Vapor Pressure	Not applicable
Vapor Density	Not applicable
Density	2.06 g/cm ³ at 25 °C
Solubility in water	Slightly soluble, Decomposes in alkaline solution
Solubility in organic solvents	No data available
Partitioning Coefficient	Not available
Auto ignition Temperature	Not available
Decomposition Temperature	200 - 215 °C 392 - 419 °F Decomposes without ignition. Bulk quantities may self-ignite if heated
Viscosity	Not applicable

CELOGEN[®] 760A

10. STABILITY AND REACTIVITY

Reactivity

Incompatible materials:

Metallic compounds.
Acids.
Bases.
Strong oxidizing agents.

Hazardous reactions:

Keep away from heat.

Chemical Stability:

This product is stable only when stored at, or below, the recommended maximum temperature.

Other

Hazardous combustion products:

Toxic fumes.
Ammonia.
Oxides of nitrogen.
Oxides of carbon.
Traces of incompletely burned carbon products.

Hazardous polymerization:

Will not occur.

11. TOXICOLOGICAL INFORMATION

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Azodicarbonamide	123-77-3	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 0.52 mg/L (highest attainable concentration)
Silicon Dioxide	Trade Secret	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 0.14 mg/L air (4h exposure, Rat) (maximum attainable concentration)

Substances	CAS Number	Skin Corrosion / Irritation
Azodicarbonamide	123-77-3	Not irritating to skin in rabbits
Silicon Dioxide	Trade Secret	Not irritating to skin in rabbits

Substances	CAS Number	Eye damage/irritation
Azodicarbonamide	123-77-3	Non-irritating to rabbit's eye
Silicon Dioxide	Trade Secret	Non-irritating to rabbit's eye

Substances	CAS Number	Skin Sensitization
Azodicarbonamide	123-77-3	Not sensitizing in laboratory animals (guinea pig, mouse).
Silicon Dioxide	Trade Secret	Not expected to cause skin sensitization.

CELOGEN[®] 760A

Substances	CAS Number	Respiratory Sensitization
Azodicarbonamide	123-77-3	May cause sensitization by inhalation.
Silicon Dioxide	Trade Secret	No information available.

Substances	CAS Number	Mutagenic Effects
Azodicarbonamide	123-77-3	While some in vitro tests showed positive results, in vivo tests were negative.
Silicon Dioxide	Trade Secret	In vivo tests did not show mutagenic effects. In vitro tests did not show mutagenic effects.

Substances	CAS Number	Carcinogenic Effects
Azodicarbonamide	123-77-3	Did not show carcinogenic effects in animal experiments.
Silicon Dioxide	Trade Secret	Did not show carcinogenic effects in animal experiments.

Substances	CAS Number	Reproductive toxicity
Azodicarbonamide	123-77-3	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments.
Silicon Dioxide	Trade Secret	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments.

Substances	CAS Number	STOT - single exposure
Azodicarbonamide	123-77-3	No significant toxicity observed in animal studies at concentrations requiring classification.
Silicon Dioxide	Trade Secret	No significant toxicity observed in animal studies at concentrations requiring classification.

Substances	CAS Number	STOT - repeated exposure
Azodicarbonamide	123-77-3	No significant toxicity observed in animal studies at concentrations requiring classification.
Silicon Dioxide	Trade Secret	No significant toxicity observed in animal studies at concentrations requiring classification.

Substances	CAS Number	Aspiration hazard
Azodicarbonamide	123-77-3	Not applicable.
Silicon Dioxide	Trade Secret	Not applicable.

12 ECOLOGICAL INFORMATION

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Azodicarbonamide	123-77-3	No information available	EC50 - Fathead minnow (Pimephales promelas) Result: > 50 mg/l	No information available	EC50 - Water flea (Daphnia magna) Result: 11 mg/l Exposure time: 48 h

CELOGEN[®] 760A

			Exposure time: 48 h		
Silicon Dioxide	Trade Secret	No information available	No information available	No information available	No information available

13 DISPOSAL CONSIDERATIONS

General: Dispose of in accordance with appropriate Federal, State, and local regulations. Avoid discharge to sewers and natural waters.

Refer to Section 8: Exposure Controls/Personal Protection

14 TRANSPORT INFORMATION**DOT Classification**

This product is not regulated by DOT. Under certain circumstances, the material may be shipped as a hazardous material according to DOT regulations to retain the labeling and markings required for IMDG export.

IMDG Classification

Proper shipping name: Azodicarbonamide
 Class: 4.1
 UN ID #: UN 3242
 Packing group: II

ICAO Classification

FORBIDDEN BY AIR

15. REGULATORY INFORMATION

Comprehensive Environmental Response Compensation and Liability Act of 1980 (CERCLA) requires notification of the National Response Center of release of quantities of hazardous substances equal to or greater than the reportable quantities (RQ's) in 40CFR302.4.

Components present in this product at a level which could require reporting under the statute are:

**** NONE ****

Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires submission of annual reports of release of toxic chemicals that appear in 40CFR372 (for SARA 313). This information must be included in MSDS's that are copied and distributed for this material.

Components present in this product at a level which could require reporting under the statute are:

**** NONE ****

Massachusetts Worker and Community Right-To-Know Act (Labeling Requirements)

Chemical name	CAS#	Massachusetts TS Number
Silicon Dioxide	Trade Secret	

New Jersey Worker and Community Right-To-Know Act (Labeling Requirements)

Chemical name	CAS#	New Jersey TS Number
Silicon Dioxide	Trade Secret	

CELOGEN[®] 760A**Pennsylvania Worker and Community Right-To-Know Act (Labeling Requirements)**

Chemical name	CAS#	Pennsylvania TS Number
Silicon Dioxide	Trade Secret	

EPA Hazard Categories (SARA 311, 312): Immediate Health Hazard

California Proposition 65

**** NONE ****

CHEMICAL INVENTORY

Canada: This product is on the DSL.
Europe: The ingredients of this mixture are on the EINECS inventory.
United States: This product is on the TSCA inventory.
Australia: This product is on the AICS inventory.
China: This product is on the IECSC Inventory.
Japan: This product is on the ENCS inventory.
Korea: This product is listed on the Existing Chemicals List (ECL).
Philippines: This product is on the PICCS.

Food contact**Azodicarbonamide:**

21CFR172.806 Azodicarbonamide as an aging and bleaching ingredient in flour in an amount not to exceed 45 ppm.

21CFR177.1210 Closures with sealing gaskets for food containers additives not to exceed 2 wt.% of gasket composition.

21CFR177.2600 Rubber articles Intended for repeated uses not to exceed 5 wt.% of composition.

21CFR178.3010 Adjuvant substances used in the manufacture of foamed plastics. As a blowing agent in the manufacture of polyethylene complying with 21CFR177.1520 at a level not to exceed 5 wt.% of the finished polyethylene.

16. OTHER INFORMATION**HMIS RATING**

Health: 2	Flammability: 3	Reactivity: 1	PPI: X
------------------	------------------------	----------------------	---------------

STP Standard temperature and pressure
w/w Weight/weight
0 (HMIS) No hazard
1 (HMIS) Slight hazard
2 (HMIS) Moderate hazard
3 (HMIS) Serious hazard
4 (HMIS) Severe hazard
X (HMIS) Personal protection rating to be supplied by user depending on use conditions

Date last modified: April 8, 2015