


TIRE SIZE	TREAD	RIM WIDTH (IN)	OVERALL DIAMETER (IN)	TREAD WIDTH (IN)	LOAD CAPACITY 10 MPH (LBS)	LOAD CAPACITY 6 MPH (LBS)	WEIGHT (LBS)
3.00 x 4	XP	2.10	9.8	3.0	1,080	1,480	8.4
15 x 4.5 - 8	XP	3.25	14.9	4.6	1,570	2,170	22.5
15 x 4.5 - 8	XP	3.00	14.9	4.6	1,450	2,000	22.5
400 x 8	XP	3.00	16.0	4.1	1,685	-	25.1
16 x 6 - 8	XP	4.33	16.2	6.0	2,300	3,170	36.4
500 x 8*	XP	3.00	18.0	4.8	1,930	2,670	38.4
500 x 8*	XP	3.75	18.0	6.0	1,930	2,670	35.1
18 x 7 - 8	XP	4.33	18.0	6.2	2,700	3,750	47.9
140/55 - 9	XP	4.00	15.0	4.6	2,785	3,045	23.4
200/50 - 10	XP	6.50	18.0	7.8	3,770	5,200	55.8
600 x 9	XP	4.00	20.6	5.6	3,065	4,230	58.9
21 x 8 - 9	XP	6.00	20.3	7.3	4,480	6,190	74.3
650 x 10	XP	5.00	22.6	6.7	4,210	5,810	80.5
23 x 9 - 10	XP	6.50	23.0	7.9	5,450	7,525	106.1
23 x 10 - 12	XP	8.00	23.0	9.5	6,385	8,820	113.6
700 x 12	XP	5.00	25.6	6.7	4,810	6,640	105.4
27 x 10 - 12	XP	8.00	26.6	9.5	7,735	10,680	166.9
7.00 - 15	XP	6.00					105.4
700 x 15	XP	5.50	28.8	7.1	5,725	7,900	130.5
815 x 15 (28 x 9 - 15)	XP	7.00	27.3	8.9	6,665	9,200	139.6
750 x 15	XP	6.50	29.3	7.6	6,765	9,340	146.2
250 x 15	XP	7.00	28.0	8.9	6,960	9,615	149.5
250 x 15	XP	7.50	28.0	8.9	7,460	10,300	158.3
355 x 50 - 15 (28 x 12.5 - 15)	XP	9.75	28.0	11.2	9,250	12,760	194.5
825 x 15	XP	6.50	31.8	8.2	7,875	10,870	198.7
300 x 15	XP	8.00	32.0	10.0	9,554	13,190	240.8
355 x 65 - 15 (32 x 12.1 - 15)	XP	9.75	32.0	11.2	11,405	15,745	264.8
1000 x 20	XP	7.50	39.7	9.2	10,614	14,658	347.2
1000 x 20	XP	8.00	39.7	9.2	12,320	17,015	352.6
1200 x 20	XP	8.00	42.9	10.0	13,475	18,600	457.3
1200 x 20	SM	8.00			13,475	18,600	
1200 x 20	XP	8.50	42.9	10.2	14,310	19,700	421.5
1200 x 20	XP	10.00	42.9	12.3	16,840	23,255	540.0
1200 x 24	XP	8.50	46.8	12.5	20,500	20,700	573.2
1200 x 24	HT	8.50	46.8	12.2	20,500	20,700	573.2
1200 x 24	XP	10.00	46.8	11.6	20,500	20,700	578.0
1400 x 24	HT	10.00	52.0	12.9	20,365	26,130	846.5
1400 x 24	XP	10.00	52.0	12.8	20,365	26,130	857.7
1600 x 25	XP	11.25	56.8	16.1	24,750	34,180	1,292.1

PROFILE

ELITE XP



ADDITIONAL COMPOUNDS

NON-MARKING

High performance non-marking compound for use in applications where floor care is essential.

SPECIAL COMPOUNDS

Our compounding expertise allows us to offer a wide range of compounds. Please contact us for more details.

Designed to Perform Built to Last



ELITE XP RESILIENT




Total Value of Ownership

We believe the forklift is one of the most important vehicles on earth. We believe that every part fitted to a forklift should enhance performance and safety.

We believe in going further: creating, adding and delivering value and acceleration through products that are better designed and built to perform; and through behaviors

and business practices, which add tangible value to customer operations.

Combined, we call this TVO – Total Value of Ownership; choosing Trelleborg products and Trelleborg as a business partner ensures you receive maximum return for your investment.



CORE PROCESSES
 Research & Development
 Logistics
 Production

CORE BEHAVIORS
 Excellence
 Innovation
 Customer Focus

PRODUCT DESIGN
 Value
 Productivity
 Safety


TRELLEBORG ELITE XP

Trelleborg Elite XP is engineered to meet the key requirements of today's materials handling equipment.

The Elite XP resilient tires feature the Pit Stop Line wear indicator. The Pit Stop Line ensures that users get maximum whole-life value from their choice of tire by always replacing them at the right time and being able to keep forklift downtime to a minimum, as well as always knowing that their tires are safe to use.

The Elite XP's square footprint provides excellent stability and greater contact area, which reduces uneven wear and results in a longer tire life.

INDUSTRY-LEADING PERFORMANCE



ALL-SURFACE GRIP
 For longer life, lower cost of ownership

STABILITY
 For better precision and handling

DRIVER COMFORT
 For fewer injuries, better driver performance

THE PIT STOP ADVANTAGE



Choosing Pit Stop Line tires ensures that customers always get maximum value by replacing tires at the right time. As the tire tread wears down, a highly visible orange stripe appears on the tire surface indicating approximately 100 hours of tire life remaining. This allows ample time to schedule replacement at your convenience without compromising performance, safety or productivity.



BENEFITS OF PIT STOP LINE TIRES:

- Reduce Spending
- Increase Productivity
- Increase Safety
- Reduce Impact
- Better Planning