

D'TTACH HITCH FIT LIST

MFG	SIZE	MODEL	PART NUMBER	NOTES
ZRATOR		ALL	*DTH-ZRA	IF YOU CURRENTLY HAVE A ZRATOR MOUNT INSTALLED ONTO YOUR MOWER DTH-ZRA IS A ZRATOR ADAPTER HITCH USED TO CONVERT HD ZRATOR MOUNT INTO A SINGLE HITCH RECEIVER FOR SINGLE HITCH D'TTACH ATTACHMENTS AND NO ADDITIONAL HITCH MOUNT IS REQUIRED.
BRADLEY	36"	Stand On Compact	DTHSM-UNI	TELESCOPIC CROSS BAR SPAN 20-26 INCHES BETWEEN CASTOR WHEELS
Bradley	48"	Stand On Compact	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Bradley	52"	Stand On Compact	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
BOBCAT	36"	Quick Cat (Stand On)	*DTHBOB-36QC	EXACT FIT
Bobcat	48"	Quick Cat (Stand On)	DTHALL	MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS
Bobcat	52"	Quick Cat (Stand On)	DTHALL	MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS
Bobcat	61"	Quick Cat (Stand On)	DTHALL	MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS
Bobcat	61"	Predator Pro	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Bobcat	72"	Predator Pro	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Bobcat	61"	Pro Cat 6000MX	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Bobcat	52"	Pro Cat 6000	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Bobcat	61"	Pro Cat 6000	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Bobcat	48"	Pro Cat 5000	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Bobcat	52"	Pro Cat 5000	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Bobcat	61"	Pro Cat 5000	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Bobcat	36"	Fast Cat Pro SE	N/A (Not confirmed)	
Bobcat	42"	Fast Cat Pro SE	N/A (Not confirmed)	
Bobcat	48"	XRZ Pro RS	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Bobcat	52"	XRZ Pro & XRZ	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Bobcat	61"	XRZ Pro & XRZ	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Bobcat	42"	CRZ	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Bobcat	48"	CRZ	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Bobcat	52"	CRZ	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Bobcat	61"	CRZ	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
BAD BOY	61"	Renegade & Diesel Renegade	EQUIPPED	
Bad Boy	72"	Renegade & Diesel Renegade	EQUIPPED	
Bad Boy	54"-72"	Rogue	EQUIPPED	
Bad Boy	54"-72"	Rebel	EQUIPPED	

Bad Boy	36"-54"	Revolt (Stand On)	NOT AVAILABLE	
BIG DOG	52"	Diablo	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Big Dog	60"	Diablo	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Big Dog	72"	Diablo	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Big Dog	36"	Trooper (Stand On)	DTHSM-UNI	TELESCOPIC CROSS BAR SPAN 20-26 INCHES BETWEEN CASTOR WHEELS
Big Dog	48"	Trooper (Stand On)	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Big Dog	52"	Trooper (Stand On)	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Big Dog	60"	Trooper (Stand On)	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
BILLY GOAT	N/A	X3000 Stand On Blower	DTHXB	EXACT FIT
Billy Goat	N/A	Z3000 Stand On Blower	DTHZB	EXACT FIT
CUB CADET	48"	Pro Z 548 (500 Series)	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Cub Cadet	54"	Pro Z 554 (500 Series)	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Cub Cadet	60"	Pro Z 560 (500 Series)	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Cub Cadet	60"	Pro Z 760 (700 Series)	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Cub Cadet	72"	Pro Z 772 (700 Series)	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Cub Cadet	60"	Pro Z 960 (900 Series)	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Cub Cadet	72"	Pro Z 972 (900 Series)	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Cub Cadet	48"	Pro X 648 (Stand On)	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Cub Cadet	54"	Pro X 654 (Stand On)	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Cub Cadet	60"	Pro X 660 (Stand On)	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Cub Cadet	36"	Pro HW 336	DTHSM-UNI	TELESCOPIC CROSS BAR SPAN 20-26 INCHES BETWEEN CASTOR WHEELS
Cub Cadet	48"	Pro HW 348	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Cub Cadet	54"	Pro HW 354	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
ENCORE	32"	Rage (Stand On)	DTHSM-UNI	TELESCOPIC CROSS BAR SPAN 20-26 INCHES BETWEEN CASTOR WHEELS
Encore	36"	Rage (Stand On)	DTHSM-UNI	TELESCOPIC CROSS BAR SPAN 20-26 INCHES BETWEEN CASTOR WHEELS
Encore	48"	Rage (Stand On)	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Encore	52"	Rage (Stand On)	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Encore	60"	Rage (Stand On)	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
EXMARK	ALL	Navigator	DTHWALL	EXACT FIT
Exmark	36"	Vantage	DTHSM-UNI	TELESCOPIC CROSS BAR SPAN 20-26 INCHES BETWEEN CASTOR WHEELS
Exmark	48"	Vantage	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Exmark	52"	Vantage	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Exmark	60"	Vantage	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Exmark	32"	Staris E Series	NOT CONFIRMED	PLEASE CALL WITH MEASUREMENT BETWEEN CASTOR WHEELS

Exmark	36"	Staris E Series	NOT CONFIRMED	TELESCOPIC CROSS BAR SPAN 17-22 INCHES BETWEEN CASTOR WHEELS
Exmark	44"	Staris E Series	DTHXSM-UNI	TELESCOPIC CROSS BAR SPAN 17-22 INCHES BETWEEN CASTOR WHEELS
Exmark	44"	Radius E Series	NOT CONFIRMED	PLEASE CALL WITH MEASUREMENT BETWEEN CASTOR WHEELS
Exmark	48"	Radius E Series	DTHMD-4852EXR	48-52" EXMARK RADIUS INCLUDES TELESCOPIC CROSS BAR SPAN 26-36 & BRACKETS
Exmark	52"	Radius E Series	DTHMD-4852EXR	48-52" EXMARK RADIUS INCLUDES TELESCOPIC CROSS BAR SPAN 26-36 & BRACKETS
Exmark	60"	Radius E Series	NOT CONFIRMED	PLEASE CALL WITH MEASUREMENT BETWEEN CASTOR WHEELS
Exmark	ALL	Lazer	CALL	NEED MEASUREMENTS AND PICTURES TO PROCEED W/ PROPER FITMENT
FERRIS	61"	IS3200 (Except Midnight)	DTHFER-1	EXACT FIT
Ferris	72"	IS3200 (Except Midnight)	DTHFER-1	EXACT FIT
Ferris	61"	IS2600	DTHFER-5	EXACT FIT
Ferris	52"	IS2100	DTHFER-5	EXACT FIT
Ferris	61"	IS2100	DTHFER-5	EXACT FIT
Ferris	52"	ISX800	DTHFER-1	EXACT FIT - REQUIRES ADDITIONAL HOLE/HOLES DRILLED FOR PROPER USE WITH ATTCHMT
Ferris	61"	ISX800	DTHFER-1	EXACT FIT - REQUIRES ADDITIONAL HOLE/HOLES DRILLED FOR PROPER USE WITH ATTCHMT
Ferris	52"	IS700	DTHFER-3	EXACT FIT - REQUIRES ADDITIONAL HOLE/HOLES DRILLED FOR PROPER USE WITH ATTCHMT
Ferris	61"	IS700	DTHFER-3	EXACT FIT - REQUIRES ADDITIONAL HOLE/HOLES DRILLED FOR PROPER USE WITH ATTCHMT
Ferris	44"	IS600	DTHFER-3	EXACT FIT - REQUIRES ADDITIONAL HOLE/HOLES DRILLED FOR PROPER USE WITH ATTCHMT
Ferris	48"	IS600	DTHFER-3	EXACT FIT - REQUIRES ADDITIONAL HOLE/HOLES DRILLED FOR PROPER USE WITH ATTCHMT
Ferris	61"	IS600	DTHFER-3	EXACT FIT - REQUIRES ADDITIONAL HOLE/HOLES DRILLED FOR PROPER USE WITH ATTCHMT
Ferris	61"	F320	DTHFER-1	EXACT FIT - REQUIRES ADDITIONAL HOLE/HOLES DRILLED FOR PROPER USE WITH ATTCHMT
Ferris	72"	F320	DTHFER-1	EXACT FIT - REQUIRES ADDITIONAL HOLE/HOLES DRILLED FOR PROPER USE WITH ATTCHMT
Ferris	61"	F210	DTHFER-3	EXACT FIT - REQUIRES ADDITIONAL HOLE/HOLES DRILLED FOR PROPER USE WITH ATTCHMT
Ferris	48"	F160	DTHFER-3	EXACT FIT - REQUIRES ADDITIONAL HOLE/HOLES DRILLED FOR PROPER USE WITH ATTCHMT
Ferris	52"	F160	DTHFER-3	EXACT FIT - REQUIRES ADDITIONAL HOLE/HOLES DRILLED FOR PROPER USE WITH ATTCHMT
Ferris	36"	F60	DTHFER-3	EXACT FIT - REQUIRES ADDITIONAL HOLE/HOLES DRILLED FOR PROPER USE WITH ATTCHMT
Ferris	36"	SRS Z1	COMING SOON	
Ferris	48"	SRS Z1	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Ferris	48"	SRS Z2	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Ferris	52"	SRS Z2	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Ferris	61"	SRS Z2	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Ferris	52"	SRS Z3	DTHFER-4	EXACT FIT
Ferris	61"	SRS Z3	DTHFER-4	EXACT FIT
Ferris	72"	SRS Z3	DTHFER-4	EXACT FIT
Ferris	61"	F800X	DTHALL	MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS

Ferris	72"	F800X	DTHALL	MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS
Ferris	61"	Pro Cut S	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Ferris	48"	FW35	DTHALL	MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS
Ferris	52"	FW35	DTHALL	MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS
Ferris	61"	FW35	DTHALL	MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS
Ferris	36"	FW25	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Ferris	48"	FW25	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Ferris	N/A	FB2000 (Stand On Blower)	DTHXB	EXACT FIT
Ferris	N/A	FB3000 (Stand On Blower)	DTHZB	EXACT FIT
Ferris	ALL	ISX3300, 2200	DTHFER-6 (Coming Soon)	EXACT FIT - REQUIRES ADDITIONAL HOLE/HOLES DRILLED FOR PROPER USE WITH ATTCHMT
GRAVELY	32"	Pro Stance	COMING SOON	
Gravely	36"	Pro Stance	COMING SOON	
Gravely	48"	Pro Stance	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Gravely	52"	Pro Stance	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Gravely	60"	Pro Stance	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Gravely	52"	Pro Turn 400	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Gravely	60"	Pro Turn 400	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Gravely	72"	Pro Turn 400	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Gravely	52"	Pro Turn 200	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Gravely	60"	Pro Turn 200	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Gravely	72"	Pro Turn 200	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Gravely	60"	Pro Turn Mach 1	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Gravely	48"	Pro Turn Z & ZX	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Gravely	52"	Pro Turn Z & ZX	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Gravely	60"	Pro Turn Z & ZX	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Gravely	44"	ZT HD	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Gravely	48"	ZT HD	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Gravely	52"	ZT HD	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Gravely	60"	ZT HD	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
HURRICANE	N/A	X3 Stand On Blower	DTHXB	EXACT FIT
Hurricane	N/A	Z3 Stand On Blower	DTHZB	EXACT FIT
HUSQVARNA	48"	Z548	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Husqvarna	54"	Z554	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS

Husqvarna	60"	Z560	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Husqvarna	72"	Z572	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Husqvarna	54"	V554 (Stand On)	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Husqvarna	48"	V548 (Stand On)	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
HUSTLER	54"	Super Z & Super Z Hyper Drive	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Hustler	60"	Super Z & Super Z Hyper Drive	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Hustler	66"	Super Z & Super Z Hyper Drive	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Hustler	72"	Super Z & Super Z Hyper Drive	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Hustler	36"	Trimstar	DTHSM-UNI	TELESCOPIC CROSS BAR SPAN 20-26 INCHES BETWEEN CASTOR WHEELS
Hustler	48"	Trimstar	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Hustler	54"	Trimstar	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Hustler	60"	Trimstar	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Hustler	60"	Z Diesel	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Hustler	72"	Z Diesel	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Hustler	36"	Super S (Stand On)	DTHALL	MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS
Hustler	48"	Super S (Stand On)	DTHALL	MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS
Hustler	52"	Super S (Stand On)	DTHALL	MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS
Hustler	60"	Super S (Stand On)	DTHALL	MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS
JOHN DEERE	36"	Quick Trak 636M (Stand On)	*DTHJD-636	EXACT FIT FOR JD 636 MOWER (16.5" NON TELESCOPIC CROSS BAR)
John Deere	48"	Quick Trak 648M (Stand On)	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
John Deere	52"	Quick Trak 652M (Stand On)	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
John Deere	52"	652E (Stand On Fix Deck)	DTHWRI-4861FD	48-61" FIXED DECK MOWERS INCLUDES TELESCOPIC CROSS BAR SPAN 31-44"& BRACKETS
John Deere	48-72"	Ztrak 900 Series w/o weight kit	DTHJD-Z900	EXACT FIT FOR MOWER WITHOUT WEIGHT KIT
John Deere	48-72"	Ztrak 900 Series with weight kit	DTHJD-Z900WK	EXACT FIT FOR MOWER WITH WEIGHT KIT
KUBOTA	48"	Z400 Series	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Kubota	54"	Z400 Series	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Kubota	60"	Z400 Series	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Kubota	48"	Z700 Series	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Kubota	54"	Z700 Series	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Kubota	60"	Z700 Series	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
REDMAX	54"	CZT Series	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Redmax	60"	CZT Series	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Redmax	72"	CZT Series	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
SCAG	52"	Turf Tiger II	DTHLG-UNI+2	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS

Scag	61"	Turf Tiger II	DTHLG-UNI+2	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Scag	72"	Turf Tiger II	DTHLG-UNI+2	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Scag	48"	Cheetah	DTHLG-UNI+2	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Scag	52"	Cheetah	DTHLG-UNI+2	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Scag	61"	Cheetah	DTHLG-UNI+2	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Scag	72"	Cheetah	DTHLG-UNI+2	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Scag	48"	Tiger Cat II	DTHMD-UNI+1	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Scag	52"	Tiger Cat II	DTHMD-UNI+1	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Scag	61"	Tiger Cat II	DTHLG-UNI+1	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Scag	36"	V-Ride I	DTHSM-VR1	TELESCOPIC CROSS BAR SPAN 20-26 INCHES BETWEEN CASTOR WHEELS
Scag	48"	V-Ride I	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Scag	52"	V-Ride I	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Scag	61"	V-Ride I	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Scag	ALL	V-Ride II	DTHV2	EXACT FIT - REQUIRES 2 HOLES DRILLED FOR PROPER USE WITH ATTCHMT
Scag	36"	SWZT	DTHSM-UNI	TELESCOPIC CROSS BAR SPAN 20-26 INCHES BETWEEN CASTOR WHEELS
Scag	48"	SWZT	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Scag	52"	SWZT	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Scag	61"	SWZT	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
SPARTAN	48"	RZ Series	DTHMD-U2X2	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Spartan	54"	RZ Series	DTHLG-U2X2	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Spartan	61"	RZ Series	DTHLG-U2X2	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Spartan	54"	RT Series	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Spartan	61"	RT Series	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Spartan	54"	SRT Series	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Spartan	61"	SRT Series	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
TORO	36"	Grandstand (Stand On)	DTHSM-UNI	TELESCOPIC CROSS BAR SPAN 20-26 INCHES BETWEEN CASTOR WHEELS
Toro	40"	Grandstand (Stand On)	DTHSM-U2X2	TELESCOPIC CROSS BAR SPAN 20-26 INCHES BETWEEN CASTOR WHEELS
Toro	48"	Grandstand (Stand On)	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Toro	52"	Grandstand (Stand On)	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Toro	ALL	Z Master	CALL	NEED MEASUREMENTS AND PICTURES TO PROCEED W/ PROPER FITMENT
Toro	ALL	8000 Series	DTHWALL	EXACT FIT
Toro		Multi Force	DTHMF	EXACT FIT
WALKER	ALL	Model S	DTHWALL	EXACT FIT
Walker	ALL	Model C	DTHWALL	EXACT FIT

Walker	ALL	Model T	DTHWALL	EXACT FIT
Walker	ALL	Model D	DTHWALL	EXACT FIT
WRIGHT	ALL	Rapid Height (Stand On)	DTHALL	MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS
Wright	ALL	Stander I "Intensity" (Stand On)	DTHALL	MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS
Wright	ALL-1st GEN	Stander X - 1st GEN (Stand On)	DTHALL	FIRST GENERATION STANDER X WITH 1.5"X2" CROSS BAR
Wright	ALL-2nd GEN	Stander X - 2nd GEN (Stand On)	*DTHWRI-XZK	SECOND GENERATION STANDER X WITH 1.5"X2.5" CROSS BAR - EXACT FIT
Wright	ALL	Stander ZK (Stand On)	*DTHWRI-XZK	EXACT FIT
Wright	36"	Stander Fixed Deck (Stand On)	*DTHWRI-3642FD	36-42" FIXED DECK MOWERS INCLUDES TELESCOPIC CROSS BAR SPAN 20-26"& BRACKETS
Wright	42"	Stander Fixed Deck (Stand On)	*DTHWRI-3642FD	36-42" FIXED DECK MOWERS INCLUDES TELESCOPIC CROSS BAR SPAN 20-26"& BRACKETS
Wright	48"	Stander Fixed Deck (Stand On)	*DTHWRI-4861FD	48-61" FIXED DECK MOWERS INCLUDES TELESCOPIC CROSS BAR SPAN 31-44"& BRACKETS
Wright	52"	Stander Fixed Deck (Stand On)	*DTHWRI-4861FD	48-61" FIXED DECK MOWERS INCLUDES TELESCOPIC CROSS BAR SPAN 31-44"& BRACKETS
Wright	61"	Stander Fixed Deck (Stand On)	*DTHWRI-4861FD	48-61" FIXED DECK MOWERS INCLUDES TELESCOPIC CROSS BAR SPAN 31-44"& BRACKETS
Wright	48"	Stander B (Stand On)	DTHALL	MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS
Wright	52"	Stander B (Stand On)	DTHALL	MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS
Wright	36"	Sport I	DTHALL	MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS
Wright	48"	Sport X	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Wright	52"	Sport X	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Wright	61"	Sport X	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Wright	ALL	Sport RH	DTHALL	MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS
Wright	ALL	Sentar	DTHALL	MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS
Wright	ALL	Sentar Sport	DTHALL	MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS
Wright	48"	ZTO	DTHMD-UNI	TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS
Wright	52"	ZTO	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Wright	61"	ZTO	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Wright	52"	MMZ	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS
Wright	61"	MMZ	DTHLG-UNI	TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS

ZRATOR ALL ALL *DTH-ZRA IF YOU CURRENTLY HAVE A ZRATOR MOUNT INSTALLED ONTO YOUR MOWER DTH-ZRA IS A ZRATOR ADAPTER HITCH USED TO CONVERT HD ZRATOR MOUNT INTO A SINGLE HITCH RECEIVER FOR SINGLE HITCH D'TTACH ATTACHMENTS AND NO ADDITIONAL HITCH MOUNT IS REQUIRED

**NEW PRODUCT*

REVISED 12/15/20