Product	BT-4410
Revision Date	5/15/2015
Revision	I.

#### 00000 R 0 $\Xi A$ ø ø 2.

# Safety Data Sheet

Product Name	BT-4410
Identifier Uses	Boiler Treatment
Supplier	Clear Water Technologies, LLC
	13560 Colombard Court
	Fontana, California 92337
	Tel: 844.429.8324
Contact Person	info@clearwatertech.com
Emergency Telephone	24-HOUR EMERGENCY TELEPHONE: INFOTRAC: 1-800-535-5053 INTERNATIONAL#
	352-323-3500

### SECTION 2: HAZARDS IDENTIFICATION

Appearance Color Odor	Liquid. Clear, dark amber liquid. Sulfite Odor.
Pictogram(s)	
Signal Word	Danger
Hazard Statements	H302 Harmful if swallowed. H315 Causes skin irritation. H318 Causes serious eye damage.
Precautionary Statements	P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/ protective clothing/eye protection/face protection. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/physician
Contains	sodium hydroxide sodium metabisulphite
GHS Classification	
Physical and Chemical Hazards	Not classified
Human Health	Acute Tox 4 - H302, Skin Irrit.2 - H315, Eye Dam. I - H318
Environment	Not classified
OSHA Regulatory Status	This product is Hazardous under the OSHA Hazard communication Standard.
Inhalation	No specific symptoms noted, inhalation is not believed to be a likely route of exposure.
Ingestion	Harmful if swallowed.
Skincontact	Irritation or pain may occur at the site of contact.
Eye contact	Extreme irritation of eyes and mucous membranes, including burning and tearing. Causes
	serious eye damage.
Routes of Exposure	Unknown

### SECTION 3: Composition/Information on Ingredients

Composition Comments	Confidential business information has been removed without affecting the overall safety
	information on the safety data sheet.

#### **SECTION 4: FIRST AID MEASURES**

Description of first aid measures	
General Information	General first aid, rest, warmth and fresh air.
Inhalation	Remove victim immediately from source of exposure. Keep the affected person warm and at rest. Get prompt medical attention.
Ingestion	NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Get medical attention immediately!
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention promptly if symptoms occur after washing.
Eye contact	Do not rub eye. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention immediately. Continue to rinse.
Most important symptoms and effects,	both acute and delayed
General Information	
Inhalation	No specific symptoms noted, inhalation is not believed to be a likely route of exposure.
Ingestion	Harmful ifswallowed.
Skincontact	Irritation or pain may occur at the site of contact.
Eye contact	Extreme irritation of eyes and mucous membranes, including burning and tearing. Causes serious eye damage.
Routes of Exposure	Unknown

 Most important symptoms and effects, both acute and delayed

 Notes To The Physician
 Treat Symptomatically.

## SECTION 5: Firefighting Measures

Auto Ignition Temperature (°C)	No Information available.
FlammabilityLimit-Lower (%)	No Information available.
Flammability Limit - Upper (%)	No Information available.
Flashpoint	No Information available.
Extinguishing Media	Use fire-extinguishing media appropriate for surrounding materials. Water, foam, dry chemical or carbon dioxide.
Hazardous combustion products	Oxides of Sulphur Dioxide.
Unusual Fire & Explosion Hazards	Irritating vapors may be emitted during a fire.
Special Fire Fighting Procedures	Use water to cool containers exposed to a fire.
Protective equipment for fire-	Wear full protective clothing and self-contained breathing apparatus, suitable gloves and
fighters	boots.

#### SECTION 6: Accidental Release Measures

Personal Precautions	For personal protection, see section 8. In case of inadequate ventilation, use respiratory protection. Do not smoke, use open fire or other sources of ignition. In case of spills, beware of slippery floors and surfaces.
Environmental Precautions Spill Clean Up Methods	Keep out of drains, municipal sewers, open bodies of water and water course. Restrict non-essential personnel from the area. Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer. Place into chemical waste container for disposal according to local, state or federal regulations. Neutralize residue with lime or soda ash and flush spill area. DO NOT TOUCH SPILLED MATERIAL! Wash thoroughly after dealing with a spillage.

## SECTION 7: Handling and Storage

Handling	Use proper personal protection when handling. Provide good ventilation. Avoid contact with skin and eyes and clothing. Do not use contact lenses. Avoid inhalation of vapor and mists. Avoid prolonged or repeated contact. Do NOT ingest. Wash thoroughly after handling. Rinse container before disposal.
Usage Description	Store in a cool, dry, and well-ventilated place away from incompatible materials. Vent containers frequently, and more often in warm weather to relieve pressure. Keep container tightly closed when not in use. Do not get in eyes, on skin, or on clothing.
Storage Precautions	Store closed containers in a cool, dry, well-ventilated area away from incompatible materials. This product is stable under normal conditions of handling and storage. Avoid cold temperatures. Avoid cold temperatures.
Specific End Use(s)	The identified uses are in section 1 of this Safety Data Sheet.

### SECTION 8: Exposure Controls/Personal Protection



Component	STD	TWA (	8 Hrs.)	STEL (1	5mins)	Notes
sodium hydroxide	OSHA		2mg/m3			
cobalt	OSHA		0.1mg/m3			
Ingredient Comments	OSHA					
Process Conditions	Pr	ovide eyewash, quicl	k drench.			
Engineering Measures	Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.					
Respiratory Equipment	Use of respirator protection is not generally required. However, if exposure is above the stated limits or ventilation is inadequate, use a NIOSH approved acid gas/organic vapor respirator to reduce potential for inhalation exposure. When using respirator cartridges, they must be changed frequently to assure breakthrough exposure does not occur.					
Hand Protection	When handling this product, it is recommended to wear chemical resistant gloves. The choice of suitable protective gloves depends on work conditions and what chemicals are handled, but we have positive experience with gloves made of Rubber.					
Eye Protection	Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).					
Hygiene Measures	DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.					

### SECTION 9: Physical and Chemical Properties

#### Information on Basic Physical and Chemical Properties

Appearance Color Odor	Liquid. Clear, dark amber liquid. Sulfite Odor.
Odor Threshold - Lower	No Information available.
Odor Threshold - Upper	No Information available.
pH-Value, Conc. Solution	4.8
Melting point	32.0 °F
Initial boiling point and boiling	212.0 °F

#### range

Flashpoint	No Information available.
Evaporation rate	No Information available.
Flammability State	No Information available.
Flammability Limit - Lower (%)	No Information available.
Flammability Limit - Upper (%)	No Information available.
Vapor pressure	Not determined.
Vapor Density (air=1)	Not determined.
Relative density	1.34 @ 68.0 °F
Bulk Density	No Information available.
Solubility	Completely soluble in water.
Decomposition temperature	No Information available.
Partition coefficient; n-octanol/wa	ter No Information available.
Auto Ignition Temperature (°C)	No Information available.
Viscosity	No Information available.
Explosive Properties	No information available.
Oxidizing properties	No Information available.
Molecular Weight	No Information available.
Volatile Organic Compound	No Information available.

SEC	ECTION 10: Stability and Reactivity					
	Reactivity	Reactions may occur with strong oxidizing materials and strong acids.				
	Stability	This product is stable at ambient temperatures and atmospheric pressures.				
	Hazardous Polymerization	Hazardous polymerization is not expected to occur under normal temperatures and pressures.				
	Hazardous Decomposition Products	Hazardous decomposition will result in the release of oxides of sulfur.				
	Conditions to Avoid	Avoid exposing to heat and contact with strong oxidizing substances.				
	Materials to Avoid	Do not mix with other chemicals unless listed on directions. Keep away from strong oxidizing materials and strong acids.				

## SECTION 11: Toxicological Information

Toxicological Information	No toxicological information for the overall finished product.
Acute Toxicity (Oral LD50)	>2305.00mg/kg Rat
Acute Toxicity (Dermal LD50)	>2695.00mg/kg Rabbit
Acute Toxicity (Inhalation LC50)	No Information available.
Skin Corrosion/Irritation	No Information available.
Respiratory Sensitization	No Information available.
Skin Sensitization	No Information available.
Reproductive Toxicity:	No Information available.

Germ Cell Mutagenicity: Genotoxicity - In Vitro Genotoxicity - In Vivo

Carcinogenicity:	
Carcinogenicity	No Information available.
NTP - Carcinogenicity	The product and its components are not listed.
OSHA - Carcinogenicity	The product and its components are not listed.
IARC Carcinogenicity	cobalt: 2B IARC Group 2B possibly carcinogenic to humans.

Specific Target Organ Toxicity - Single Exposure:STOT - Single ExposureNo Information available.Specific Target Organ Toxicity - Repeated Exposure:STOT - Repeated ExposureSTOT - Repeated ExposureNo Information available.

Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
sodium hydroxide		I 350mg/kg Rabbit	
cobalt	6170mg/kg Rat		

## SECTION 12: Ecological Information

Eco toxicity	No Information available.
Acute Toxicity - Fish Acute Toxicity - Aquatic Invertebrates	No Information available. No Information available.
Acute Toxicity - Aquatic Plants	No Information available.
Degradability	No information available.
Bioaccumulative Potential	No Information available.
Mobility	No Information available.
Results of PBT and vPvB Assessment	The product does not contain any PBT or vPvB Substances.
Other Adverse Effects	None known.

Name	Acute Toxicity (Fish)	Acute Toxicity (Aquatic Invertebrates)	Acute Toxicity (Aquatic Plants)
sodium hydroxide		EC50 100.00ppm Daphnia magna	


Waste Management	When handling waste, consideration should be made to the safety precautions applying to handling of the product.
Disposal Methods	Do NOT dump into any sewers, on the ground or into any body of water. Rinse containers before disposal. Since emptied containers contain product residue, follow label warnings even after container is emptied. Dispose in accordance with all applicable federal, state an local laws and regulations.

SECTION 14: Transport Information		
UN No. (DOT/TDG)	Not applicable.	
UN No. (IMDG)	Not applicable.	
UN No. (ICAO) DOT Proper Shipping Name TDG Proper Shipping Name	Not applicable. Not applicable. Not applicable.	

	Revision
DOT Hazard Class	Not applicable.
DOT Hazard Label	Not applicable.
TDG Class	Not applicable.
TDG Label(s)	Not applicable.
IMDG Class ICAO Class	Not applicable.
Transport Labels	Not applicable.
DOT Pack Group	Not applicable.
IMDG Pack Group	Not applicable.
Air Pack Group	Not applicable.
EMS	Not applicable.
Environmentally Hazardous	No
Substance/Marine Pollutant	
SECTION 15: Pogulatory Informat	ion
SECTION 15: Regulatory Informat	
US Federal Regulations	
SARA Section 302 Extremely Hazard The Following ingredients are listed	lous Substances Tier II Threshold Planning Quantities
CERCLA/Superfund, Hazardous Subs	tances/Reportable Quantities (EPA)
The Following ingredients are listed	sodium hydroxide
	cobalt
SARA Extremely Hazardous Substand	ces EPCRA Reportable Quantities
The Following ingredients are listed	
SARA 313 Emission Reporting	
The Following ingredients are listed	cobalt
The Following ingredients are instea	cobart
CAA Accidental Release Prevention	
The Following ingredients are listed	cobalt
The Following ingredients are instead	Cobart
OSHA Highly Hazardous Chemicals	
The Following ingredients are listed	cobalt
	cobat
US State Regulations	
California Proposition 65 Carcinoger	ns and Reproductive Toxins
The Following ingredients are listed	cobalt
0.0	
California Air Toxics "Hot Spots" (A-	·I)
The Following ingredients are listed	, sodium hydroxide
California Air Toxics "Hot Spots" (A-	·li)
The Following ingredients are listed	
0.0	
Massachusetts "Right To Know" List	
The Following ingredients are listed	sodium hydroxide
	sodium metabisulphite
	cobalt
Rhode Island "Right To Know" List	
The Following ingredients are listed	sodium hydroxide
0.0	cobalt
Minnesota "Right To Know" List	
The Following ingredients are listed	sodium hydroxide
6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	sodium metabisulphite
	-
	cobalt
Now Jorson "Dight To Know" List	
New Jersey "Right To Know" List	andium hudrovida
The Following ingredients are listed	sodium hydroxide
	sodium metabisulphite
	cobalt
Pennsylvania "Right To Know" List	
The Following ingredients are listed	sodium hydroxide
	sodium metabisulphite
	cobalt

#### SECTION 16: Other Information

### NATIONAL FIRE PROTECTION ASSOCIATION (NFPA)



### HAZARDOUS MATERIAL INFORMATION SYSTEM (HMIS)

Health	1
Flammability	0
Physical Hazard	1
Personal Protection	В

Revision Comments	
Revision Date	5/15/2015
Revision	I

#### Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.