



A lot of life happens at eye level.

www.quantumrehab.com



www.ilevel.rehab

Q6 Edge®

With features like standard 4-pole motors, patented Mid-Wheel 6® Drive Design and ATX Suspension, the Q6 Edge® is engineered to meet the performance needs of the most active user. The Q6 Edge accepts a complete range of seating and electronics options to deliver exceptional rehab capability at an excellent value.



FEATURES

- User weight capacity of 300 lbs.
- Mid-Wheel 6® allows six wheels on the ground for stability
- Patented ATX Suspension (Active-Trac® with extra stability) incorporates front OMNI-Casters for enhanced performance over more varied terrain
- Compatible with TRU-Balance® and TRU-Balance® 3 Power Positioning
- Maximum speed of 6 mph with optional high-speed motor package
- Standard 8 amp, off-board charger
- Available with Accu-Trac Advanced Tracking Technology

Q6 Edge® Z

The Q6 Edge® Z utilizes powerful 4-pole motors for maximum torque and Mid-Wheel 6® design for aggressive outdoor performance and precision indoor maneuverability. The Q6 Edge® Z accepts a broad range of exclusive seating and electronics options for unmatched adaptability and rehab capability.



FEATURES

- User weight capacity of 300 lbs.
- Mid-Wheel 6® allows six wheels on the ground for stability
- Patented ATX Suspension (Active-Trac® with extra stability) incorporates front OMNI-Casters for enhanced performance over more varied terrain
- Compatible with TRU-Balance® and TRU-Balance® 3 Power Positioning
- Maximum speed of 8 mph with optional high-speed motor package
- Standard 8 amp, off-board charger
- Available with Accu-Trac Advanced Tracking Technology

Quantum® 610

The compact Quantum® 610 is the ultimate choice for users who demand the superb stability of patented Mid-Wheel 6® Design and tight-quarter maneuverability. Highly adaptable, the Quantum 610 accepts a wide range of seating and electronics options while its powerful drivetrain delivers high-performance torque.



FEATURES

- User weight capacity of 300 lbs. (250 lbs. with TRU-Balance®)
- Mid-Wheel 6® allows six wheels on the ground for stability
- Patented ATX Suspension (Active-Trac® with extra stability) incorporates front OMNI-Casters for enhanced performance over more varied terrain
- Compatible with TRU-Balance® Power Positioning
- Maximum speed of 4 mph
- Standard 5 amp, off-board charger



Josh McDermott



**10" OF LIFT
IN 16 SECONDS
WHILE DRIVING AT
3.5 MPH**

QUANTUM® iLevel® power chairs



Q6 Edge® 2.0

With features like standard 6 mph motors and advanced responsiveness, the Q6 Edge® 2.0 is engineered to meet the performance needs of the most active user. The Q6 Edge 2.0 accepts a complete range of seating and electronics options to deliver exceptional rehab capability at an excellent value, and is available with our iLevel® technology.



NEW 8" CASTERS



LED FENDER LIGHTS

A Superior Power Adjustable Seat Height Solution

FEATURES

- User weight capacity of 300 lbs.
- Standard 6 mph motors offer advanced performance, precise control and responsiveness via innovative single-stage gearbox
- iLevel® option available with up to 10" of power adjustable seat height (in 16 seconds) at walking speed (3.5 mph)
- iLevel is retrofittable on the Q6 Edge® 2.0
- 12 exciting color options
- Available with WC-19 crash-test approved occupied transit kit option on tilt & recline and iLevel
- New LED fender lights

- 10" of power adjustable seat height (in 16 seconds) while at walking speed (3.5 mph)
- Advanced functionality and stability strengthens daily independence and quality of life
- Retrofittable on the Q6 Edge® 2.0
- Only available on the Q6 Edge 2.0 with TRU-Balance® 3 Seating System
- 12 exciting color options



REAR-WHEEL DRIVE

Quantum® Rival®

The Rival® rear-wheel drive power chair features innovative design that provides exceptional outdoor performance and handling while delivering outstanding tight space maneuverability. The Rival accepts a complete range of rehab seating and electronics options.



FEATURES

- 12 exciting new color options
- Compact size for outstanding maneuvering in tight spaces
- Maximum speed up to 7.5 mph with high-speed motor package
- High-performance, high efficiency motor package
- Accepts a wide range of seating and positioning systems
- Sliding battery tray for easy access
- Two suspension packages
- Compatible with TRU-Balance® and TRU-Balance® 3 Power Positioning



BARIATRIC

Quantum® 1450

The Quantum® 1450 front-wheel drive bariatric power base features innovative design that provides exceptional outdoor performance while delivering outstanding tight space maneuverability. The 1450 accepts a complete range of rehab seating and electronics options.



FEATURES

- 600 lbs. weight capacity
- Maximum speed up to 4.5 mph
- High-performance, high-efficiency motor package
- Compatible with TRU-Balance® Power Positioning and a wide range of other seating and positioning systems

Q6 Edge® HD

With features like standard 4-pole motors, Mid-Wheel 6® Drive Design and ATX Suspension, the Q6 Edge® HD is engineered to meet the performance needs of the most active user. The Q6 Edge HD accepts a complete range of seating and electronics options to deliver exceptional rehab capability at an excellent value.

**AVAILABLE
with
400 lbs.
HD Lift**



FEATURES

- Mid-Wheel 6® allows six wheels on the ground for maximum stability
- Compatible with TRU-Balance® and TRU-Balance® 3 HD Power Positioning
- Low impact OMNI-Casters (nylon, spherical-shaped casters) on front and rear prevent wheel hang-ups
- ATX Suspension (Active-Trac® with extra stability) incorporates front OMNI-Casters and semi-independent rear caster beam for enhanced performance over more varied terrain

**UP TO
3.5 MPH
10"
OF LIFT**

Q6 Edge® 2.0

With features like standard 6 mph motors and advanced responsiveness, the Q6 Edge® 2.0 is engineered to meet the needs of the most active child. The Q6 Edge 2.0 is available with our iLevel® technology and features bold new aesthetics with 12 new color options to fit any child's personality. The Q6 Edge 2.0 is now available in size 12" x 12" and accepts a complete range of seating and electronics options to deliver exceptional rehab capability at an excellent value.



Q6 Edge®

From the classroom to the playground, the Q6 Edge® is a superb power chair for even the most active child. With features like standard 4-pole motors, Mid-Wheel 6® Drive Design and ATX Suspension, the Q6 Edge has outstanding performance indoors and out. The Q6 Edge accepts a wide range of seating and electronics options making it highly adaptable and rehab capable.



Features

- Standard 6 mph motors offer advanced performance, precise control and responsiveness via innovative single-stage gearbox
- Patented ATX Suspension (Active-Trac® with extra stability) incorporates front OMNI-Casters for enhanced performance over more varied terrain
- Bold aesthetics with 12 color options
- iLevel® option available with up to 10" of seat elevation (in 16 seconds) at walking speed (up to 3.5 mph)
- iLevel is retrofittable on the Q6 Edge® 2.0
- Standard 8 amp, off-board charger
- Maximum speed up to 6 mph with TRU-Balance® 3
- WC-19 available on tilt & recline and iLevel
- New LED fender lights option

- User weight capacity of 300 lbs.
- Mid-Wheel 6® allows six wheels on the ground for stability
- Patented ATX Suspension (Active-Trac® with extra stability) incorporates front OMNI-Casters for enhanced performance over more varied terrain
- Compatible with TRU-Balance® and TRU-Balance® 3 Power Positioning
- Maximum speed of 6 mph with optional high-speed motor package
- Standard 8 amp, off-board charger
- Available with Accu-Trac Advanced Tracking Technology

Quantum® 610

The Quantum® 610's highly compact size provides easy access to kid-sized spaces, combined with the true all around performance of patented Mid-Wheel 6® Design. Glide motors and excellent rehab capability make the Quantum 610 a powerful and complete pediatric power chair option.



Q6 Edge® Z

The Q6 Edge® Z utilizes powerful 4-pole motors for maximum torque and Mid-Wheel 6® design for aggressive outdoor performance and precision indoor maneuverability. The Q6 Edge Z accepts a broad range of exclusive seating and electronics options for unmatched adaptability and rehab capability.



Features

- Mid-Wheel 6® allows six wheels on the ground for stability
- Patented ATX Suspension (Active-Trac® with extra stability) incorporates front OMNI-Casters for enhanced performance over more varied terrain
- Compatible with TRU-Balance® Power Positioning
- Maximum speed of 4 mph
- Standard 5 amp, off-board charger

Features

- Mid-Wheel 6® allows six wheels on the ground for maximum stability
- Compatible with TRU-Balance® 3 Power Positioning Systems
- Low impact OMNI-Casters (nylon, spherical-shaped casters) on front and rear prevent wheel hang-ups
- ATX Suspension (Active-Trac® with extra stability) incorporates front OMNI-Casters and semi-independent rear caster beam for enhanced performance over more varied terrain



Power Recline

- 85° - 175° of recline
- 300 lbs. weight capacity
- Does not increase seat-to-floor height
- Standard shear reduction and cantilever armrests
- Available in 12 back shroud colors
- Available with TRU-Balance® 3 Power Tilt and TRU-Balance® 3 Power Adjustable Seat Lift



Power Tilt

- 50° of tilt
- Lower standard seat-to-floor height
- Unmatched adjustment and durability
- Maintains center of gravity shift
- Available in 12 back shroud colors



10" Power Adjustable Seat Lift with iLevel®

- iLevel® technology enables the unit to drive up to 3.5 mph while elevated at 10" of lift
- Offers 10" of power adjustable seat lift
- 300 lbs. weight capacity
- Available in 12 back shroud colors



Power Articulating Foot Platform

- Broad articulation range for enhanced adjustment
- 450 lbs. weight capacity
- Unmatched adjustment, durability and strength
- Multiple calf pads, calf panel and footplate options



Heavy Duty Power Tilt & Recline

- 450 lbs. weight capacity
- 50° of tilt
- 85° - 175° of recline
- Available in 10 back shroud colors
- TRU-Balance® 2 HD Tilt available for weight capacities up to 650 lbs.



Complimentary Cup Holder

Please Note: Some options may not be available on all power bases. Ask Quantum Customer Service for details.



Static Seating

(for Edge 2.0 only)

- Easily adjustable and versatile design that can grow with the client
- Easy customization
- 300 lb. weight capacity
- Accepts a wide variety of after-market seats and backs
- 20° of limited recline adjustment (-5 / +15) via gas strut within back cover
- Available in 12 back shroud colors



Manual Recline

(for Edge 2.0 only)

- Solid curved back pan and 2.5" raised pivot to reduce shear forces
- Attendant activated recline seat
- Width: 12" - 24"; depth: 12" - 24"
- 300 lb. weight capacity
- 175° of recline
- Can be ordered with TRU-Balance® 3 Tilt and TRU-Balance® 3 Static Seating
- Available in 12 back shroud colors

TRU-Balance® 3 Power Positioning Systems

- Make fine adjustments while client is in the chair
- Order your seat width independent of your back width at no additional charge
- Internally or externally rotate cantilever armrests for optimal positioning
- Easily retrofit power tilt, recline and power adjustable seat lift
- Easy back height and depth adjustment
- Easy center of gravity adjustment
- Available with a complimentary cup holder
- Premium accessories available
- Standard attendant control on all Tilt & Recline seating systems
- Tool kit included for quick adjustments



TRU-Comfort 2 Back and Seat Cushion

- Adjustable positioning and pressure management
- Compatible with both TRU-Balance® 3 Power Positioning Systems and the Static Seat Frame System
- Available with four-way stretch, recovery, fluid-resistant or breathable cover
- Additional 1" of viscoelastic foam for maximum comfort and pressure management



Q-Logic 2 Drive Control System

The Q-Logic 2 Drive Control System by Quantum Rehab® is the most advanced power chair electronics package available. The Q-Logic Series creates an adaptable, expandable control system that serves even the most complex needs while delivering a host of exclusive features.



Drive Screen



Seating Screen

Featuring
Bluetooth®
(standard)



FEATURES

- Bluetooth® (standard)
- More programming and customization options for a smooth ride
- Larger 2.8" LCD screen
- Built-in ambient light sensor automatically adjusts screen brightness
- Controller armor available in color matching options
- Enhanced horn volume
- Bluetooth access to computer, tablet and phone functions

Q-Logic 2 EX Enhanced Display

The optional Enhanced Display serves as a separate screen used with specialty drive controls to display system data. With the Enhanced Display's built-in environmental controls, Q-Logic 2 can operate a wide range of appliances that use infrared (IR) remote controls, such as televisions, and serves as a Bluetooth® computer mouse emulator.

Optional Modules



Q-Logic 2 EX Stand-Alone Joystick (SAJ) / EX Attendant Joystick



Q-Logic 2 EX Joystick for LED lights



Advanced Actuator Module (AAM)



Sip-N-Puff



Environmental Control Unit (ECU)

Programming Devices



Hand-held Programmer



PC Programmer

Q-Logic 2 NE Series



Q-Logic 2 NE



Q-Logic 2 NE+



The i-Drive™ is the most advanced wheelchair drive control in the world! Designed around a proprietary CPU (Central Processing Unit) and unique software, this combination of hardware and software supports four powered switches and four mechanical switches. The optional configuration software updates whenever internet connection is available.



Stealth i-Drive™

The drive control works at a frequency of 16kHz, which provides real time user interface and results in improved driving efficiency, better feedback, smoother control and a more intuitive "feel." Increased user confidence and a more effective learning curve may result from this increased responsiveness.

Our superior positioning and head control products produce a mechanical framework for the i-Drive technology that offers limitless combinations of head, trunk and cervical positioning options.

The i-Drive is our approach to provide the interfaces needed between a wheelchair user and their environment.



Stealth i-Drive™
i-Connect™

Using mechanical switches that may be hard for a client to press or reach? The i-Connect™ provides the capability to utilize fiber optic or proximity sensors for mechanical switch functions with standard mono-inputs. Add versatility and function to your switch controls and get connected today!

Non-Expandable



NE and NE+ PG VR2 (4-key) PG VR2 (6-key) PG VR2 (9-key)

Expandable



Q-Logic 2 EX Joystick Q-Logic 2 EX Joystick with Lights Q-Logic 2 EX Enhanced Display Q-Logic 2 EX Stand Alone Joystick / EX Attendant Joystick Q-Logic 2 Specialty Controls Interface Module

Multi-Switch Systems



Stealth i-Drive™ Tri-Array Stealth i-Drive™ Sip 'n' Puff Stealth i-Drive™ Fiber Optic Tray Array 3-Switch Stealth Ultra Head Array ASL 3-Switch Head Array Switch-It Head Array (3, 4 or 5 switch)


* Either the Q-Logic 2 Enhanced Display or Q-Logic Enhanced Display is still required for Sip 'n' Puff and single switch driving.

Proportional Drive Controls



Stealth i-Drive™ Mini Proportional Joystick Stealth Mushroom Joystick ASL Micro Extremity Control Switch-It Proportional Joystick ASL Rim Control Switch-It Touch Drive

Single Switch



TASH Pillow Switch TASH Trigger Switch Buddy Button Egg Switch MicroLite Switch Switch-It Uniwobble Switch

Additional Options



ASL Remote Stop Switch Switch-It Remote Stop Switch ASL Remote Attendant Control Joystick Handles

Q-Logic 2 Specialty Controls Interface Module*

The Q-Logic 2 Specialty Controls Interface Module offers an enhanced display at a lower cost and is an economical solution to provide specialty controls. On this module, specialty controls run standard through the Q-Logic 2 Drive Control System. Bluetooth® functionality also operates through Q-Logic 2. The module mounts to the TRU-Balance® 3 Power Positioning Systems accessory bar.



MADONNA LONG,
shown in her *Pretty in Pink*
Q6 Edge® 2.0 with iLevel®


Q6 Edge® 2.0, Q6 Edge® Z, Q6 Edge® HD
and Quantum® Rival®



Q6 Edge® and Quantum® 1450



Quantum® 610



Stealth Products[®]

Beyond Expectations

In-stock Stealth items available through Quantum[®]



- 1) I-DRIVE™ TRI-ARRAY
- 2) LATERAL THORACIC THIN STANDARD LINK ARTICULATING ADJUSTABLE SWING-AWAY HARDWARE
- 3) ELBOW SUPPORTS
- 4) LATERAL PELVIC FULL SURFACE CONTACT FLIP DOWN HARDWARE
- 5) SINGLE LEG FOOTBOXES
- 6) MUSHROOM JOYSTICK

- 1) COMFORT PLUS SWING-AWAY FACIAL LATERAL
- 2) COMFORT PLUS HEADREST
- 3) THE WORLD'S BEST REMOVABLE HEADREST HARDWARE
- 4) LATERAL THORACIC THIN STANDARD LINK ARTICULATING ADJUSTABLE SWING-AWAY HARDWARE
- 5) GATLIN MOUNT
- 6) LATERAL PELVIC REMOVABLE HARDWARE
- 7) SHOE HOLDERS WITH PADDED BUCKLES
- 8) SWING-AWAY DISPLAY MOUNT



12" x 12"
seat sizes now
available with
iLevel®
-SOF ONLY-



Q6 POWER CHAIR SERIES

	Q6 EDGE® 2.0 AVAILABLE WITH iLEVEL®	Q6 EDGE®		Q6 EDGE® HD		Q6
DRIVE WHEELS	14" Solid Optional: Pneumatic	14" Solid Optional: Pneumatic		14" Solid Optional: 14" Pneumatic		14"
CASTER WHEELS	Front: 6" Solid (Optional: 8" Solid) Rear: 6" Solid (Optional: 8" Solid)	Front: 6" Solid Rear: 6" Solid		Front: 6" Solid Rear: 6" Solid		Fr Re
ANTI-TIP WHEELS	N/A	N/A		N/A		N/A
MAXIMUM SPEED ⁴	Up to 6 mph	Up to 5 mph (Optional: 6 mph)		Up to 4.7 mph		Up
GROUND CLEARANCE	2.7" (at battery tray)	3" (frame center)		3" (frame center)		3"
TURNING RADIUS ⁵	20.5" (6" casters); 23.25" (8" casters)	20"		20.75"		20"
OVERALL LENGTH ⁵	35.5" (6" casters); 40.48" (8" casters)	35.5"		35.6"		35"
BASE WIDTH	24.4"	24"		26.25"		26"
Seating Sizes:	TRU-Balance® 3	TRU-Balance® 2	TRU-Balance® 3	TRU-Balance® 2 HD Tilt	TRU-Balance® 3 HD Tilt and Recline	TR
SYNERGY® / STATIC	W: 12-22" D: 12-22"	W: 10-22" D: 10-22"	W: 12-22" D: 12-22"	W: 20-28" D: 20-28"	W: 20-32" D: 20-28"	W
POWER TILT	W: 12-22" D: 12-22"	W: 14-22" D: 14-22"	W: 12-22" D: 12-22"	W: 20-28" D: 20-28"	W: 20-32" D: 20-25"	W
LIFT & TILT	W: 12-22" D: 12-22"	W: 16-20" D: 16-20"	W: 12-22" D: 12-22"	N/A	N/A	W
PEDIATRIC TILT	N/A	W: 11-14" D: 10-18"	N/A	N/A	N/A	N/A
Seat-to-Floor Heights:	TRU-Balance® 3	TRU-Balance® 2	TRU-Balance® 3	TRU-Balance® 2 HD Tilt	TRU-Balance® 3 HD Tilt and Recline	TR
SYNERGY® / STATIC ^{8,9}	16.5-18.5"	15.9-17.9"	16.5-18.5"	16.5-18.5"	17.5-19.5"	16"
POWER TILT ^{8,9}	17.5-19.5"	17.3-19.3"	18-20"	18.2-20.9" ³	18.5-20.5"	18"
LIFT & TILT ^{8,9}	17.5-19.5"	19.4-21.4"	18.5-20.5"	N/A	N/A	19"
PEDIATRIC TILT ^{8,9}	N/A	17.25-19.25"	N/A	N/A	N/A	N/A
MANUAL RECLINE ^{10,20}	Yes	Yes	Yes	Yes	Yes	Ye
BATTERY SIZE ⁶	NF-22	NF-22		Group 24		Gr
BATTERY WEIGHT ¹⁴	38 lbs.	38 lbs.		52 lbs.		52
AVAILABLE ELECTRONICS ¹²	75A Q-Logic 2 NE 75A Q-Logic 2 NE+ 100A Q-Logic 2 EX	75A Q-Logic NE 75A Q-Logic NE+ 90A Q-Logic 2 EX		75A Q-Logic NE 75A Q-Logic NE+ 100A Q-Logic 2 EX		75 75 10
BATTERY CHARGER	8A Off-board	8A Off-board		8A Off-board		8A
MOTOR PACKAGES	2-Pole 6 mph	4-Pole 5 mph ¹ or 4-Pole 6 mph		4-Pole		4-
WEIGHT CAPACITY ⁷	300 lbs.	300 lbs.		450 lbs.		30
BASE WEIGHT	138.6 lbs. (6" casters) 148 lbs. (8" casters)	138 lbs.		143.5 lbs.		14

FOOTNOTES:

- 1) Standard
- 2) Optional
- 3) With TRU-Balance® 3 HD Power Tilt
- 4) Speed varies with user weight, terrain type, battery charge, battery condition and tire pressure.
- 5) Without front riggings
- 6) Battery capacity may change when adding power

- 7) Weight capacity is dictated by the selection of seating and positioning systems.
- 8) All measurements +/- 1/8" with 18" x 18" seat, fixed towers, 300 lbs. weight capacity and solid tires (add 3/8" with pneumatic tires). Widths may increase seat-to-floor height. Contact Customer Service for details. Listed measurements are in the lowest position; does not include elevating system unless specified.
- 9) Power Recline and Power Front Rigging do not increase seat-to-floor height.

- 10) Maximum dimensions and seating system. Ca
- 11) 18.25"-20.25" with exte
- 12) All Quantum Rehab® ur
- 13) Required with high-sp
- 14) Battery weight may va
- 15) Requires HD Suspensio



	REAR-WHEEL DRIVE		MID-WHEEL DRIVE	FRONT-WHEEL DRIVE	
6 EDGE® Z	QUANTUM® 610	QUANTUM® RIVAL®		J6	QUANTUM® 1450
Run flat	10" Solid Optional: 10" Pneumatic	14" Solid Optional: 14" Pneumatic		10" Solid Optional: 10" Pneumatic	14" Solid
Front: 6" Solid Rear: 6" Solid	Front: 5" Solid Rear: 6" Solid	Front: 9" Pneumatic Rear: 9" Flat-free		Front: 5" Solid Rear: 6" Solid	9" Solid
N/A	N/A	3" solid		N/A	4" Solid
Up to 6 mph (Optional: 8 mph)	Up to 4 mph	Up to 6 mph (Optional: 7.5 mph)		Up to 4 mph	Up to 4.5 mph
2.5" (frame center)	2.5"	3.25" (from motor)		2.25" (battery trail rail)	1.5" (anti-tip wheels)
20.75"	21.25"	35.75"		21.25"	26.5"
35.6"	35.5"	36"		34.5"	38.25"
23.5"	23.25"	25"		23.25"	29.25"
TRU-Balance® 3	TRU-Balance® 2	TRU-Balance® 2	TRU-Balance® 3	TRU-Balance® 2	TRU-Balance® 2 HD Tilt
W: 10-24" D: 10-24"	W: 10-20" D: 10-20"	W: 10-22" D: 10-20"	W: 12-22" D: 12-22"	W: 10-20" D: 10-20"	W: 20-32" D: 20-28"
W: 12-24" D: 14-24"	W: 14-20" D: 14-20"	W: 14-22" D: 14-20"	W: 12-22" D: 12-22"	W: 14-20" D: 14-20"	W: 20-32" D: 20-28"
W: 12-24" D: 14-24"	W: 16-20" D: 16-20"	W: 16-22" ¹⁵ D: 16-22" ¹⁵	W: 12-22" D: 12-22"	N/A	N/A
N/A	W: 11-14" D: 10-18"	W: 11-14" D: 10-18"	N/A	N/A	N/A
TRU-Balance® 3	TRU-Balance® 2	TRU-Balance® 2	TRU-Balance® 3	TRU-Balance® 2	TRU-Balance® 2 HD Tilt
16.25-18.25" ¹¹	16.5-17.5"	16.5-18"	16.5-18.1"	16.5-17.5"	16.5-18.5"
18.125-20.125"	16.875"	16.5-18"	18-19.6"	16.875" ¹⁶	18.125-20.125" ¹⁷
19.375-21.375"	18.3"	19.3-20.8"	18.5-20.1"	N/A	N/A
N/A	16.5-18.5"	Call for dimensions.	N/A	N/A	N/A
Reclines	Yes	Yes		Yes	No
Group 24	U-1	Group 24		U-1	Group 24
24 lbs.	24.5 lbs.	51 lbs.		24.5 lbs.	52 lbs.
70A Q-Logic NE 70A Q-Logic NE+ 100A Q-Logic 2 EX ¹³	70A PG VR2 70A PG VSI 6-Key 70A Q-Logic 2 EX	75A Q-Logic NE 75A Q-Logic NE+ 90A Q-Logic 2 EX		70A PG VSI 6-Key 70A Q-Logic NE+ 70A Q-Logic 2 EX	90A VR2 6-key 100A Q-Logic 2 EX
Off-board	5A Off-board	8A Off-board		5A Off-board	8A Off-board
2-Pole 6 mph ¹ or 4-Pole 8 mph ²	2-Pole	4-Pole		2-Pole	4-Pole
300 lbs.	300 lbs. ¹⁶	300 lbs.		300 lbs. ¹⁶	600 lbs.
112 lbs.	112 lbs.	129 lbs.		104.5 lbs.	195 lbs.

of the Manual Recline vary by power base
 all for details.
 ended stem mounts.
 hits can be ordered with specialty controls
 eed motors
 y based on manufacturer.
 on

¹⁶) 250 lbs. weight capacity with TRU-Balance® Systems

The information contained herein is correct at the time of publication. We reserve the right to alter specifications without prior notice.

Litestream® XF

The Litestream® XF ultralight manual wheelchair uses a unique, innovative, rigidizing double X folding frame that delivers the versatility and performance of a rigid frame while folding to a width of only 9" for easy transport. The Litestream XF accepts a broad selection of accessories to meet a wide variety of needs and personal preferences while remaining an excellent overall value. The Litestream XF is also available in an HD configuration that weighs just 35.5 lbs. and features a cane-to-cane rigidizing bar for added stability.



Litestream® XF
with HD configuration



Litestream® XF
with Ultra-hemi configuration



Litestream® XF
with standard configuration

Litestream® XF LTD

The Litestream® XF LTD ultralight manual wheelchair uses a unique, innovative, rigidizing double X folding frame that delivers the versatility and performance of a rigid frame while folding to a width of only 9" for easy transport. The Litestream XF LTD accepts a broad selection of accessories to meet a wide variety of needs and personal preferences while remaining an excellent overall value.



Litestream® XF LTD

SPECIFICATIONS

	<i>Product Weight:</i>	<i>Weight Capacity:</i>	<i>Seat-to-Floor Heights:</i>	<i>Seat Sizes:</i>
Litestream® XF	26.5 lbs. ¹	250 lbs.	15"-19.5" (front) 14.5"-19" (rear)	Width: 14"-21" Depth: 14"-20"
Litestream® XF HD	35.5 lbs. ³	350 lbs.	15"-19.5" (front) 14.5"-19" (rear)	Width: 18"-22" Depth: 18"-20"
Litestream® XF Ultra Hemi	26.5 lbs. ¹	250 lbs.	12.5"-16.5" (front) 12.5"-19" (rear)	Width: 14"-21" Depth: 14"-20"
Litestream® XF LTD	27.5 lbs. ²	250 lbs.	12.5"-18.5" (front) 12"-17" (rear)	Width: 14"-21" Depth: 14"-20"


COLORS

LITESTREAM® XF, HD AND ULTRA HEMI

METALLIC



WATER TRANSFER PRINTING



NON-METALLIC




LITESTREAM® XF LTD

STANDARD



OPTIONAL



FOOTNOTES:

- 1) Standard configuration: 16" x 16", 19" back rest, sling upholstery, push-to-lock brakes, 24" spoke wheels, 1-3/8" pneumatic tires, 6" casters (not including leg rests).
- 2) Standard configuration: 16" x 16", 19" backrest, sling upholstery, push-to-lock brakes, 22" composite wheels, flat-free tires & 6" casters (not including leg rests/armrests).
- 3) Standard configuration: 18" x 18", 19" steel back canes, sling upholstery, push-to-lock brakes, 24" spoke wheels, solid tires, 6" casters (not including leg rests), HD cross frame and back cane rigidizing bar.



www.quantumrehab.com



www.iLevel.Rehab

The ultimate resource for everything you need to know about the new iLevel® power adjustable seat height solution.



Follow us...

Stay up to date on the latest Quantum® events and product releases through social media.

Education (888-570-1113)

Contact your Pride representative or Pride Technical Service for addition information on training available.

Sales Support (888-570-1113)

Assistance with design, ordering, pricing and quality assurance.

Custom Group (888-570-1113)

Providing innovative custom solutions and specialized product modifications – your “off the order form” solution team. Contact your Quantum representative or Pride Technical Service for assistance and additional information

Technical Support (888-570-1113)

Assistance with troubleshooting and parts order placement.

Pride Demo Program

Now available online. Contact customer service or your Pride representative for additional information

Quick Ship Programs

Contact your Pride representative or your customer service representative for additional information.

Set to Spec Service

Set to Spec Service from Quantum Rehab® is designed to assist you in delivering Q6 Power Chairs to your clients. We will pre-set, to your specifications, seat-to-floor heights, seating center of gravity, armrest heights, front riggings, thoracic and/or thigh laterals.



quantumrehab.com

Beamsville, Ontario 888-570-1113

ilevel.rehab



[/quantumrehab](https://www.facebook.com/quantumrehab)



[@quantum_rehab](https://www.instagram.com/quantum_rehab)

