



ANTI-SEIZE TECHNOLOGY
A.S.T. Industries, Inc.

J&B PART NUMBER

9125

METAL PARTS PROTECTOR™ Heavy Coat

SAFETY DATA SHEET

1. Identification

Product Name: METAL PARTS PROTECTOR Heavy Coat

Manufacturer: Anti-Seize Technology
2345 N. 17th Ave.
Franklin Park, IL 60131
Phone: 847-455-2300
Toll Free: 800 991-1106
Web: antiseize.com

Emergency Phone Number: Infotrac 24/7 Phone: 1-800-535-5053 (US & Canada)
or 352-323-3500 (International)

Product Use: Coating

Restriction on Use: None known

Date: 01/12/2015

Section 2 Hazard Identification

GHS Classification (Hazcom 2012):

Flammable Aerosol Category 1

Gases Under Pressure – Compressed Gas

Skin Irritation Category 2

Eye Irritation Category 2A

Aspiration Hazard Category 1

Specific Target Organ Toxicity – Single Exposure Category 3 (Narcotic effects)

Label Elements:



DANGER!

Hazard Phrases:

Extremely flammable aerosol.
Contains gas under pressure; may explode if heated.
Causes skin irritation
Causes serious eye irritation
May be fatal if swallowed and enters airways
May cause drowsiness or dizziness

Precautionary Phrases:

Prevention
Wash thoroughly after handling.
Wear protective gloves, eye and face protection.
Avoid breathing mist or spray.
Use only outdoors or in a well-ventilated area.
Take off contaminated clothing and wash it before reuse.
Keep away from heat, sparks, open flames or hot surfaces. No smoking.
Do not spray on an open flame or other ignition source.
Pressurized container: Do not pierce or burn, even after use.
Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F.

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical attention.
IF SWALLOWED: Immediately call a POISON CENTER or doctor.
Do NOT induce vomiting.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER or doctor if you feel unwell.

Storage

Store in a well-ventilated place.
Store locked up.
Protect from sunlight.

Disposal

Dispose of contents in accordance with local, regional and national regulations.

Other Hazards: None

Safety Data Sheet
acc. to OSHA HCS

Printing date 01/12/2015

Reviewed on 01/12/2015

Trade name: Anti-Sieze Metal Parts Protector, Aerosol

(Contd. of page 1)

Warning! Pressurized container.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS02 GHS08

- **Signal word** Danger
- **Hazard-determining components of labeling:**
Naphtha (petroleum), hydrotreated light
Stoddard solvent
- **Hazard statements**
Extremely flammable aerosol. Pressurized container: May burst if heated.
May cause genetic defects.
May cause cancer.
Causes damage to the central nervous system through prolonged or repeated exposure.
May be fatal if swallowed and enters airways.
- **Precautionary statements**
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Pressurized container: Do not pierce or burn, even after use.
If swallowed: Immediately call a poison center/doctor.
Store locked up.
Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Classification system**
- **NFPA ratings (scale 0-4)**



- **HMIS rating system (0-4)**

HEALTH	2	Health = *2
FIRE	4	Flammability = 4
REACTIVITY	3	Reactivity = 3
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

Safety Data Sheet












acc. to OSHA HCS

Printing date 01/12/2015

Reviewed on 01/12/2015

Trade name: Anti-Sieze Metal Parts Protector, Aerosol

(Contd. of page 2)

· Dangerous components:		
CAS: 74-98-6 EINECS: 200-827-9	propane liquefied  F+ R12  Flam. Gas 1, H220; Press. Gas, H280	10-25%
CAS: 75-28-5 EINECS: 200-857-2	isobutane  F+ R12  Flam. Gas 1, H220; Press. Gas, H280	10-25%
CAS: 8052-41-3 EINECS: 232-489-3	Stoddard solvent  Xn R48/20-65  Flam. Liq. 3, H226;  STOT RE 1, H372; Asp. Tox. 1, H304	10-25%
CAS: 64742-49-0 EINECS: 265-151-9	Naphtha (petroleum), hydrotreated light  T Carc. Cat. 2, Muta. Cat. 2 R45-46;  Xn R65  Flam. Liq. 2, H225;  Muta. 1B, H340; Carc. 1B, H350; Asp. Tox. 1, H304	10-25%

· **Additional information** For the wording of the listed risk phrases refer to section 16.

4 First-aid measures

- **Description of first aid measures**
- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents**



CO₂, sand, extinguishing powder. Do not use water.

- **For safety reasons unsuitable extinguishing agents**
Water.
Water with full jet.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**



Wear protective equipment. Keep unprotected persons away.

- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/12/2015

Reviewed on 01/12/2015

Trade name: Anti-Sieze Metal Parts Protector, Aerosol

(Contd. of page 3)

- **Methods and material for containment and cleaning up:**
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
- **Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
- **Information about protection against explosions and fires:**



Keep ignition sources away - Do not smoke.

- Protect against electrostatic charges.
Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:**
Store in a cool location.
Observe official regulations on storing packagings with pressurized containers.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep receptacle tightly sealed.
Do not gas tight seal receptacle.
Store in cool, dry conditions in well sealed receptacles.
Protect from heat and direct sunlight.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

74-98-6 propane liquefied (10-25%)

PEL Long-term value: 1800 mg/m³, 1000 ppm

REL Long-term value: 1800 mg/m³, 1000 ppm

TLV refer to Appendix F

75-28-5 isobutane (10-25%)

TLV Short-term value: 2370 mg/m³, 1000 ppm

(Contd. on page 5)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/12/2015

Reviewed on 01/12/2015

Trade name: Anti-Sieze Metal Parts Protector, Aerosol

(Contd. of page 4)

8052-41-3 Stoddard solvent (10-25%)

PEL	Long-term value: 2900 mg/m ³ , 500 ppm
REL	Long-term value: 350 ppm Ceiling limit value: 1800* mg/m ³ *15-min
TLV	Long-term value: 525 mg/m ³ , 100 ppm

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.

· **Breathing equipment:**



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**

- Protective gloves
- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Tightly sealed goggles.

· **Body protection:** Protective work clothing.

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· Form:	Aerosol
· Color:	Amber colored
· Odor:	Solvent-like
· Odour threshold:	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

· Melting point/Melting range:	undetermined
· Boiling point/Boiling range:	Not applicable, as aerosol

· **Flash point:** Not applicable, as aerosol

· **Flammability (solid, gaseous)** Not applicable.

· **Ignition temperature:** 300 °C (572 °F)

· **Decomposition temperature:** Not determined.

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS

Printing date 01/12/2015

Reviewed on 01/12/2015

Trade name: Anti-Sieze Metal Parts Protector, Aerosol

(Contd. of page 5)

· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Not determined.
· Explosion limits:	
Lower:	1.3 Vol %
Upper:	10.9 Vol %
· Vapor pressure at 20 °C (68 °F):	8300 hPa (6226 mm Hg)
· Density:	Not determined
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
· Solvent content:	
Organic solvents:	38.4 %
Solids content:	39.6 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
Carcinogenic
The product can cause inheritable damage.

(Contd. on page 7)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/12/2015

Reviewed on 01/12/2015

Trade name: Anti-Sieze Metal Parts Protector, Aerosol

(Contd. of page 6)

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

IARC Category 3 : Not classifiable as to its carcinogenicity to humans

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

· **Toxicity**

- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 2 (Self-assessment): hazardous for water.



Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation**



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· **UN-Number**

· **DOT, ADR, IMDG, IATA** UN1950

· **UN proper shipping name**

· **DOT** Aerosols, flammable
 · **ADR** 1950 Aerosols

(Contd. on page 8)




Safety Data Sheet
acc. to OSHA HCS

Printing date 01/12/2015

Reviewed on 01/12/2015

Trade name: Anti-Sieze Metal Parts Protector, Aerosol

(Contd. of page 7)

· IMDG	AEROSOLS
· IATA	AEROSOLS, flammable
· Transport hazard class(es)	
· DOT	
	
· Class	2.1
· Label	2.1
· ADR	
	
· Class	2 5F Gases
· Label	2.1
· IMDG, IATA	
	
· Class	2.1
· Label	2.1
· Packing group	
· DOT, ADR, IMDG, IATA	Void
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Gases
· Danger code (Kemler):	-
· EMS Number:	F-D,S-U
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
· UN "Model Regulation":	UN1950, Aerosols, 2.1

USA

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/12/2015

Reviewed on 01/12/2015

Trade name: Anti-Sieze Metal Parts Protector, Aerosol

(Contd. of page 8)

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **SARA Section 355 (extremely hazardous substances)**

None of the ingredients is listed.

· **SARA Section 313 (specific toxic chemical listings)**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act) (Substances not listed)**

All ingredients are listed.

· **Prop 65 - Chemicals known to cause cancer**

None of the ingredients is listed.

· **Carcinogenicity categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **Canadian Domestic Substances List (DSL) (Substances not listed)**

All ingredients are listed.

· **Philippines Inventory of Chemicals and Chemical Substances (Substances not listed)**

All ingredients are listed.

· **Chinese Chemical Inventory of Existing Chemical Substances (Substances not listed)**

All ingredients are listed.

· **Australian Inventory of Chemical Substances (Substances not listed)**

All ingredients are listed.

· **New Zealand Inventory of Chemicals (Substances not listed)**

All ingredients are listed.

· **Existing Chemical Substances (Substances not listed)**

64742-49-0	Naphtha (petroleum), hydrotreated light	Yes
------------	---	-----

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS02 GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

Naphtha (petroleum), hydrotreated light
Stoddard solvent

· **Hazard statements**

Extremely flammable aerosol. Pressurized container: May burst if heated.
May cause genetic defects.
May cause cancer.
Causes damage to the central nervous system through prolonged or repeated exposure.
May be fatal if swallowed and enters airways.

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/12/2015

Reviewed on 01/12/2015

Trade name: Anti-Sieze Metal Parts Protector, Aerosol

(Contd. of page 9)

· **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Pressurized container: Do not pierce or burn, even after use.
If swallowed: Immediately call a poison center/doctor.
Store locked up.
Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
Dispose of contents/container in accordance with local/regional/national/international regulations.

· **National regulations**

· **Information about limitation of use:**

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation.
Exceptions can be made by the authorities in certain cases.

· **Technical instructions (air):**

Class	Share in %
III	16.4
NK	22.0

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
Cortec Corporation does not warranty any translation of this SDS not created by Cortec Corporation.

· **Date of preparation / last revision** 01/12/2015 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
Flam. Gas 1: Flammable gases, Hazard Category 1
Flam. Aerosol 1: Flammable aerosols, Hazard Category 1
Press. Gas: Gases under pressure: Compressed gas
Flam. Liq. 2: Flammable liquids, Hazard Category 2
Flam. Liq. 3: Flammable liquids, Hazard Category 3
Muta. 1B: Germ cell mutagenicity, Hazard Category 1B
Carc. 1B: Carcinogenicity, Hazard Category 1B
STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1
Asp. Tox. 1: Aspiration hazard, Hazard Category 1

· *** Data compared to the previous version altered.**

USA

