



Quality Wholesale Window Coverings
Contract • Hospitality • Healthcare • Residential

EXPRESSLY YOURS

Workroom Traversing Shaft System

Company:	Contact Name:	Order Date:	PO#:
Address:		City, State, Zip:	
Phone:	Fax:	email:	
Ship To (if different) Contact:		Ship To Phone:	
Ship To Address:		Ship To City, State, Zip:	

Order Information for assistance call Customer Service at 866-753-1113 or email us at customerservice@porterpreston.com

Total number of boards to be made with these exact specifications. Use another order form for boards with different specifications.	Qty:
Choose Mounting Board & System Standard mounting board depths are 1 1/2" or 2 1/2". Shades weighing over 10 lbs. must use a 2 1/2" board with standard clutch system. Shades on a 1 1/2" board will default to the slim clutch system.	Under 10 lbs. (2 spears): <input type="checkbox"/> 1 1/2" Board <input type="checkbox"/> 2 1/2" Board Over 10lbs (4 spears): <input type="checkbox"/> 2 1/2" Board <input type="checkbox"/> 3 1/2" Board
Exact Shade Dimensions (to closest 1/8") Orders for boards wider than 168" or a height greater than 144" are not accepted. We will not make any additional deductions.	Width (max. 168"): _____ Height (max. 144"): _____ Maximum Weight 30LBS
Wrap of Mounting Board Specify White, C.O.M.* or None *For C.O.M. send enough fabric to cover the board without piecing- \$14 surcharge per board.	<input type="checkbox"/> White <input type="checkbox"/> C.O.M.* <input type="checkbox"/> None

ROLL DIRECTION Fabric Rolls Off the back Fabric Rolls Off the front

Select Child Safety System Safety Shroud Safety Ring Lock System

Clutch side	<input type="checkbox"/> Left <input type="checkbox"/> Right
Cord Color Cords are used for shades less than 10lbs	<input type="checkbox"/> White cord <input type="checkbox"/> Vanilla cord
Chain Type and Color All shades over 10 lbs. require metal or white plastic bead chain.	<input type="checkbox"/> Metal Upgrade \$12 <input type="checkbox"/> White Plastic No Charge <input type="checkbox"/> NPS Chain Finish No Charge
Upgraded Chain Finish _____	Standard Lengths <input type="checkbox"/> 2' <input type="checkbox"/> 3' <input type="checkbox"/> 4' <input type="checkbox"/> 5' <input type="checkbox"/> 6' Chain Length

Indicate the Distance Between Columns of Rings

Your mounting board will be built according to the measurements you provide below:
Your sketch does not have to be to scale, but the numbers must be accurate to the nearest 1/8". Draw vertical lines to show the columns of rings. Be sure to include every column, including those close to the edges of the board. The first two columns are sketched for you. Write the measurements to indicate the distance between each column of rings and the next. Measurements must be accurate to the nearest 1/8" we will not make any additional deductions.
CHECK THAT MEASUREMENTS ADD UP TO THE EXACT SHADE WIDTH

· \longleftrightarrow · \longleftrightarrow ·
· : · :
· : · :
· : · :

Total #of Columns: _____

Stop Brackets Installed at no charge and placed at our discretion. Minimum of 2 brackets **Yes** _____ **No** _____



Quality Wholesale Window Coverings
Contract • Hospitality • Healthcare • Residential

EXPRESSLY YOURS

Workroom Traversing Shaft System

Item	Width (up to)	Price	Qty	Total	Item	Part #	List Price	QTY	Total	
EYCH30	30"	\$107.00		\$	Safety Ring Lock – Short Stack (1000 Pack)	STSRL	\$129.00			
EYCH48	48"	\$115.00		\$		Safety Ring Lock 0.9mm Cord (1000 Pack)	STSRL09	\$129.00		
EYCH66	66"	\$124.00		\$			STSFR	\$26.00		
EYCH72	72"	\$134.00		\$		Level Lock Insert (1000 Pack)	STSLILP	\$13.00		
EYCH90	90"	\$144.00		\$	Orbs (100 Pack)	Clear <input type="checkbox"/> Black <input type="checkbox"/>	\$23.00			
EYCH104	104"	\$152.00		\$						
EYCH120	120"	\$170.00		\$						
EYCH168	168"	\$190.00		\$	Description			Price	Qty	Total
Warranty Porter Preston will repair or replace at no charge, a lift system that fails due to faulty parts or poor workmanship provided the claim is made within 60 days of purchase. Orders for Expressly Yours lift systems are not cancelable or returnable for any reason except warranty repair as described. The buyer verifies that all sizes and specs are correct. The customer will be charged for repairs necessitated by error on their part.					C.O.M.			\$14.00 ea.		\$
					Rush Order			\$15.00 ea.		\$
					Chain Upgrade			\$12.00 ea.		\$
					3 ½" Board			\$20.00 ea.		\$
UPS Ground used when shipping shades < 102" ordered item width • \$6.00 per unit with a minimum charge of \$18 for units ≤ 90" ordered item width* • Additional \$60.00 oversized surcharge per package for > 90" < 102" ordered item width (Calculated at 3 shades per package) • Additional Shipping Upgrades available: \$34 Next Day per Unit, \$28 2nd day per Unit, \$22 3rd day per Unit Common Carrier used when shipping shades ≥ 102" ordered item width • \$148.00 per shipment ≥ 102" ordered item width within Continental US • Additional \$60 NYC/DC Surcharge per order • Additional \$80 Residential Surcharge per order • FOB Waterbury, CT								Shipping		\$
								Total		

Payment Information

Terms of Sale The price of the mounting board includes all parts, labor, and packaging. All orders ship within 5 business days from receipt with satisfactory payment arrangements. Rush orders received by 12pm will ship next business day with a \$15 per board surcharge. PRIOR AUTHORIZATION REQUIRED
 Overnight shipping is additional. See above.

Credit Card Information All EY board purchases will be charged to the credit card on file. By signing below, you authorize Porter Preston to charge your card the amount noted above. I have read and agree to the Terms of Sale.

Card Holder Signature: _____ Date: _____



Quality Wholesale Window Coverings
Contract • Hospitality • Healthcare • Residential

EXPRESSLY YOURS

EasySpring Plus Cordless Roller Roman Shade

Company:	Contact:	Order Date:	PO#:
Address:		City, State, Zip:	
Phone:	Fax:	email:	
Ship To (if different) :		Ship To Phone:	
Ship To Address:		Ship To City, State, Zip:	

Order Information for assistance call Customer Service at 866-753-1113 or email us at Customerservice@porterpreston.com

Total # of Boards to be made with these exact specifications. Use another order form for boards with different specifications	<input type="text"/> #Of Boards
Depth of Mounting Board Standard mounting board depths are 2 1/2". Call customer service if deeper mounting board is required	<input type="text"/> 2 1/2" Board
Exact Shade Dimensions (to closest 1/8") *Minimum Width 25 1/2"	<input type="text"/> Width" <input type="text"/> Height"
Wrap of Mounting Board Specify White, C.O. M. * or None * For C.O.M. send enough fabric to cover the board without piecing \$14 surcharge per board	White <input type="checkbox"/> * C.O.M. <input type="checkbox"/> None <input type="checkbox"/>
ROLL DIRECTION	<input type="checkbox"/> Fabric Rolls off the Front <input type="checkbox"/> Fabric Rolls off the Back
SPOOLS <input type="checkbox"/> CLIPS <input type="checkbox"/>	SELECT CHILD SAFETY SYSTEM: SAFETY SHROUD <input type="checkbox"/> RING LOCK <input type="checkbox"/>

Select Your Shade Weight	Max Shade Weight	Spring Size	Stopper Size	Spring	Min Tube Width	Min Headrail Width	Min Dustboard Width
<input type="checkbox"/>	6 lbs	19-3/8"	5"	1.2mmX300mm	25-7/8"	27-7/16"	27-15/16"
<input type="checkbox"/>	10 lbs	26"	5"	1.5mmX450mm	32-1/2"	34-1/16"	34-9/16"
<input type="checkbox"/>	15 lbs	30"	5"	1.7mmX550mm	36-5/8"	38-3/16"	38-11/16"

Indicate the Distance Between Columns of Rings Your mounting board will be built according to the measurements you provide below: Your sketch does not have to be to scale, but the numbers must be accurate to the nearest 1/8". Draw vertical lines to show the columns of rings. Be sure to include every column, including those close to the edges of the board. The first two columns are sketched for you. Write the measurements to indicate the distance between each column of rings and the next. Measurements must be accurate to the nearest 1/8". We will not make any additional deductions.

CHECK THAT MEASUREMENTS ADD UP TO THE EXACT SHADE WIDTH

2 1/4"

***END LIFT CORDS MUST START AT 2 1/4" IN EACH SIDE**

2 1/4"

Note: An odd number of lift cords are needed because the center lift cord will be your pull/release



Quality Wholesale Window Coverings
Contract • Hospitality • Healthcare • Residential



EasySpring Plus Cordless Roller Roman Shade

Item	Width	Price	Quantity	Total
EYRR30ESP	30" (max height 80")	\$ 117.00		
EYRR48ESP	48" (max height 96")	\$ 125.00		
EYRR66ESP	66" (max height 96")	\$ 136.00		
EYRR96ESP	96" (max height 96")	\$ 158.00		
Orbs (100 Pack)	Clear or Black	\$ 23.00 BG.		
	C.O.M.	\$ 14.00 EA.		
	Rush Order (each board)	\$ 15.00 EA.		
Grand Total				

SHIPPING

UPS Ground used when shipping shades < 102" ordered item width

- \$6.00 per unit with a minimum charge of \$18 for units ≤ 90" ordered item width*
- Additional \$60 oversized surcharge per package for > 90" < 102" ordered item width (calculated at 3 shades per package)
- Additional Shipping Upgrades available - \$34 Next Day per Unit, \$28 2nd day per Unit, \$22 3rd day per Unit

Common Carrier used when shipping shades ≥ 102" ordered item width

- \$148.00 per shipment ≥ 102" ordered item width within Continental US
- Additional \$60 NYC/DC Surcharge per order
- Additional \$80 Residential Surcharge per order

Payment Information

Terms of Sale The price of the track includes all parts, labor. Rush orders received by 12pm will ship next business day with a \$15 per board surcharge. Prior authorization required. Overnight shipping is additional. See Above.

Credit Card Information All purchases will be charged to the credit card on file. By signing below, you authorize Porter Preston to charge your card the amount noted above. I have read and agree to the Terms of Sale

Signature _____ Date _____

Warranty Porter Preston will repair or replace at no charge, a lift system that fails due to faulty parts or poor workmanship provided the claim is made within 60 days of purchase.

Orders for Expressly Yours lift systems are not cancelable or returnable for any reason except warranty repair as described. The buyer verifies that all sizes and specs are correct. The customer will be charged for repairs necessitated by error on their part.

Return Completed Order Form via Fax to 203-597-8828 or email to customerservice@porterpreston.com



Quality Wholesale Window Coverings
Contract • Hospitality • Health-care • Residential

EXPRESSLY YOURS

Manual Roller Roman Shade with Spools or Clips

Company:	Contact:	Order Date:	PO#:
Address:		City, State, Zip:	
Phone:	Fax:	email:	
Ship To (if different) Contact:		Ship To Phone:	
Ship To Address:		Ship To City, State, Zip:	

Order Information for assistance call Customer Service at 866-753-1113 or email us at customerservice@porterpreston.com

Total # of Boards to be made with these exact specifications. Use another order form for boards with different specifications.	<input type="text"/> # of Boards
---	----------------------------------

Shade Weight Include the weight of the fabric, lining, stiffeners and bottom weights.	<input type="checkbox"/> 1-8 lbs. <input type="checkbox"/> 9-15lbs. <input type="checkbox"/> 16-20 lbs. <input type="checkbox"/> 21-40 lbs.
--	---

Depth of Mounting Board Standard mounting board depths are 2 1/2". Call customer service if a deeper mounting board is required.	<input type="checkbox"/> 2 1/2" Board <input type="checkbox"/> 3 1/2" Board (necessary over 16lbs) Surcharge applies \$20- per board
---	--

Exact Shade Dimensions (to closest 1/8") Boards wider than 144" or taller than 120" are not accepted. Porter Preston will not make any additional deductions.	Width-max. 144" <input type="text"/> Height-max. 120" <input type="text"/>
---	--

Spools or Clips Specify if spools or clips should be used.	<input type="checkbox"/> Spools <input type="checkbox"/> Clips
---	--

Wrap of Mounting Board Specify white, C.O. M. * or None *For C.O.M. send enough fabric to cover the board without piecing \$14 surcharge per board.	<input type="checkbox"/> White <input type="checkbox"/> C.O.M.* <input type="checkbox"/> None
---	---

Control Position <input type="checkbox"/> Left <input type="checkbox"/> Right.	Roll Type <input type="checkbox"/> Fabric rolls off front <input type="checkbox"/> Fabric will roll off back
---	--

FOR OFFICE USE ONLY TUBE SIZE USED _____	<input type="checkbox"/> Safety Ring Lock System <input type="checkbox"/> Safety Shroud
---	--


Cord Color Cords are used for shades less than 10lbs.	<input type="checkbox"/> White Cord <input type="checkbox"/> Vanilla Cord
--	---

Chain Type and Color All shades over 10 lbs. require metal or white plastic bead chain. \$12 surcharge for other chain finishes.	<input type="checkbox"/> NPS <input type="checkbox"/> White Plastic <input type="checkbox"/> Metal Chain Finish _____
--	---

Length of Bead Chain	Standard Lengths <input type="checkbox"/> 2' <input type="checkbox"/> 3' <input type="checkbox"/> 4' <input type="checkbox"/> 5' <input type="checkbox"/> 6'
-----------------------------	--

Indicate the Distance Between Columns of Rings Your mounting board will be built according to the measurements you provide below: Your sketch does not have to be to scale, but the numbers must be accurate to the nearest 1/8". Draw vertical lines to show the columns of rings. Be sure to include every column, including those close to the edges of the board. The first two columns are sketched for you. Write the measurements to indicate the distance between each column of rings and the next. Measurements must be accurate to the nearest 1/8". We will not make any additional deductions.

CHECK THAT MEASUREMENTS ADD UP TO THE EXACT SHADE WIDTH



Total #of Columns



Fabricator of Automated & Custom Window Coverings

EXPRESSLY YOURS

Manual Roller Roman Shade with Spools or Clips

Item	Width	Price	Qty.	Total	Item	Part #	List Price	Quantity	Total
EYRR30	30"	\$108.00		\$	Safety Ring Lock – Short Stack (1000 Pack)	STSRL	\$129.00		
EYRR48	48"	\$117.00		\$		Safety Ring Lock 0.9mm Cord (1000 Pack)	STSRL09	\$129.00	
EYRR66	66"	\$125.00		\$	Forever Ring (1000 Pack)	STSFR	\$26.00		
EYRR72	72"	\$136.00		\$	Level Lock Insert (100 Pack)	STSLILP	\$13.00		
EYRR90	90"	\$148.00		\$		Orbs (100 Pack)	Clear <input type="checkbox"/> Black <input type="checkbox"/>	\$23.00	
EYRR104	104"	\$160.00		\$	COM	\$14 ea.	3 1/2" Board		\$20 ea.
EYRR120	120"	\$176.00		\$	Chain Upgrade	\$12 ea.			
EYRR144	144"	\$194.00		\$	Rush Order	\$15 ea.			

Warranty Porter Preston will repair or replace at no charge, a lift system that fails due to faulty parts or poor workmanship provided the claim is made within 60 days of purchase.

Orders for Expressly Yours lift systems are not cancelable or returnable for any reason except warranty repair as described. The buyer verifies that all sizes and specs are correct. The customer will be charged for repairs necessitated by error on their part.

Shipping

UPS Ground used when shipping shades < 102" ordered item width

- \$6.00 per unit with a minimum charge of \$18 for units ≤ 90" ordered item width*
- Additional \$60.00 oversized surcharge per package for > 90" < 102" ordered item width (calculated at 3 shades per package)
- Additional Shipping Upgrades available o \$34 Next Day per Unit, \$28 2nd day per Unit, \$22 3rd day per Unit

Common Carrier used when shipping shades ≥ 102" ordered item width

- \$148.00 per shipment ≥102" ordered item width within Continental US
- Additional \$60 NYC/DC Surcharge per order • Additional \$80 Residential Surcharge per order

Payment Information

Terms of Sale The price of the mounting board includes all parts, labor, and packaging. All orders ship within 5 business days from receipt with satisfactory payment arrangements. Rush orders received by 12pm will ship next business day with a \$15 per board surcharge. PRIOR AUTHORIZATION REQUIRED. Overnight shipping is additional. See above.

Credit Card Information All EY board purchases will be charged to the credit card on file. By signing below, you authorize Porter Preston to charge your card the amount noted above. I have read and agree to the Terms of Sale.

Signature _____ Date _____

Return Completed Order Form via Fax to 203-597-8828 or email to customerservice@porterpreston.com



Qualify Wholesale Window Coverings
Contract • Hospitality • Healthcare • Residential



SOMFY Motorized Roller Roman Shade with Spools or Clips

Company:	Contact:	Order Date:	PO#:
Address:		City, State, Zip:	
Phone:	Fax:	email:	
Ship To (if different) Contact:		Ship To Phone:	
Ship To Address:		Ship To City, State, Zip:	

Order Information for assistance call Customer Service at 866-753-1113 or email us at customerservice@porterpreston.com

Total # of Boards to be made with these exact specifications. Use another order form for boards with different specifications.	Number of boards to be made: <input type="text"/>
Shade Weight Include the weight of the fabric, lining, stiffeners and bottom weights.	<input type="checkbox"/> 1-8 lbs <input type="checkbox"/> 9-15lbs <input type="checkbox"/> 16-20 lbs <input type="checkbox"/> 21-40lbs
Depth of Mounting Board Standard mounting board depths are 2 1/2". Call customer service if deeper mounting board is required.	<input type="checkbox"/> 2 1/2" Board <input type="checkbox"/> 3 1/2" Board (necessary over 16lbs) \$20 ea. Surcharge applies
Exact Shade Dimensions (to closest 1/8") Boards wider than 144" or taller than 120" are not accepted. Porter Preston will not make any additional deductions.	Width-max. 144" <input type="text"/> Height-max. 120" <input type="text"/>
Spools or Clips <input type="checkbox"/> Spools <input type="checkbox"/> Clips	FOR OFFICE USE ONLY
Wrap of Mounting Board Specify white, C.O. M. * or None *For C.O.M. send enough fabric to cover the board without piecing. \$14 surcharge per board.	TUBE SIZE USED _____ BY _____
Motor Side RIGHT <input type="checkbox"/> LEFT <input type="checkbox"/>	Roll Direction <input type="checkbox"/> FabricRolls Off Front <input type="checkbox"/> FabricRolls Off Back
Select Child Safety System <input type="checkbox"/> Safety Ring Lock System <input type="checkbox"/> Safety Shroud	

Indicate the Distance Between Columns of Rings Your mounting board will be built according to the measurements you provide below: **Your sketch does not have to be to scale, but the numbers must be accurate to the nearest 1/8"**. Draw vertical lines to show the columns of rings. Be sure to include every column, including those close to the edges of the board. The first two columns are sketched for you. Write the measurements to indicate the distance between each column of rings and the next. Measurements must be accurate to the nearest 1/8" Porter Preston will not make any additional deductions.

CHECK THAT MEASUREMENTS ADD UP TO THE EXACT SHADE WIDTH

· <=> · <=> ·	Total #of Columns <input type="text"/>
· ·	
· ·	

Read Terms of Sale (page 2)

continue your order on page 2

Return Completed Order Form via Fax to 203-597-8828 or email to customerservice@porterpreston.com

SOMFY Motorized Roller Roman Shade with Spools or Clips

Select Board Width Below

Add for Manual Roller Roman	30"	48"	66"	72"	90"	104"	120"	144"
	108.00	117.00	125.00	136.00	148.00	160.00	176.00	194.00

SOMFY MOTORS & ACCESSORIES		
Part #	Somfy External Battery Powered RTS Motors & Accessories	NET
1240292	Somfy R28 RTS Battery Motor -requires Reloadable Battery Wand and Batteries or Li-ion Rechargeable Battery Pack - external	205.50
9021217	Li-ion Rechargeable External Battery Pack for 1240292- requires the 9025166 charger see below	53.50
9018685	12V DC Reloadable Battery Wand - for motor part #1240292 -8 AA Lithium batteries included- part # 9014834	73.00
1822445	12V DC Plug in Power Supply w/ 3m cable - white for 1240292 RA28 motor	118.00
9019235	WireFree Solar Pack w/ Batteries-for 1240292 motors only	159.00
9018620	Battery Charger for Solar Battery Pack - for above 9019235	75.00
Part #	Somfy Internal Li-ion Rechargeable Battery RTS Motors (interior)	NET
1240291	Roll Up 28 WireFree RTS Li-ion Motor Max Lifting Capacity: 1 ½" Tube = 12.98lbs Minimum Board Width 20 7/8"	244.00
1003297	Sonesse 28 Wirefree RTS Li-ion Motor 1.1 nm Max Lifting Capacity: 1 ½" Tube = 12.98lbs. Minimum Board Width 24 1/8"	257.00
1003128	Sonesse 30 Wirefree RTS Li-ion Motor-non-ULTRA Max Lifting Capacity: 1 ½" Tube = 23.60lbs. 2" Tube =17.70. Minimum Board Width 26 ¼"	270.00
1003310	Sonesse ULTRA 30 Wirefree RTS Li-ion Motor Max Lifting Capacity: 1 ½" Tube = 23.60lbs. 2" Tube= 17.70lbs. Minimum Board Width 28"	289.00
1240485	Sonesse 40 Wirefree 403 RTS Li-ion Max Lifting Capacity: 2" Tube = 26.55lbs. Minimum Board Width 28 ¾"	359.50
Part #	Somfy Li-ion Battery Chargers & Extension Cables	NET
9020672	Charger For 1003128 Sonesse 30 & 1240291 Roll Up 28 -6' cable	20.00
9020673	Charger 96" Extension Cable-for 9020672	7.00
9025166	Charger 6' Cable for 1003297 Sonesse 28, 1003310 Sonesse 30 ULTRA, 1240485 Sonesse 40 & 1240278 Roll Up 24	20.00
9021131	Charger 8" Extension Cable-for 9025166 / cassette applications	6.00

SOMFY Motorized Roller Roman Shade with Spools or Clips

9021016	Charger 94.5" Extension Cable-for 9025166	7.00
Part #	SOMFY HARDWIRED MOTORS & 24V POWER OPTIONS	NET
1241142	Sonesse 30RTS 24V Motor (fits into 1 1/2" Tube)	375.50
1134023	Sonesse ULTRA 504 A8 DC RTS	522.00
1822209	24v Single Motor Wall Wart Power Supply	50.50
24V 5 Motor	24v 5 Motor Power/Distribution Panel	593.50
24V 10 Motor	24v 10 Motor Power/Distribution Panel	721.50
Part #	SOMFY 110V AC LINE VOLTAGE RTS MOTORS-INTERIOR	
1001636	Sonesse 40RTS 404S2 (w/ 11' pigtail)	415.00
1001809	Sonesse 506S2 RTS (non -ULTRA)	477.50
1001807	Sonesse 510S S2 RTS	518.00
	SOMFY RTS CONTROL	
Part #	Telis Handheld RTS Controls - Interior Use Only	NET
1810632	Telis 1 Pure – white	62.50
1810633	Telis 4 Pure - white	81.00
1870571	Situo 1 RTS Pure II, White	58.00
1870575	Situo 5 RTS Pure II, White	76.00
1811081	Telis 16 Pure - White	259.00
	<i>**Contact Customer Service for Availability on Other Remote Colors**</i>	
Part #	MISC RTS Controls – <i>**Contact Customer Service for Additional Accessories **</i>	NET
1811403	MyLink RTS Smartphone & Tablet Interface	220.50
1810872	Somfy Universal RTS Interface II - URTSI	463.00
1810791	RTS Repeater	210.00
Part #	DecoFlex in Wall Switch Wireless Remote Controls	NET
1810897	DecoFlex 1 Wall Switch	145.50
18110682	DecoFlex 2 Wall Switch	147.50
18110713	DecoFlex 3 Wall Switch	149.50
18110744	DecoFlex 4 Wall Switch	151.00
18108135	DecoFlex 5 Wal Switch	153.00
1811533	Smooove 1 RTS Wall Switch, Surface Mount	76.50
1811748	Smooove 4 RTS Wall Switch, Surface Mount	95.00



Quality Wholesale Window Coverings
Contract • Hospitality • Healthcare • Residential



SOMFY Motorized Roller Roman Shade with Spools or Clips

Shipping Charges

UPS Ground used when shipping shades < 102" ordered item width

- \$6.00 per unit with a minimum charge of \$18 for units ≤ 90" ordered item width*
- Additional \$60 oversized surcharge per package for > 90" < 102" ordered item width (calculated at 3 shades per package)
- Additional Shipping Upgrades available: \$34 Next Day per Unit, \$28 2nd day per Unit, \$22 3rd day per Unit

Common Carrier used when shipping shades ≥ 102" ordered item width

- \$148.00 per shipment ≥102" ordered item width within Continental US
- Additional \$60 NYC/DC Surcharge per order
- Additional \$80 Residential Surcharge per order

Payment Information

Terms of Sale The price of the track includes all parts, labor. Rush orders received by 12pm will ship next business day with a \$15 per board surcharge, **prior authorization needed**. Overnight shipping is additional. See Above.

Warranty Porter Preston will repair as described. The buyer verifies that all sizes and specs are correct. The customer will be charged for repairs necessitated by error on their part or replace at no charge, a lift system that fails due to faulty parts or poor workmanship provided the claim is made within 60 days of purchase. Orders for Expressly Yours lift systems are not cancelable or returnable for any reason except warranty

Credit Card Information All purchases will be charged to the credit card on file. By signing below, you authorize Porter Preston to charge your card the amount noted above. I have read and agree to the Terms of Sale

Signature _____ Date _____

ARC™ Motorized Roller Roman Shade with Spools or Clips

Manual Roller Roman Board for above ADD TO ORDER

Add for Manual Roller Roman	30"	48"	66"	72"	90"	104"	120"		
	108.00	117.00	125.00	136.00	148.00	160.00	176.00		
								Subtotal	

ARC™ Automate Radio Communication Tubular motors with Built-in Lithium-ion Rechargeable Batteries

Motor	Description	Part #	Max. Shade Size	Min. System Width	Capacity/ Tube Size	Net	Qty.
Li-ion 1.1	DC tubular motor w/ Lithium Rechargeable Batteries	MTDCBRF25-1.1	84x84	23 ¾"	13lb/1.5"	\$225	
Li-ion Q2.0	DC tubular motor w/ Lithium Rechargeable Batteries	MTDCBRFQ28-2	120x120	29 ½" 28 ½"	23lb/2" 17lb/1 ½"	\$273.50	
Li-ion 3.0	DC tubular motor w/ Lithium Rechargeable Batteries	MTDCBRF35-3	120x120	30 ½"	26lb/2"	\$306.50	
Li-ion Q3.0	DC tubular motor w/ lithium Rechargeable Batteries	MTDCBRFQ45-3	160 X 160	35 3/8	21LB/2 ½"	\$329	

ARC™ Automate Radio Communication Accessories

(Contact Customer for Additional Accessories & Remote Colors)

Handheld Remotes	Part #	Description	Net	Qty.
Automate White 1 Channel Remote	MTRF-REM-1C	Single Channel Handheld-White	61.50	
Automate WHITE 15-Channel Remote	MTRF-REM-15NL	15 Channel Handheld- White w/ Leveling Control	72.50	
Automate Push 5 White	MT02-0101-067004	5 Channel White	63.00	
Automate Push 15 White	MT02-0101-067008	15 Channel White	72.50	
Recharger 12V Battery Motors	MTDCB-CHARGE	Charger	34.50	
6" DC Battery Motor Cable Extender	MTDCB-CBLXT6	6" Extender Cable	6.50	
48" DC Battery Motor Cable Extender	MTDCB-CBLXT48	48" Extender Cable	10.00	
96" DC Battery Motor Cable Extender	MTDCB-CBLXT96	96" Extender Cable	12.50	
5 Channel Wall Switch – Surface Mount	MTRF-SW5-FLUSH	5 Channel Surface Mount	50.00	
1 Channel Wall Switch – Cut-in	MTRF-WS-1C	1 Channel Cut-in	42.50	
2 Channel Wall Switch – Cut-in	MTRF-WS-2C	2 Channel Cut-in	47.50	



Quality Wholesale Window Coverings
Contract • Hospitality • Healthcare • Residential



ARC™ Motorized Roller Roman Shade with Spools or Clips

15 Channel Wall Switch – Cut-in	MTRF-WS-15C	15 Channel Cut-in	52.50	
Decorator Screw-less Switch Plate	MTRF-WS-COVER	Decorator Switch Cover Plate	11.00	
Automate Pulse 2 Bridge	MT02-0401-067001	White/Platinum	252.00	
Smart Home Collections	MT02-0401-067004	Bridge Kit	252.00	
R-Tec Bridge Kit	MT02-0401-067005	R-Tec Bridge Kit	252.00	
Automate Motion Sensor	MT02-0301-072002	White	224.00	
ARC USB Repeater	MT02-0401-069007	WHITE	81.50	

Shipping Policy

UPS Ground used when shipping shades < 102” ordered item width • \$6.00 per unit with a minimum charge of \$18 for units ≤ 90” ordered item width*

- Additional \$60 oversized surcharge per package for > 90” < 102” ordered item width (calculated at 3 shades per package)
- Additional Shipping Upgrades available \$34 Next Day per Unit, \$28 2nd day per Unit, \$22 3rd day per Unit

Common Carrier used when shipping shades ≥ 102” ordered item width

- \$148.00 per shipment ≥102” ordered item width within Continental US
- Additional \$60 NYC/DC Surcharge per order
- Additional \$80 Residential Surcharge per order

Warranty Porter Preston will repair as described. The buyer verifies that all sizes and specs are correct. The customer will be charged for repairs necessitated by error on their part or replace at no charge, a lift system that fails due to faulty parts or poor workmanship provided the claim is made within 60 days of purchase. Orders for Expressly Yours lift systems are not cancelable or returnable for any reason except warranty

Terms of Sale The price of the track includes all parts, labor and packaging. All orders ship within 5 business days from receipt with satisfactory payment arrangements.

Rush orders received by 12pm will ship next business day with a \$15 per board surcharge Requires prior authorization.

Overnight shipping is additional- see above.

Credit Card Information All purchases will be charged to the credit card on file. By signing below, you Porter Preston to charge your card the noted above. I have read, understand, and agree to the Terms of Sale amount.

authorize

Card holder Signature _____

Date _____

Return Completed Order Form via Fax to 203-597-8828 or email to customerservice@porterpreston.com