



Since 1954

Motorcycle Trailers



With a Wells Cargo Behind . . . You Never Look Back!™

SE



SE Series Includes:

- Fiberglass End Caps
- Radius Roof with Extruded Anodized Aluminum Cove
- Standard SmartFrame™ Design* (*higher platform height*)
- Spring-Assisted Rear Recessed Ramp Door
- Rear Cornerpost Stabilizer Jacks
- Side Door with Flush Lock
- .030 Prefinished Smooth Aluminum Exterior Bonded (No Screws)
- Flow-Thru Sidewall Vents
- Anodized Aluminum Bottom Panels
- ATP Stone Guard
- ATP Fenders
- Removable Chrome Wheel Chock(s)
- Floor Mounted D-Ring Tie-Downs
- Wall Mounted Tie-Offs
- 12 Volt Dome Lights (2)
- Wall Switch
- LED Exterior Lighting with Exclusive Safety Package



Performance Begins Here

Every great adventure has a starting point and the Wells Cargo **cycleWagon® SE (Standard Edition)** is a smart place to begin your search for a performance driven motorcycle trailer. No bare bones or stripped down version here . . . the **SE Series** comes well-equipped with everything needed to transport and store your bikes with confidence & style. The **SE Series** means you never have to compromise or settle for anything less than real Wells Cargo quality.

MODELS & SIZES



Fiberglass End Caps



Standard SmartFrame™ Design*



Radius Roof & Extruded Cove



Standard SE Interior

MC162-8 SE





NEV-R-ADJUST™

FORWARD SELF-ADJUSTING ELECTRIC BRAKES

Standard on trailers equipped with electric brakes — 3500 lb. to 8000 lb. axles

**Model
MC162-8 SE**

- MC101-5 SE (5'x10' - single axle)
- MC101-7 SE (7'x10' - single axle)
- MC121-6 SE (6'x12' - single axle)
- MC122-7 SE (7'x12' - tandem axle)
- MC122-8 SE (8'x12' - tandem axle)
- MC142-7 SE (7'x14' - tandem axle)
- MC142-8 SE (8'x14' - tandem axle)

- MC162-7 SE (7'x16' - tandem axle)
- MC162-8 SE (8'x16' - tandem axle)
- MC182-7 SE (7'x18' - tandem axle)
- MC182-8 SE (8'x18' - tandem axle)
- MC202-7 SE (7'x20' - tandem axle)
- MC202-8 SE (8'x20' - tandem axle)

NOTE: Add a V-front to any SE Series for an additional charge.



MC142-7 SE-V (featuring optional V-Front & Signature Package)



3

MC101-5 SE





TE Series Includes:

- Aerodynamic Nose Cone®
- Radius Roof with Extruded Anodized Aluminum Cove
- Exclusive Low-Profile Frame*
* Models 10' & 12' long only. Models over 12' have standard frame with 2' beavertail.
- Spring-Assisted Rear Recessed Ramp Door
- Rear Cornerpost Stabilizer Jacks
- Side Door with Flush Lock
- .030 Prefinished Smooth Aluminum Exterior Bonded (No Screws)
- Flow-Thru Sidewall Vents
- Anodized Aluminum Bottom Panels
- ATP Stone Guard
- ATP Fenders
- Removable Chrome Wheel Chock(s)
- Floor Mounted D-Ring Tie-Downs
- Wall Mounted Tie-Offs
- 12 Volt Dome Lights (2)
- Wall Switch
- LED Exterior Lighting with Exclusive Safety Package



MODELS & SIZES

Miles Ahead, No Match Behind!

If cookie-cutter trailers don't cut it with you, then the Wells Cargo **cycleWagon® TE (Touring Edition)** is your kind of motorcycle trailer. Outside, the aerodynamic Nose Cone® makes a strong first impression, plus it delivers superior handling and improved fuel economy. Inside, you'll find all the necessities for a first-class travel experience for your motorcycle. No worries. No hassles. This unique blend of form and function makes the **TE Series** the clear leader of the pack.



Aerodynamic Nose Cone®



Low-Profile Frame*



Radius Roof & Extruded Cove



Standard TE Interior

MC202-7 TE





NEV-R-ADJUST™
FORWARD SELF-ADJUSTING ELECTRIC BRAKES

Standard on trailers equipped with electric brakes — 3500 lb. to 8000 lb. axles

**Model
MC101-5 TE**

- MC101-5 TE (5'x10' - single axle)
- MC101-7 TE (7'x10' - single axle)
- MC121-6 TE (6'x12' - single axle)
- MC122-7 TE (7'x12' - tandem axle)
- MC122-8 TE (8'x12' - tandem axle)
- MC142-7 TE (7'x14' - tandem axle)
- MC142-8 TE (8'x14' - tandem axle)

- MC162-7 TE (7'x16' - tandem axle)
- MC162-8 TE (8'x16' - tandem axle)
- MC182-7 TE (7'x18' - tandem axle)
- MC182-8 TE (8'x18' - tandem axle)
- MC202-7 TE (7'x20' - tandem axle)
- MC202-8 TE (8'x20' - tandem axle)

NOTE: Exchange a Nose Cone for a V-Front on any TE Series — no additional charge.



MC101-5 TE-V (featuring optional Badlands Package)



MC122-7 TE (featuring optional Signature Package)



ME



ME Series Includes:

- Cast Aluminum Front (*Polished*) & Rear Top Corners
- Polished Stainless Steel Front Cap
- Flat Roof with Extruded Anodized Aluminum Trim
- Seamless Aluminum Roof Mounted with Huck Fasteners
- Exclusive Low-Profile Frame*
*Models 10' & 12' long only. Models over 12' have standard frame with 2' beavertail.
- Spring-Assisted Rear Recessed Ramp Door
- Rear Cornerpost Stabilizer Jacks
- Side Door with Flush Lock
- .030 Prefinished Smooth Aluminum Exterior Bonded (*No Screws*)
- Flow-Thru Sidewall Vents
- Anodized Aluminum Bottom Panels
- ATP Stone Guard
- ATP Fenders
- Removable Chrome Wheel Chock(s)
- Floor Mounted D-Ring Tie-Downs
- Wall Mounted Tie-Offs
- 2 Volt Dome Lights (2)
- Wall Switch
- LED Exterior Lighting with Exclusive Safety Package



Unleashing Your Freedom

When your travels take you beyond the commonplace, it helps to have a rugged, capable sidekick. The striking **cycleWagon® ME (MotorTrac® Edition)** is the perfect companion for conquering the badlands or cruising the strip. The **ME Series** offers a sleek, low-slung profile. The cast aluminum corner caps and stainless steel nose will stand out in any crowd. So if you prefer blazing a trail rather than following the herd, the Wells Cargo **ME Series** is the bold way to go.

MODELS & SIZES



Cast Aluminum Front Cap



Low-Profile Frame*



Stainless Steel Front Cap



Flat Roof with Extruded Trim

MC122-7 ME (featuring optional Signature Package)





NEV-R-ADJUST™
FORWARD SELF-ADJUSTING ELECTRIC BRAKES

Standard on trailers equipped with electric brakes — 3500 lb. to 8000 lb. axles

**Model
MC122-7 ME**

(featuring optional Signature Package)

- MC101-5 ME (5'x10' - single axle)
- MC101-7 ME (7'x10' - single axle)
- MC121-6 ME (6'x12' - single axle)
- MC122-7 ME (7'x12' - tandem axle)
- MC122-8 ME (8'x12' - tandem axle)
- MC142-7 ME (7'x14' - tandem axle)
- MC142-8 ME (8'x14' - tandem axle)

- MC162-7 ME (7'x16' - tandem axle)
- MC162-8 ME (8'x16' - tandem axle)
- MC182-7 ME (7'x18' - tandem axle)
- MC182-8 ME (8'x18' - tandem axle)
- MC202-7 ME (7'x20' - tandem axle)
- MC202-8 ME (8'x20' - tandem axle)



MC101-5 ME (featuring optional Signature Package)



7

MC101-5 ME (featuring optional Signature Package)



Quality Construction Quality Control

Solid engineering delivers solid performance. Even though a motorcycle trailer may be considered a “recreational” trailer by some, the **cycleWagon®** has the same backbone and rugged heritage as our commercial grade trailers. You can tell by our advanced design, top-notch components, and detailed “fit & finish” that we’re serious about our position as the industry leader. This focus on quality means you’ll run out of adventures long before your **cycleWagon®** is ready to call it quits.




LED Exterior Lighting



Aluminum Anti-Rack Cam Lock



Rotary Style Flush Lock



Torflex® Rubber Suspension



SmartWire™ Technology (12V)



Wet Cell Battery to D.O.T. Standards



.030 Prefinished Aluminum Skin



Polar White



Victory Red



Gloss Black



Metallic Pewter



Indigo Blue



Champagne Beige



Yellow*



Designer Beige




Charcoal Gray



Dark Green



Silver Frost



Orange*

*Certain special colors available at additional charge.

Skin colors shown are representative only. See your dealer for accurate samples.



1



2



3



4



5



Standard Features

- 1.) Removable Chrome Wheel Chock(s)
- 2.) Side Door with Flush Lock
- 3.) Flow-Thru Sidewall Vents
- 4.) Cornerpost Stabilizer Jacks
- 5.) Anodized Aluminum Bottom Panels, ATP Stone Guard & ATP Fenders
- 6.) Rear Ramp Door with Spring Assist
- 7.) Wall Mounted Tie-Down Rings
- 8.) Floor Mounted D-Ring Tie-Downs

Standard Features

UPGRADES

Flash Package

- Radius Side Door
- AlumaSport™ T2 Wheels
- Rear End Covered in Anodized Aluminum
- White Vinyl Interior Sidewalls & Ceiling
- Insulated Ceiling
- Side Graphics

Signature Package

- Radius Side Door
- AlumaSport™ T2 Wheels
- Rear End Covered in Anodized Aluminum
- .040 Aluminum Exterior Skin (Black & White only)
- White Vinyl Interior Sidewalls & Ceiling
- Insulated Ceiling
- Spare Tire Carrier
- Spare Tire/Wheel with Cover
- Helmet Rack
- Tie-Down Holder
- Paper Towel Holder
- Flashlight Holder
- Side Graphics

Convenience Package

- Spare Tire Carrier
- Spare Tire/Wheel with Cover
- Helmet Rack
- Tie-Down Holder
- Paper Towel Holder
- Flashlight Holder

Badlands Package

- 30" Pre-Framed Side Door with Flush Lock
- Composite Ramp Door with Powder Coated Torsion Spring Hinge
- Scorpion Floor Liner (Orange or Gray)
- 1/4" White Vinyl Sidewall Liner
- 12" ATP Floor Runner
- Chrome Hub Covers and Trim Rings
- AnchorTrax Tie-Down Track
- AnchorTrax Tie-Down Loops



Interior - Badlands Package



Exterior - Badlands Package

SPECIFICATIONS

SE	Number of Cycles	Low Profile Frame	Body: Width	Body: Length	Overall: Length	Overall: Width	Overall: Height	Interior: Length	Interior: Width	Interior: Height	Platform Height	Axle: Quantity	Axle: Type	Brakes
MC101-5 SE	1	No	5'0"	10'0"	13'6"	6'10"	6'11"	9'9"	4'9"	5'6"	16"	1	6" Drop	No
MC101-7 SE	2	No	7'0"	10'0"	14'0"	8'6"	6'11 3/4"	9'9"	6'9"	5'6"	17"	1	6" Drop	Yes
MC121-6 SE	1	No	6'0"	12'0"	16'0"	7'10"	6'11"	11'9"	5'9"	5'6"	16"	1	6" Drop	No
MC122-7 SE	2	No	7'0"	12'0"	16'0"	8'6"	6'11 3/4"	11'9"	6'9"	5'6"	17"	2	6" Drop	Yes
MC122-8 SE	2	No	7'9"	12'0"	16'0"	8'6"	6'11 3/4"	11'9"	7'6"	5'6"	17"	2	6" Drop	Yes
MC142-7 SE	2	No	7'0"	14'0"	18'0"	8'6"	7'10"	13'9"	6'9"	6'0"	19"	2	4" Drop	Yes
MC142-8 SE	2	No	7'9"	14'0"	18'0"	8'6"	7'10"	13'9"	7'6"	6'0"	19"	2	4" Drop	Yes
MC162-7 SE	2	No	7'0"	16'0"	20'0"	8'6"	7'10"	15'9"	6'9"	6'0"	19"	2	4" Drop	Yes
MC162-8 SE	2	No	7'9"	16'0"	20'0"	8'6"	7'10"	15'9"	7'6"	6'0"	19"	2	4" Drop	Yes
MC182-7 SE	2	No	7'0"	18'0"	22'0"	8'6"	7'10"	17'9"	6'9"	6'0"	19"	2	4" Drop	Yes
MC182-8 SE	2	No	7'9"	18'0"	22'0"	8'6"	7'10"	17'9"	7'6"	6'0"	19"	2	4" Drop	Yes
MC202-7 SE	4	No	7'0"	20'0"	24'0"	8'6"	7'10"	19'9"	6'9"	6'0"	19"	2	4" Drop	Yes
MC202-8 SE	4	No	7'9"	20'0"	24'0"	8'6"	7'10"	19'9"	7'6"	6'0"	19"	2	4" Drop	Yes

TE	Number of Cycles	Low Profile Frame	Body: Width	Body: Length	Overall: Length	Overall: Width	Overall: Height	Interior: Length	Interior: Width	Interior: Height	Platform Height	Axle: Quantity	Axle: Type	Brakes
MC101-5 TE	1	Yes	5'0"	10'0"	14'0"	6'10"	6'11"	9'8"	4'8"	5'9"	12"	1	6" Drop	No
MC101-7 TE	2	Yes	7'0"	10'0"	14'0"	8'6"	6'11 3/4"	9'8"	6'8"	5'9"	13"	1	6" Drop	Yes
MC121-6 TE	1	Yes	6'0"	12'0"	16'0"	7'10"	6'11"	11'8"	5'8"	5'9"	12"	1	6" Drop	No
MC122-7 TE	2	Yes	7'0"	12'0"	16'0"	8'6"	6'11 3/4"	11'8"	6'8"	5'9"	13"	2	6" Drop	Yes
MC122-8 TE	2	Yes	7'9"	12'0"	16'0"	8'6"	6'11 3/4"	11'8"	7'5"	5'9"	13"	2	6" Drop	Yes
MC142-7 TE	2	No	7'0"	14'0"	18'0"	8'6"	7'10"	13'9"	6'9"	6'0"	17"	2	4" Drop	Yes
MC142-8 TE	2	No	7'9"	14'0"	18'0"	8'6"	7'10"	13'9"	7'6"	6'0"	17"	2	4" Drop	Yes
MC162-7 TE	2	No	7'0"	16'0"	20'0"	8'6"	7'10"	15'9"	6'9"	6'0"	17"	2	4" Drop	Yes
MC162-8 TE	2	No	7'9"	16'0"	20'0"	8'6"	7'10"	15'9"	7'6"	6'0"	17"	2	4" Drop	Yes
MC182-7 TE	2	No	7'0"	18'0"	22'0"	8'6"	7'10"	17'9"	6'9"	6'0"	17"	2	4" Drop	Yes
MC182-8 TE	2	No	7'9"	18'0"	22'0"	8'6"	7'10"	17'9"	7'6"	6'0"	17"	2	4" Drop	Yes
MC202-7 TE	4	No	7'0"	20'0"	24'0"	8'6"	7'10"	19'9"	6'9"	6'0"	17"	2	4" Drop	Yes
MC202-8 TE	4	No	7'9"	20'0"	24'0"	8'6"	7'10"	19'9"	7'6"	6'0"	17"	2	4" Drop	Yes

ME	Number of Cycles	Low Profile Frame	Body: Width	Body: Length	Overall: Length	Overall: Width	Overall: Height	Interior: Length	Interior: Width	Interior: Height	Platform Height	Axle: Quantity	Axle: Type	Brakes
MC101-5 ME	1	Yes	5'0"	10'0"	14'0"	6'10"	6'8"	9'8"	4'8"	5'3"	12"	1	6" Drop	No
MC101-7 ME	2	Yes	7'0"	10'0"	14'0"	8'6"	6'10"	9'8"	6'8"	5'3"	13"	1	6" Drop	Yes
MC121-6 ME	1	Yes	6'0"	12'0"	16'0"	7'10"	6'8"	11'8"	5'8"	5'3"	12"	1	6" Drop	No
MC122-7 ME	2	Yes	7'0"	12'0"	16'0"	8'6"	6'10"	11'8"	6'8"	5'3"	13"	2	6" Drop	Yes
MC122-8 ME	2	Yes	7'9"	12'0"	16'0"	8'6"	6'10"	11'8"	7'5"	5'3"	13"	2	6" Drop	Yes
MC142-7 ME	2	No	7'0"	14'0"	18'0"	8'6"	7'10"	13'9"	6'9"	6'0"	17"	2	4" Drop	Yes
MC142-8 ME	2	No	7'9"	14'0"	18'0"	8'6"	7'10"	13'9"	7'6"	6'0"	17"	2	4" Drop	Yes
MC162-7 ME	2	No	7'0"	16'0"	20'0"	8'6"	7'10"	15'9"	6'9"	6'0"	17"	2	4" Drop	Yes
MC162-8 ME	2	No	7'9"	16'0"	20'0"	8'6"	7'10"	15'9"	7'6"	6'0"	17"	2	4" Drop	Yes
MC182-7 ME	2	No	7'0"	18'0"	22'0"	8'6"	7'10"	17'9"	6'9"	6'0"	17"	2	4" Drop	Yes
MC182-8 ME	2	No	7'9"	18'0"	22'0"	8'6"	7'10"	17'9"	7'6"	6'0"	17"	2	4" Drop	Yes
MC202-7 ME	4	No	7'0"	20'0"	24'0"	8'6"	7'10"	19'9"	6'9"	6'0"	17"	2	4" Drop	Yes
MC202-8 ME	4	No	7'9"	20'0"	24'0"	8'6"	7'10"	19'9"	7'6"	6'0"	17"	2	4" Drop	Yes

Specifications and features subject to change without notice.

Suspension	Radial Tire Size	Load Range	Wheel Bolt Pattern	Hitch Ball Size	Hitch to Top of Ball	Hitch Weight	Curb Weight (lb.)	GVWR	Average Payload Capacity	Ramp Door: Width	Ramp Door: Height	Side Door: Width	Side Door: Height	Tie-Downs: Wall	Tie-Downs: Floor	12V Trailer End Connector
Torflex®	15"	C	5-Bolt/4.5	2"	18"	10-15%	995	2750	1755	52"	57"	28"	57"	2	4	4-way
Torflex®	15"	C	5-Bolt/4.5	2"	19"	10-15%	1500	3850	2350	76"	57"	28"	57"	4	8	7-way
Torflex®	15"	C	5-Bolt/4.5	2"	18"	10-15%	1420	2990	1570	64"	57"	28"	57"	2	4	4-way
Torflex®	15"	C	5-Bolt/4.5	2 5/16"	19"	10-15%	2110	5900	3790	76"	57"	28"	57"	4	8	7-way
Torflex®	15"	C	5-Bolt/4.5	2 5/16"	19"	10-15%	2220	5900	3680	85"	57"	28"	57"	4	8	7-way
Torflex®	15"	C	5-Bolt/4.5	2 5/16"	18"	10-15%	2330	7000	4670	76"	63"	28"	63"	4	8	7-way
Torflex®	15"	C	5-Bolt/4.5	2 5/16"	18"	10-15%	2440	7000	4560	85"	63"	28"	63"	4	8	7-way
Torflex®	15"	C	5-Bolt/4.5	2 5/16"	18"	10-15%	2510	7000	4490	76"	63"	28"	63"	4	8	7-way
Torflex®	15"	C	5-Bolt/4.5	2 5/16"	18"	10-15%	2620	7000	4380	85"	63"	28"	63"	4	8	7-way
Torflex®	15"	C	5-Bolt/4.5	2 5/16"	18"	10-15%	2650	7000	4350	76"	63"	28"	63"	4	8	7-way
Torflex®	15"	C	5-Bolt/4.5	2 5/16"	18"	10-15%	2760	7000	4240	85"	63"	28"	63"	4	8	7-way
Torflex®	15"	C	5-Bolt/4.5	2 5/16"	18"	10-15%	2750	7000	4250	76"	63"	28"	63"	8	16	7-way
Torflex®	15"	C	5-Bolt/4.5	2 5/16"	18"	10-15%	2860	7000	4140	85"	63"	28"	63"	8	16	7-way

Suspension	Radial Tire Size	Load Range	Wheel Bolt Pattern	Hitch Ball Size	Hitch to Top of Ball	Hitch Weight	Curb Weight (lb.)	GVWR	Average Payload Capacity	Ramp Door: Width	Ramp Door: Height	Side Door: Width	Side Door: Height	Tie-Downs: Wall	Tie-Downs: Floor	12V Trailer End Connector
Torflex®	15"	C	5-Bolt/4.5	2"	18"	10-15%	1120	2750	1630	52"	61"	28"	57"	2	4	4-way
Torflex®	15"	C	5-Bolt/4.5	2"	19"	10-15%	1550	3850	2300	76"	61"	28"	57"	4	8	7-way
Torflex®	15"	C	5-Bolt/4.5	2"	18"	10-15%	1460	2990	1530	64"	61"	28"	57"	2	4	4-way
Torflex®	15"	C	5-Bolt/4.5	2 5/16"	19"	10-15%	2160	5900	3740	76"	61"	28"	57"	4	8	7-way
Torflex®	15"	C	5-Bolt/4.5	2 5/16"	19"	10-15%	2270	5900	3630	85"	61"	28"	57"	4	8	7-way
Torflex®	15"	C	5-Bolt/4.5	2 5/16"	18"	10-15%	2380	7000	4620	76"	66"	28"	63"	4	8	7-way
Torflex®	15"	C	5-Bolt/4.5	2 5/16"	18"	10-15%	2490	7000	4510	85"	66"	28"	63"	4	8	7-way
Torflex®	15"	C	5-Bolt/4.5	2 5/16"	18"	10-15%	2560	7000	4440	76"	66"	28"	63"	4	8	7-way
Torflex®	15"	C	5-Bolt/4.5	2 5/16"	18"	10-15%	2670	7000	4330	85"	66"	28"	63"	4	8	7-way
Torflex®	15"	C	5-Bolt/4.5	2 5/16"	18"	10-15%	2700	7000	4300	76"	66"	28"	63"	4	8	7-way
Torflex®	15"	C	5-Bolt/4.5	2 5/16"	18"	10-15%	2810	7000	4190	85"	66"	28"	63"	4	8	7-way
Torflex®	15"	C	5-Bolt/4.5	2 5/16"	18"	10-15%	2800	7000	4200	76"	66"	28"	63"	8	16	7-way
Torflex®	15"	C	5-Bolt/4.5	2 5/16"	18"	10-15%	2910	7000	4090	85"	66"	28"	63"	8	16	7-way

Suspension	Radial Tire Size	Load Range	Wheel Bolt Pattern	Hitch Ball Size	Hitch to Top of Ball	Hitch Weight	Curb Weight (lb.)	GVWR	Average Payload Capacity	Ramp Door: Width	Ramp Door: Height	Side Door: Width	Side Door: Height	Tie-Downs: Wall	Tie-Downs: Floor	12V Trailer End Connector
Torflex®	15"	C	5-Bolt/4.5	2"	18"	10-15%	1155	2750	1595	52"	59 1/2"	28"	56"	2	4	4-way
Torflex®	15"	C	5-Bolt/4.5	2"	19"	10-15%	1600	3850	2250	76"	59 1/2"	28"	56"	4	8	7-way
Torflex®	15"	C	5-Bolt/4.5	2"	18"	10-15%	1505	2990	1485	64"	59 1/2"	28"	56"	2	4	4-way
Torflex®	15"	C	5-Bolt/4.5	2 5/16"	19"	10-15%	2225	5900	3675	76"	59 1/2"	28"	56"	4	8	7-way
Torflex®	15"	C	5-Bolt/4.5	2 5/16"	19"	10-15%	2340	5900	3560	85"	59 1/2"	28"	56"	4	8	7-way
Torflex®	15"	C	5-Bolt/4.5	2 5/16"	18"	10-15%	2455	7000	4545	76"	71"	28"	69"	4	8	7-way
Torflex®	15"	C	5-Bolt/4.5	2 5/16"	18"	10-15%	2570	7000	4430	85"	71"	28"	69"	4	8	7-way
Torflex®	15"	C	5-Bolt/4.5	2 5/16"	18"	10-15%	2640	7000	4360	76"	71"	28"	69"	4	8	7-way
Torflex®	15"	C	5-Bolt/4.5	2 5/16"	18"	10-15%	2755	7000	4245	85"	71"	28"	69"	4	8	7-way
Torflex®	15"	C	5-Bolt/4.5	2 5/16"	18"	10-15%	2785	7000	4215	76"	71"	28"	69"	4	8	7-way
Torflex®	15"	C	5-Bolt/4.5	2 5/16"	18"	10-15%	2900	7000	4100	85"	71"	28"	69"	4	8	7-way
Torflex®	15"	C	5-Bolt/4.5	2 5/16"	18"	10-15%	2890	7000	4110	76"	71"	28"	69"	8	16	7-way
Torflex®	15"	C	5-Bolt/4.5	2 5/16"	18"	10-15%	2995	7000	4005	85"	71"	28"	69"	8	16	7-way

Wells Cargo and Our Legacy of Engineering Leadership



Many people say that all enclosed trailers look pretty much alike. We consider that a compliment since it was Wells Cargo who pioneered the industry over 55 years ago. State-of-the-art takes on a whole new meaning when you compare the first trailer we built in 1954 with our product line today. Old "No. 1" looked pretty good back then, but we've come a long way since. Experience has made the difference and ours is unmatched. Our Research & Development facilities keep us the frontrunners of the industry. After thorough evaluation and comparison, we think you'll agree that Wells Cargo has earned our long standing reputation as the premium cargo trailer on the market and the best overall investment.

Rest assured that after you make the decision to buy a Wells Cargo, our commitment to you is not over. Our comprehensive 6-Year "Never Look Back" Warranty Program is more than just words. It's about how quickly and responsibly we respond to your needs. It's the peace-of-mind you get knowing your investment is protected by an established company with a solid reputation. If our work or materials are at fault, we'll make it right. Any one of our six manufacturing facilities or our national network of professional dealers stand ready to service your trailer should the unlikely need arise.



 BY UNIVERSAL TRAILER

www.wellscargo.com

More Great Trailers

For **WORK**, durable Wells Cargo trailers are used every day by Contractors, Landscapers, Fire Departments, Utility Companies, Heavy and Light Industry; anywhere value of investment is critical.

For **FUN**, you'll see Wells Cargo trailers carrying race cars, collector cars, snowmobiles, motorcycles, ATV's, antiques, and recreational/sporting equipment; anywhere reliable service and carefree towing is a must. You'll see Wells Cargo trailers pulled by big trucks, little trucks, passenger cars, and motorhomes.

You'll find Wells Cargo trailers in almost any situation requiring dependable, economical transportation and storage.



< Snap this with your smart phone for more information.

AUTHORIZED WELLS CARGO DEALER



©Wells Cargo, Inc. 2004 LITHO USA Form MC204R-H0713

Elkhart, IN
McAdoo, PA

Waco, TX

Ogden, UT
Waycross, GA