

SAFETY DATA SHEET

SECTION 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Aquamate Shock, Maintain Pool Pro Shock, Private Brand Cal Hypo Shock. **Product ID**: 4000 Synonyms: Calcium Hypochlorite Granular Chemical Family: Hypochlorite Revised Date: 06-09-2015 Type of Product and Use: Sanitizer and Oxidizer swimming pool water treatment chemical Supplier: Arch Chemicals, Inc 1200 Bluegrass Parkway Alpharetta, GA 30004 800-654-6911 Emergency Telephone: CHEMTREC 800-424-9300 Packaged By: Baleco Int'l Inc. PO Box 11331 Cincinnati, OH 45211 513-353-3000

SECTION 2

GHS Classification

HAZARDS IDENTIFICATION

2

1

Ono Glassification		
Oxidizing Solids:		Category 2
Acute Toxicity (Oral):		Category 4
Skin corrosion:		Category 1B
Serious eye damage:		Category 1
Specific target organ tox	cicity:	Category 3
Single exposure:	-	
GHS Label element Hazard Pictograms		

Signal Word:	Danger
Hazard statements	H272 May intensify fire: oxidizer. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H331 Toxic if inhaled. H335 May cause respiratory irritation.
Precautionary Sta	nents: Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other Ignition sources. No smoking. P220 Keep/Store away from clothing/ combustible materials. P221 Take any precaution to avoid mixing with combustibles.
Baleco Int'l Inc.	Calcium Hypochlorite Shock SDS # 4000 Date of Revision: 06/09/2015 Page 1 of 11

	P260 Do 1	not breathe vapours.		
		sh hands thoroughly a	fter handling.	
			e when handling this product.	
		only outdoors or in a		
			rotective clothing/ eye protection/ face	protection.
	Response			
	P301 + P3 You feel u		: Call a POISON CENTER or doctor/ p	hysician if
	P301 + P3 P303 + P3	330 + P331 IF SWALI 361 + P 353 IF ON Sł	_OWED: Rinse mouth. Do NOT induce KIN (or hair): Remove/ Take off immed	
			skin with water/ shower.	
			move victim to fresh air and keep at re	st in a
		comfortable for breath		
	Remove of	contact lenses, if prese	ES: Rinse cautiously with water for sevent and easy to do. Continue rinsing. N CENTER or doctor/ physician.	veral minutes
		sh contaminated cloth		
			e water spray, alcohol-resistant foam,	dry chemical
		dioxide to extinguish		ary chemical
	Storage:	. alexade te examgener	-	
	•	233 Store in a well-ve	ntilated place. Keep container tightly c	closed.
		re locked up.		
	Disposal:			
	P501 Disp	pose of contents/ cont	ainer in accordance with local regulation	on.
Other hazards:	None kno	wn.		
SECTION 3	COMPOS	ITION/INFORMA	TION ON INGREDIENTS	3
CAS OR CHEMICAL NAM	E	CAS NO.	%RANGE	
CALCIUM HYPOCHLORI	ΓE	7778-54-3	60 - 80	
SODIUM CHLORIDE		7647-14-5	10 – 20	
CALCIUM CHLORATE		10137-74-3	0 – 5	
CALCIUM CHLORIDE		10043-52-4	0 - 5	
CALCIUM HYDROXIDE		1305-62-0	0 – 4	
CALCIUM CARBONATE		471-34-1	0-5	
Water		7732-18-5	5.5 – 10	
SECTION 4	F	IRST AID MEAS	URES	4
			the strengt only in a first of here and	
			r treatment advice. For 24-hour emerg	
			800-424-9300. Have the product contained approximately app	
			ontrol center or doctor, or going for trea	
			If person is not breathing, call 911 or on, preferably by mouth-to-mouth if pos	
			r further treatment advice.	221010.
				rediately
	IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately With plenty of water for 15 – 20 minutes. Call a poison control center or doctor for			
	reatment advice.			
			slowly and gently with water for 15 – 20) minutes
			the first 5 minutes, then continue rinsi	

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call A poison control center or doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice.

Ingestion:

Baleco Int'l Inc. Calcium Hypochlorite Shock SDS #4000 Page 2 of 11 Date of Revision: 06/09/2015

Notes to Physician:	Do so by a Unconsciou	ucosal damage may contraindicate the use of gastric lavage.	
SECTION 5		FIRE-FIGHTING MEASURES	5
Flammability Summary	(OSHA):	This product is chemically reactive with many substances. Any contamination of the product with other substances by spill or otherwise may result in a chemical reaction and fire. This product is a strong oxidizer which is capable of intensifying a fire once started., Product is not known to be flammable, combustible or pyrophoric.	
Flammable Properties			
Flash Point:		Not applicable	
Auto ignition Temperatu	ure:	Not applicable Extinguishing Media: Water only. Do not use dry extinguishers containing ammonium compounds.	
Fire Fighting Instruction	IS:	Use water to cool containers exposed to fire. See Section 6 for protective equipment for fire fighting.	
Upper Flammable / Exp % in air: Lower Flammable / Exp % in air:		Not applicable	
,			

SECTION 6	ACCIDENTAL RELEASE MEASURES	6

Personal Protection for	
Emergency Situations:	Response to a large quantity spill (100 pounds or greater) or when dusting or decomposition gas exposure could occur requires the use of a positive pressure full face supplied air respirator or self contained breathing apparatus (SCBA), chemical resistant gloves, coveralls and boots. In case of fire, this personal protective equipment should be used in addition to normal fire fighter equipment.
Spill Mitigation Procedures	
Air Release:	Vapors may be suppressed by the use of water fog. All water utilized to assist in fume suppression, decontamination or fire suppression may be contaminated and must be contained before disposal and/or treatment.
Water Release:	This product is heavier than water. This material is soluble in water. Monitor all exit water for available chlorine and pH. Advise local authorities of any contaminated water release.
Land Release:	Contact 1-800-654-6911 immediately. DANGER: All spills of this product should be treated as contaminated. Contaminated product may initiate a chemical reaction that may spontaneously ignite any combustible material present, resulting in a fire of great intensity. In case of a spill, separate all spilled product from packaging, debris and other material. Using a clean broom or shovel, place all spilled product into plastic bags, and place those bags into a clean, dry disposal container, properly marked and labeled. Disposal containers made of plastic or metal are recommended. Do not seal disposal containers tightly. Immediately remove all product in disposal containers to an isolated area outdoors. Place all damaged packaging material in a disposal. Place all undamaged packaging in a clean, dry container properly marked and labeled. Call for disposal procedures.
Additional Spill Information:	Hazardous concentrations in air may be found in local spill area and immediately downwind. Remove all sources of ignition. Stop source of spill as soon as possible and notify appropriate personnel. Dispose of spill residues

Baleco Int'I Inc. Calcium Hypochlorite Shock SDS #4000 Date of Revision: 06/09/2015 Page 3 of 11

per guidelines under Section 13, Disposal Consideration. This material may be neutralized for disposal; you are requested to contact Arch Chemicals at 1-800-654-6911 before beginning any such procedure. FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC: 1-800-424-9300 REPORTABLE QUANTITY: 10 lbs. (as calcium hypochlorite) per 40 CFR 302.4.

SECTION 7	HANDLING AND STORAGE	7
Handling:	Avoid inhalation of dust and fumes. Do not take internally. Avoid contact with skin, eyes and clothing. Upon contact with skin or eyes, wash off with water.	
Storage:	Remove contaminated clothing and wash before reuse. Keep product tightly sealed in original containers. Store product in a cool, dry, well-ventilated area. Store away from combustible or flammable products. Keep product packaging clean and free of all contamination, including, e.g. other pool treatment products, acids, organic materials, nitrogen-containing compounds, dr powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, al corrosive liquids, flammable or combustible materials, etc.	У
Shelf Life Limitations:	Do not store product where the average daily temperature exceeds 95° F. Storage above this temperature may result in rapid decomposition, evolution of chlorine gas and heat sufficient to ignite combustible products. Shelf life (that is, the period of time before the product goes below stated label strength) is determined by storage time and temperatures. Store in a cool, dry and well ventilated area. Prolonged storage at elevated temperatures will significantly shorten the shelf life. Storage in a climate controlled storage area or building is recommended in those areas where extremes of high temperature occur.	
Incompatible Materials for Storage:	Do not allow product to come in contact with other materials, including e.g. other pool treatment products, acids, organic materials, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, all corrosive liquids, flammable or combustible materials, etc. A chemical reaction with such substances can cause a fire of great intensity.	
Do Not Store At temperatures Above:	Average daily temperature of 35° C / 95° F. Storage above this temperature may result in rapid decomposition, evolution of chlorine gas and heat sufficient to ignite combustible products.	
SECTION 8	EXPOSURE CONTROLS / PERSONAL PROTECTION 8	<u>8</u>

Ventilation:	Local exhaust ventilation or other engineering controls are normally required when handling or using this product to keep airborne exposures below the TLV, PEL or other recommended exposure limit.
Protective Equipment for Rou	itine Use of Product
Respiratory Protection:	Wear a NIOSH approved respirator if levels above the exposure limits are possible.
Respirator Type:	A NIOSH approved full-face air purifying respirator equipped with combination chlorine/P100 cartridges. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed ten (10) times the published limit.

Skin Protection:	Wear impervious gloves to avoid skin contact. A full impervious suit is
	recommended if exposure is possible to a large portion of the body. A safety
	shower should be provided in the immediate work area.

Baleco Int'l Inc. Calcium Hypochlorite Shock SDS #4000 Date of Revision: 06/09/2015 Page 4 of 11

Eye Protection:	Use chemical goggles. Emergency eyewash should be provided in the immediate
Protective Clothing Type:	work area. Neoprene, Nitrile, Natural rubber (This includes: gloves, boots, apron, protective suit)

Components with workplace control parameters

Components (CAS-No.)	Value	Control parameters	Basis (Updated)
CALCIUM HYPOCHLORITE (7778-54-3)	TWA	1 mg/m3	ARCH OEL*
CALCIUM HYPOCHLORITE (7778-54-3)	Conc	37-48 mg/m3	NIOSH/GUIDE IDLH
CALCIUM HYPOCHLORITE (1305-62-0)	TWA	5 mg/m3	ACGIH (02 2014)

ARCH OEL: Arch Recommended Occupational Exposure Guideline.

SECTION 9

PHYSICAL AND CHEMICAL PROPERTIES

9

Physical State: solid Form: Free flowing, granular Color: white Odor: Chlorine-like Molecular Weight: (Active ingredient)143.00 g/mol pH: 10.4 - 10.8 (1% solution in neutral, distilled water) (@ 25 Deg. C) Not applicable Melting point/freezing point Not applicable Boiling Point: Density: 0.8g/cc Vapor Pressure: (@ 25 Deg. C) Not applicable Vapor Density: Not applicable Viscosity: Not applicable Fat Solubility: No data Solubility in Water: 18 % (@ 25 Deg. C) Product also contains calcium hydroxide and calcium carbonate which will leave a residue. Partition coefficient n-octanol/water: No data Evaporation Rate: Not applicable Oxidizing: Oxidizer Volatiles, % by vol.: Not applicable VOC Content: This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489). This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450. HAP Content: Not applicable

SECTION 10	STABILITY AND REACTIVITY	10
Stability and Reactivity Summary:	Product is not sensitive to mechanical shock or impact. F sensitive to electrical static discharge. Product will not under polymerization. Product is an NFPA Class 3 oxidizer which severe increase in fire intensity. Not pyrophoric. Not an organ subjected to excessive temperatures, the product may u decomposition, evolution of chlorine gas, and heat suffic combustible substances. If product is exposed to small amount	go hazardous can cause a nic peroxide. If indergo rapid cient to ignite

Baleco Int'l Inc. Calcium Hypochlorite Shock SDS #4000 Date of Revision: 06/09/2015 Page 5 of 11

	can react violently to produce heat and toxic gases and spatter. Use copious amounts of water for fires involving this product.
Conditions to Avoid:	Do not store next to heat source, in direct sunlight, or elevated storage temperature. Do not store where the daily average temperature exceeds 95 °F. Prevent ingress of humidity and moisture into container or package.
	Always close the lid.
Chemical Incompatibility:	This product is chemically reactive with many substances, including, e.g., other pool treatment products, acids, organics, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, corrosive ,flammable or combustible materials. Do not allow product to contact any foreign matter, including other water treatment products. Contamination or improper use may cause a fire of great intensity, explosion or the release of toxic gases. If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter.
Hazardous Decomposition Products: Decomposition Temperature:	Chlorine 170 - 180 °C - , 338 - 356 °F-

SECTION 11	TOXICOLOGICAL INFORMATION	11

Component Animal Toxicology Oral LD50 value: CALCIUM HYPOCHLORITE SODIUM CHLORIDE CALCIUM CHLORIDE CALCIUM HYDROXIDE	LD50 (65% calcium hy LD50 = 3,000 mg/kg LD50 = 1,000 mg/kg LD50 = 7,340 mg/kg	pochlorite) Rat Rat Rat	850 mg/kg	RAT	
Component Animal Toxicology Dermal LD50 value: CALCIUM HYPOCHLORITE SODIUM CHLORIDE CALCIUM CHLORIDE CALCIUM HYDROXIDE	LD50 (65% calcium hy LD50 > 10,000 mg/kg LD50 = 2,630 mg/kg No data	pochlorite) > 2, Rabbit Rat	000 mg/kg Rabbit		
Component Animal Toxicology Inhalation LD50 value: CALCIUM HYPOCHLORITE	Inhalation LC50 1 h (65 Inhalation LC50 4 h (65				
SODIUM CHLORIDE CALCIUM CHLORIDE CALCIUM HYDROXIDE	Inhalation LC50 1 h > 4 No data No data	12 mg/l Rat			
<u>Product Animal Toxicology</u> <u>Oral LD50 value:</u> <u>Dermal LD50 value:</u> Inhalation LC50 value:	LD50 Approximately LD50 >2,000 mb/kg Inhalation LC50 1.00 h Inhalation LC50 4 h (Ne	Rabbit (Nose Only) >	2.04 mg/l Rat		
Baleco Int'l Inc. Calcium H	ypochlorite Shock SDS #	4000 Date	e of Revision: 06/0	9/2015	Page 6 of 11

	Inhalation LC50 1 h (Nose Only) Inhalation LC50 4 h (Nose Only)		
Skin Irritation:	DRY MATERIAL CAUSES MC CAUSES SKIN BURNS.	DDERATE SKIN IRRITATION.	WET MATERIAL
Eye Irritation: Skin Sensitization: Acute Toxicity:	Corrosive to eyes. This material is not known or rep This product is corrosive to all t irritation to mucous membranes	orted to be a skin or respiratory s issues contacted and upon inha and respiratory tract. The dry mat	lation, may cause
Subchronic / Chronic Toxicity:	the skin. However when wet, it w There are no known or reported secondary to burns.		except those s
Reproductive and			
Developmental Toxicity:		n tested for teratogenicity in la n that calcium hypochlorite is not	
CALCIUM CHLORIDE	Not known or reported to cause	reproductive or developmental to	xicity.
Mutagenicty:	and it did not induce a dominar reported to produce mutagenic a shown to lack the capability to p the micronucleus assay. In vitro mutagenic potential of bactericida The concentration which produce greater than the concentrations of	tested in the Dominant lethal as at lethal response. Calcium hypo activity in two in vitro assays. It has roduce mutations in animals base assays frequently are inapprop al chemicals due to a high degree es mutations in these in vitro ass- used for disinfection. Based on his mutagenicity in animals, the risk o ant.	chlorite has been as, however, been ed on results from riate to judge the of cellular toxicity. ays is significantly gh cellular toxicity
CALCIUM CHLORIDE		be non-mutagenic in the Ames	assay. It was also
Carcinogenicity:	including IARC, OSHA, NTP or times a week for 18 months to a examination failed to show an in Agency for Research on Car hypochlorite salts. IARC has c evidence for carcinogenicity to	ported to be carcinogenic by any EPA. One hundred mice were ex	sposed dermally 3 Histopathological ARC (International ted with several aving inadequate erefore considers
CALCIUM CHLORIDE	This chemical is not known or re including IARC, OSHA, NTP, or	ported to be carcinogenic by any EPA.	reference source
SECTION 12	ECOLOGICAL INFO	RMATION	12
Overview:	Highly toxic to fish and other aqu	iatic organisms.	
Ecological Toxicity Values for: CALCIUM HYPOCHLORITE Bluegill	- (nominal static)	. 96 h LC50 0.088 mg/l	
Rainbow trout (Salmo gairdneri) Daphnia magna,	, - (nominal, static)	. 96 h LC50 0.16 mg/l . 48 h LC50 0.11 mg/l	
Baleco Int'l Inc. Calcium Hy	pochlorite Shock SDS #4000	Date of Revision: 06/09/2015	Page 7 of 11

Bobwhite quail Mallard ducklings Bobwhite quail	- -	Dietary LC50 > 5,000 ppm Dietary LC50 > 5,000 ppm Oral LD50 3,474 mg/kg
<u>Ecological Toxicity Values for</u> : CALCIUM CHLORIDE Bluegill	-	(nominal, static). 96 h LC50 = 10,650 mg/l
Mosquito fish	-	(nominal, static). 96 h $LC50 = 13,400 \text{ mg/l}$

Mosquito fish	-	(nominal, static). 96 h LC50 = 13,400 mg/l
Pimephales promelas (fathead	l minnow) -	(nominal, static). 96 h LC50 = 4,630 mg/l
Daphnia magna,	-	(nominal, static). 48 h LC50= 2,770 mg/l
Ceriodaphnia dubia	-	(nominal, static). 48 h LC50= 1,830 mg/l
Nitzschia linearis (diatom)	-	(nominal, static). 5 day LC50 = 3,130 mg/l

SECTION 13

DISPOSAL CONSIDERATIONS

13

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES

Waste Disposal Summary:	If this product becomes a waste, it meets the criteria of a hazardous waste as defined under 40 CFR 261 and would have the following EPA hazardous waste number: D001.If this product becomes a waste, it will be a hazardous waste which is subject to the Land Disposal restrictions under 40 CFR 268 and must be managed accordingly.
Disposal Methods:	As a hazardous solid waste it should be disposed of in accordance with local, state and federal regulations.
Potential US EPA Waste Codes:	D001

SECTION 14 TRANSPORT INFORMATION 14

UN number Description of the goods Class Packing group Labels Emergency Response Guidebook Number	:	2880 Calcium hypochlorite, hydrated mixtures 5.1 II 5.1 140
TDG UN number Description of the goods Class Packing group Labels	:	2880 Calcium hypochlorite, hydrated mixtures 5.1 II 5.1

ΙΑΤΑ

DOT

Page 8 of 11 Baleco Int'l Inc. Calcium Hypochlorite Shock SDS #4000 Date of Revision: 06/09/2015

UN number Description of the goods Class Packing group Labels Packing instruction (passenger aircraft) Packing instruction (passenger aircraft)		2880 Calcium hypochlorite, hydrated mixtures 5.1 II 5.1 558 Y544	
IMDG-CODE IATA			
UN number	:	2880	
Description of the goods	:	Calcium hypochlorite, hydrated mixtures	
Class	:	5.1	
Packing group			
Labels		5.1	
EmS Number 1	:	F-H	
EmS Number 2	:	S-Q	
Marine pollutant	:	yes	
SECTION 15	RE	GULATORY INFORMATION	<u>15</u>

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals.

Signal word:DANGER!Hazard statements:Causes substantial but temporary eye injury. Corrosive. Causes skin burns.
Corrosive. Causes irreversible eye damage. This pesticide is toxic to fish.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Calcium hypochlorite	7778-54-3	10	

SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

CLEAN AIR ACT

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F)

Baleco Int'l Inc. Calcium Hypochlorite Shock SDS #4000 Date of Revision: 06/09/2015 Page 9 of 11

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489)

Clean Water Act

The following Hazardous Substances are listed under the U.S. Clean Water Act, Section 311, Table 116.4a: Calcium hypochlorite 7778-54-3

The following Hazardous Substances are listed under the U.S. Clean Water Act, Section 311, Table 117.3: Calcium hypochlorite 7778-54-3

This product does not contain any toxic pollutants listed under the U.S. Clean Air Act Section 307

US State Regulations Massachusetts Right To Know

massachasetts right	
Calcium hypochlorite	7778-54-3
Calcium carbonate	471-34-1
Calcium chlorate	10137-74-3
Calcium dihydroxide	1305-62-0

Pennsylvania Right To Know

Calcium	hypochlorite	7778-54-3
Calcium	chloride	7647-14-5
Calcium	carbonate	471-34-1
Calcium	chlorate	10137-74-3
Calcium	chloride	10043-52-4
Calcium	dihydroxide	1305-62-0

Ney Jersey Right To Know

97778-54-3
7647-14-5
471-34-1
10137-74-3
10043-52-4
1305-62-0

California Prop 65 This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TSCA : This is an EPA registered pesticide.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16

OTHER INFORMATION

16

Disclaimer: We recommend that you use this product in a manner consistent with the listed use. If your intended use is not consistent with the stated use in Section 1 of this SDS, please contact your sales or technical service representative.

Baleco Int'l Inc. Calcium Hypochlorite Shock SDS #4000 Date of Revision: 06/09/2015 Page 10 of 11

Reason for Revision: Conversion to SDS format. Changes in all sections.

All Sections reformatted in accordance with OSHA Hazard Communication Standard 29 CFR 1910-1200(GHS). The information in this safety data sheet should be provided to all who will use, handles, store, transport, or otherwise be exposed to this product. This Information has been prepared for the guidance of plant engineering, operations and management and for persons working with or handling this product. Baleco believes this information to be reliable and up to date as of the date of publication, but makes no warranty that it is. Additionally, if this material safety data sheet is more than three years old, you should contact Baleco at The phone number listed in section 1 to make certain that this sheet is current.

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, Baleco Int'l Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its safety and suitability for their purposes prior to use. In no event will Baleco Int'l Inc. be responsible for damages of any nature whatsoever resulting from the use or reliance upon information.

No representations or warranties, either expressed or implied, of merchant ability, fitness for a particular purpose or of any other nature, are made hereunder with respect to information or the product to which the information refers.

Prepared By: MSDS/SDS Department with information from the Supplier and Clearon Corp SDS for cyanuric acid. Baleco Int'l Inc. PO Box 11331 Cincinnati, OH 45211 (513)353-3000

End of Safety Data Sheet