



APPLIED TECHNICAL SERVICES, INCORPORATED

1049 Triad Court, Marietta, Georgia 30062 • (770) 423-1400 Fax (770) 424-6415

CHEMICAL TEST REPORT

Ref. C288777

Date February 22, 2018

Page 1 of 11

Customer: American Imports, Inc., 5108 Rittiman Road #106, San Antonio, TX 78218

Attention: Denise Stewart

Purchase Order #: 180207DMS Part #/Name: See Below

Material Designation: Various

Special Requirement: Samples prepared using microwave digestion techniques for lead analyzed per CPSC-CH-E1002-08.

Lab Comment: ICP atomic emission techniques utilized to analyze for lead as per ASTM E1479-16

Test Results

Composition: (parts per million, mg/kg)

Identification	Pb	ATS #		
16 C.F.R. 1303 requirements for lead CPSIA Section 101 requirements for lead	†			
Rubber Band	<4	1	Pass	
12PRD 12" Pastel Red	<3	2	Pass	
12PYL 12" Pastel Yellow	<2	3	Pass	
12PRK 12" Pastel Pink	<3	4	Pass	
12PWH 12" Pastel White	<5	5	Pass	
12PBB 12" Pastel Baby Blue	<5	6	Pass	
12POR 12" Pastel Orange	<5	7	Pass	
12PAQ 12" Pastel Aqua	3	8	Pass	
12PRB 12" Pastel Royal Blue	5	9	Pass	
12PGR 12" Pastel Green	<5	10	Pass	

†Requirements for children's consumer products manufactured after August 14, 2011: Lead in accessible substrates 100 ppm maximum; Lead in paints and similar surface coatings 90 ppm maximum.



Prepared by:

J. Joris

Senior Chemist

Approved by:

J. Burmeister

Manager

This report may not be reproduced except in full without the written approval of ATS. This report represents interpretation of the results obtained from the test specimen and is not to be construed as a guarantee or warranty of the condition of the entire material lot. If the method used is a customer provided, non-standard test method, ATS does not assume responsibility for validation of the method. Measurement uncertainty available upon request where applicable.



APPLIED TECHNICAL SERVICES, INCORPORATED

1049 Triad Court, Marietta, Georgia 30062 • (770) 423-1400 Fax (770) 424-6415

CHEMICAL TEST REPORT

Ref. C288777

Date February 22, 2018

Page 2 of 11

Customer: American Imports, Inc., 5108 Rittiman Road #106, San Antonio, TX 78218

Attention: Denise Stewart

Purchase Order #: 180207DMS

Part #/Name: See Below

Material Designation: Various

Special Requirement: Samples prepared using microwave digestion techniques for lead analyzed per CPSC-CH-E1002-08.

Lab Comment: ICP atomic emission techniques utilized to analyze for lead as per ASTM E1479-16

Test Results

Composition: (parts per million, mg/kg)

Identification	Pb	ATS #		
<i>16 C.F.R. 1303 requirements for lead CPSIA Section 101 requirements for lead</i>	†			
12DRR 12" Ruby Red	<5	11	Pass	
12DBR 12" Brite Red	<4	12	Pass	
12DRB 12" Royal Blue	<5	13	Pass	
12DMG 12" Marigold	<3	14	Pass	
12DJG 12" Jade Green	<4	15	Pass	
12DIV 12" Ivory	<5	16	Pass	
12DBP 12" Bright Pink	<4	17	Pass	
12DHP 12" Hot Pink	<4	18	Pass	
12DCR 12" Cherry Red	<3	19	Pass	
12DSW 12" Snow White	<5	20	Pass	

†Requirements for children's consumer products manufactured after August 14, 2011: Lead in accessible substrates 100 ppm maximum; Lead in paints and similar surface coatings 90 ppm maximum.



Prepared by:

J. Joris

Senior Chemist

Approved by:

J. Burmeister

Manager

This report may not be reproduced except in full without the written approval of ATS. This report represents interpretation of the results obtained from the test specimen and is not to be construed as a guarantee or warranty of the condition of the entire material lot. If the method used is a customer provided, non-standard test method, ATS does not assume responsibility for validation of the method. Measurement uncertainty available upon request where applicable.



APPLIED TECHNICAL SERVICES, INCORPORATED

1049 Triad Court, Marietta, Georgia 30062 • (770) 423-1400 Fax (770) 424-6415

CHEMICAL TEST REPORT

Ref. C288777

Date February 22, 2018

Page 3 of 11

Customer: American Imports, Inc., 5108 Rittiman Road #106, San Antonio, TX 78218

Attention: Denise Stewart

Purchase Order #: 180207DMS

Part #/Name: See Below

Material Designation: Various

Special Requirement: Samples prepared using microwave digestion techniques for lead analyzed per CPSC-CH-E1002-08.

Lab Comment: ICP atomic emission techniques utilized to analyze for lead as per ASTM E1479-16

Test Results

Composition: (parts per million, mg/kg)

Identification	Pb	ATS #		
<i>16 C.F.R. 1303 requirements for lead CPSIA Section 101 requirements for lead</i>	†			
12DPE 12" Peach	<3	21	Pass	
12DCB 12" Caribbean Blue	<4	22	Pass	
12DLV 12" Lavender	5	23	Pass	
12DLG 12" Lime Green	<4	24	Pass	
12DCL 12" Clear	5	25	Pass	
12DFP 12" Fuschsia Pink	<4	26	Pass	
12DTL 12" Teal	11	27	Pass	
12DSO 12" Sunburst Orange	<5	28	Pass	
12DPL 12" Plum	<4	29	Pass	
12DDP 12" Deep Purple	<4	30	Pass	

†Requirements for children's consumer products manufactured after August 14, 2011: Lead in accessible substrates 100 ppm maximum; Lead in paints and similar surface coatings 90 ppm maximum.



Prepared by:

J. Joris
Senior Chemist

Approved by:

J. Burmeister
Manager

This report may not be reproduced except in full without the written approval of ATS. This report represents interpretation of the results obtained from the test specimen and is not to be construed as a guarantee or warranty of the condition of the entire material lot. If the method used is a customer provided, non-standard test method, ATS does not assume responsibility for validation of the method. Measurement uncertainty available upon request where applicable.



APPLIED TECHNICAL SERVICES, INCORPORATED

1049 Triad Court, Marietta, Georgia 30062 • (770) 423-1400 Fax (770) 424-6415

CHEMICAL TEST REPORT

Ref. C288777

Date February 22, 2018

Page 4 of 11

Customer: American Imports, Inc., 5108 Rittiman Road #106, San Antonio, TX 78218

Attention: Denise Stewart

Purchase Order #: 180207DMS

Part #/Name: See Below

Material Designation: Various

Special Requirement: Samples prepared using microwave digestion techniques for lead analyzed per CPSC-CH-E1002-08.

Lab Comment: ICP atomic emission techniques utilized to analyze for lead as per ASTM E1479-16

Test Results

Composition: (parts per million, mg/kg)

Identification	Pb	ATS #		
<i>16 C.F.R. 1303 requirements for lead CPSIA Section 101 requirements for lead</i>	†			
12DNB 12" Navy Blue	4	31	Pass	
12DBN 12" Brown	<4	32	Pass	
12DBW 12" Burgundy Wine	<3	33	Pass	
12DAM 12" Aquamarine	<5	34	Pass	
12DEG 12" Emerald Green	4	35	Pass	
12DMB 12" Midnight Black	<3	36	Pass	
12DKW 12" Kiwi	<3	37	Pass	
12DSB 12" Sky Blue	<2	38	Pass	
12DCY 12" Canary Yellow	7	39	Pass	
12MGRN 12" Metallic Green	4	40	Pass	

†Requirements for children's consumer products manufactured after August 14, 2011: Lead in accessible substrates 100 ppm maximum; Lead in paints and similar surface coatings 90 ppm maximum.



Prepared by:

J. Joris
Senior Chemist

Approved by:

J. Burmeister
Manager

This report may not be reproduced except in full without the written approval of ATS. This report represents interpretation of the results obtained from the test specimen and is not to be construed as a guarantee or warranty of the condition of the entire material lot. If the method used is a customer provided, non-standard test method, ATS does not assume responsibility for validation of the method. Measurement uncertainty available upon request where applicable.



APPLIED TECHNICAL SERVICES, INCORPORATED

1049 Triad Court, Marietta, Georgia 30062 • (770) 423-1400 Fax (770) 424-6415

CHEMICAL TEST REPORT

Ref. C288777

Date February 22, 2018

Page 5 of 11

Customer: American Imports, Inc., 5108 Rittiman Road #106, San Antonio, TX 78218

Attention: Denise Stewart

Purchase Order #: 180207DMS

Part #/Name: See Below

Material Designation: Various

Special Requirement: Samples prepared using microwave digestion techniques for lead analyzed per CPSC-CH-E1002-08.

Lab Comment: ICP atomic emission techniques utilized to analyze for lead as per ASTM E1479-16

Test Results

Composition: (parts per million, mg/kg)

Identification	Pb	ATS #		
16 C.F.R. 1303 requirements for lead CPSIA Section 101 requirements for lead	†			
12MYEL 12" Metallic Yellow	<4	41	Pass	
12MBLK 12" Metallic Black	<4	42	Pass	
12MTEA 12" Metallic Teal	4	43	Pass	
12MBLU 12" Metallic Blue	5	44	Pass	
12MCOP 12" Metallic Copper	5	45	Pass	
12MCRD 12" Metallic Cherry Red	<4	46	Pass	
12MBUR 12" Metallic Burgundy	<4	47	Pass	
12MGLD 12" Metallic Gold	<4	48	Pass	
12MORG 12" Metallic Orange	<3	49	Pass	
12MSLV 12" Metallic Silver	<3	50	Pass	

†Requirements for children's consumer products manufactured after August 14, 2011: Lead in accessible substrates 100 ppm maximum; Lead in paints and similar surface coatings 90 ppm maximum.



Prepared by: J. Joris J. Joris
Senior Chemist

Approved by: J. Burmeister J. Burmeister
Manager

This report may not be reproduced except in full without the written approval of ATS. This report represents interpretation of the results obtained from the test specimen and is not to be construed as a guarantee or warranty of the condition of the entire material lot. If the method used is a customer provided, non-standard test method, ATS does not assume responsibility for validation of the method. Measurement uncertainty available upon request where applicable.



APPLIED TECHNICAL SERVICES, INCORPORATED

1049 Triad Court, Marietta, Georgia 30062 • (770) 423-1400 Fax (770) 424-6415

CHEMICAL TEST REPORT

Ref. C288777

Date February 22, 2018

Page 6 of 11

Customer: American Imports, Inc., 5108 Rittiman Road #106, San Antonio, TX 78218

Attention: Denise Stewart

Purchase Order #: 180207DMS Part #/Name: See Below

Material Designation: Various

Special Requirement: Samples prepared using microwave digestion techniques for lead analyzed per CPSC-CH-E1002-08.

Lab Comment: ICP atomic emission techniques utilized to analyze for lead as per ASTM E1479-16

Test Results

Composition: (parts per million, mg/kg)

Identification	Pb	ATS #		
16 C.F.R. 1303 requirements for lead CPSIA Section 101 requirements for lead	†			
12MPUR 12" Metallic Purple	<4	51	Pass	
12MPNK 12" Metallic Pink	<3	52	Pass	
12MWHI 12" Pearlized White	<3	53	Pass	
12MLPK 12" Pearlized Light Pink	<4	54	Pass	
12MLBL 12" Pearlized Light Blue	<4	55	Pass	
12MLAV 12" Pearlized Lavender	<4	56	Pass	
12MLGR 12" Pearlized Light Green	<4	57	Pass	
12MPCH 12" Pearlized Peach	<5	58	Pass	
12MIVR 12" Pearlized Ivory	<4	59	Pass	

†Requirements for children's consumer products manufactured after August 14, 2011: Lead in accessible substrates 100 ppm maximum; Lead in paints and similar surface coatings 90 ppm maximum.



Prepared by: Jodi Joris J. Joris
Senior Chemist

Approved by: J. Burmeister J. Burmeister
Manager

This report may not be reproduced except in full without the written approval of ATS. This report represents interpretation of the results obtained from the test specimen and is not to be construed as a guarantee or warranty of the condition of the entire material lot. If the method used is a customer provided, non-standard test method, ATS does not assume responsibility for validation of the method. Measurement uncertainty available upon request where applicable.



APPLIED TECHNICAL SERVICES, INCORPORATED

1049 Triad Court, Marietta, Georgia 30062 • (770) 423-1400 Fax (770) 424-6415

CHEMICAL TEST REPORT

Ref. C288777

Date February 22, 2018

Page 9 of 11

Customer: American Imports, Inc., 5108 Rittiman Road #106, San Antonio, TX 78218

Attention: Denise Stewart

Purchase Order #: 180207DMS Part #/Name: See Below

Lab Comment: None

Material Designation: N/A

Methodology: GC/MS was used to identify and quantify the phthalate compounds according to CPSC-CH-C1001-09.3 Standard Operating Procedure for Determination of Phthalates

Test Results

Composition: (parts per million, mg/kg)

Identification	DnHP‡	DnBP‡§	BBP‡§	DEHP‡§	DnOP§	DINP§	DIDP§
<i>Subsection 108(a) requirement for phthalate</i>	1000 Max.	1000 Max.	1000 Max.	1000 Max.	1000 Max.	1000 Max.	1000 Max.
Balloons 12DCR	*N.D.	*N.D.	*N.D.	*N.D.	*N.D.	*N.D.	*N.D.
Punch Ball Rubber Band	*N.D.	*N.D.	*N.D.	*N.D.	*N.D.	*N.D.	*N.D.

*N.D. – None Detected <50 ppm: Di-n-Hexyl Phthalate (DnHP) Di-n-Butyl Phthalate (DnBP), Butyl Benzyl Phthalate (BBP), Di-Ethyl Hexyl Phthalate (DEHP), Di-n-Octyl Phthalate (DnOP), Di-Isononyl Phthalate (DINP) and Di Isodecyl Phthalate (DIDP)

§CPSCIA Subsection 108(a) requirement for phthalates

‡CA Prop 65 requirements for phthalates



Prepared by:

M. M. Tippens
Senior Chemist

Approved by:

J. Burmeister
Manager

This report may not be reproduced except in full without the written approval of ATS. This report represents interpretation of the results obtained from the test specimen and is not to be construed as a guarantee or warranty of the condition of the entire material lot. If the method used is a customer provided, non-standard test method, ATS does not assume responsibility for validation of the method. Measurement uncertainty available upon request where applicable.



APPLIED TECHNICAL SERVICES, INCORPORATED

1049 Triad Court, Marietta, Georgia 30062 • (770) 423-1400 Fax (770) 424-6415

CHEMICAL TEST REPORT

Ref. C288777

Date February 22, 2018

Page 10 of 11

Customer: American Imports, Inc., 5108 Rittiman Road #106, San Antonio, TX 78218

Attention: Denise Stewart

Purchase Order #: 180207DMS

Part #/Name: See Below

Lab Comment: None

Material Designation: N/A

Methodology: GC/MS was used to identify and quantify the phthalate compounds according to CPSC-CH-C1001-09.3 Standard Operating Procedure for Determination of Phthalates

Test Results

Composition: (parts per million, mg/kg)


Identification	DPENP	DHEXP	DCHP				
<i>Subsection 108(a) requirement for phthalate</i>	-	-	-				
Balloons 12DCR	*N.D.	*N.D.	*N.D.				
Punch Ball Rubber Band	*N.D.	*N.D.	*N.D.				


*N.D. – None Detected <50 ppm: Di-n-Hexyl Phthalate (DnHP) Di-n-Butyl Phthalate (DnBP), Butyl Benzyl Phthalate (BBP), Di-Ethyl Hexyl Phthalate (DEHP), Di-n-Octyl Phthalate (DnOP), Di-Isononyl Phthalate (DINP) and Di Isodecyl Phthalate (DIDP)

§CPSIA Subsection 108(a) requirement for phthalates

‡CA Prop 65 requirements for phthalates



Prepared by:  M. M. Tippens
Senior Chemist

Approved by:  J. Burmeister
Manager

This report may not be reproduced except in full without the written approval of ATS. This report represents interpretation of the results obtained from the test specimen and is not to be construed as a guarantee or warranty of the condition of the entire material lot. If the method used is a customer provided, non-standard test method, ATS does not assume responsibility for validation of the method. Measurement uncertainty available upon request where applicable.



CHEMICAL TEST REPORT

Ref. C288777

Date February 22, 2018

Page 11 of 11




Figure 1



Figure 2



Figure 3