## Pulliam Chiropractic Clinic, LLC

P.O. Box 6776 Slidell, Louisiana 70469 (985) 649-0023

Mandeville: (985) 727-2255

Fax: (985) 661-9933

## PRELIMINSARY INFORMATION QUESTIONNAIRE

PATIENT INFORMATION: Minor	Single	Married	Divorced	Widowed	Sex: M	F	
Last Name:		First:			M.I		
Social Security #/	/	_Date of E	Birth:	//	A	ge:	
Address:	C	ity:		Stat	e:Zip:_		
Home#							
Place of Employment:		=		_Phone#			
Employer's Address: INSURANCE POLICY HOLDER (If d	lifferent fro	om Patient)					
Last Name:	First	t:		N	И.I: S	ex: M	F
Date of Birth://	Home#		Ce	11#			
Address:SPOUSE INFORMATION (If different	City:_ from abov	re)		State	e:Zip:		
Last Name:	First	t:		N	4.I S	ex: M	F
Social Security#/ GENERAL INFORMATION		Dat	e of Birth:_	//	/_		
Incase of Emergency Notify:		Phon	e:	Re	elationship:		
What other health care have you received	for this pro	oblem?			****		
Is this injury due to an accident: Yes	No,	Auto	Work	Other			
Date Accident or Illness begin:	ı don't hav	,City and	nd State acci	dent happene	ed in:	MASS ASSOCIATION OF THE PROPERTY OF THE PROPER	
Who referred you to our office?(Doctor/Friend/Phonebook)					Phone:		
Primary Insurance Plan:	Policy Holder's Name:						
ID#	Gro	oup#		Pho	one		
Patient(or Parent/Guardian)							

# DO YOU HAVE, OR HAVE EVER HAD, PROBLEMS WITH THE FOLLOWING? \*\*\*PLEASE CIRCLE\*\*\*

HEADACHES	YES	NO	Mon		
DIZZINESS	YES	NO NO	NOW	PREVIOUS	
BLURRED VISION	YES	NO	NOW	PREVIOUS	
DEPRESSION	YES	NO	NOW	PREVIOUS	
NERVOUSNESS	YES	NO	NOW	PREVIOUS	
DIFFICULT SLEEP	YES	NO	NOW	PREVIOUS	
LOSS OF ENERGY	YES	NO	NOW	PREVIOUS	
TIRED IN THE MORNING	YES	NO NO	NOW	PREVIOUS	
BUZZ/RINGING IN EARS	YES	NO	NOW	PREVIOUS	
RUN DOWN	YES	NO	NOW	PREVIOUS	
FAINTING	YES	NO	NOW	PREVIOUS	
PALPITATION	YES	NO	NOW	PREVIOUS	
	RAL PROBLEMS		NOW FOLLOWING.	PREVIOUS	
HEAD	YES	NO		DD EV WOLLO	
SINUSES	YES	NO	NOW	PREVIOUS	
NECK PAIN/STIFFNESS	YES	A STATE OF THE PARTY OF THE PAR	NOW	PREVIOUS	
SHOULDER PAIN	YES	NO	NOW	PREVIOUS	
UPPER BACK		NO	NOW	PREVIOUS	
MID BACK	YES YES	NO NO	NOW	PREVIOUS	
CHEST PAIN	YES	NO NO	NOW	PREVIOUS	
LUNG	YES	NO	NOW	PREVIOUS	
HEART	YES	NO	NOW	PREVIOUS	
BLOOD PRESSURE	YES	NO	NOW	PREVIOUS	
STOMACH	the state of the s	NO	NOW	PREVIOUS	
INDIGESTION	YES	NO	NOW	PREVIOUS	
BLADDER	YES	NO	NOW	PREVIOUS	
KIDNEY	YES	NO	NOW	PREVIOUS	
LIVER	YES	NO	NOW	PREVIOUS	
COLON	YES	NO	NOW	PREVIOUS	
COLON	YES	NO	NOW	PREVIOUS	
LOW BACK	YES	NO	NOW	PREVIOUS	
HIP	YES	NO	NOW	PREVIOUS	
LEG PAIN/CRAMPS	YES	NO	NOW	PREVIOUS	
POOR CIRCULATION	YES	NO	NOW	PREVIOUS	
HIV POSITIVE	YES	NO	NOW	PREVIOUS	
IIIV POSITIVE	YES	NO			
HOSDITAL/SLIDGEDY VEG	ANY PREVIO				
HOSPITAL/SURGERY YES	NO	BREAS	T IMPLANTS	YES	NO
DESCRIBE CIRCUMSTANCES					
ARE YOU PREGNANT?					
ACCIDENTS (FALLS, AUTO, JOB)					
DESCRIBE CIRCUMSTANCES					
PLEASE LIST ALL MEDICATION Y	OU ARE TAKING_				-
ANY BLOOD RELATIVES WITH BA					
		1170 110	J WIIO		
'ATIENT'S SIGNATURE:	-		TODAY'S I	DATE:	

#### PATIENT PAIN DRAWING

NAME	DATE	

Using the symbols given below, mark the areas on your body where you feel the described sensations. Include all affected areas.

Aching. Numbness Pins and needles Burning Stabbing Other  $\triangle \triangle \triangle \triangle = = = 000$  X X X /// \*\*\*

# Pain in arm(s) compared with neck [] Worse than [] Same as [] Less than Right Left Left Right () Pain in leg(s) compared with back [] Worse than [] Same as [] Less than



2			
2			
ì			
ě			

#### Patient Name

Date

This questionnaire will give your provider information about how your back condition affects your everyday life. Please answer every section by marking the one statement that applies to you. If two or more statements in one section apply, please mark the one statement that most closely describes your problem.

## Pain Intensity

- ① The pain comes and goes and is very mild.
- 1 The pain is mild and does not vary much.
- The pain comes and goes and is moderate.
- The pain is moderate and does not vary much.
- The pain comes and goes and is very severe.
- The pain is very severe and does not vary much.

### Sleeping

- ① I get no pain in bed.
- ① I get pain in bed but it does not prevent me from sleeping well.
- ② Because of pain my normal sleep is reduced by less than 25%.
- 3 Because of pain my normal sleep is reduced by less than 50%.
- ④ Because of pain my normal sleep is reduced by less than 75%.
- ⑤ Pain prevents me from sleeping at all.

## Sitting

- ① I can sit in any chair as long as I like.
- 1 can only sit in my favorite chair as long as I like.
- 2 Pain prevents me from sitting more than 1 hour.
- 3 Pain prevents me from sitting more than 1/2 hour.
- 4 Pain prevents me from sitting more than 10 minutes.
- (5) I avoid sitting because it increases pain immediately.

## Standing

- (i) I can stand as long as I want without pain.
- 1 have some pain while standing but it does not increase with time.
- ② I cannot stand for longer than 1 hour without increasing pain.
- ③ I cannot stand for longer than 1/2 hour without increasing pain.
- (4) I cannot stand for longer than 10 minutes without increasing pain.
- (5) I avoid standing because it increases pain immediately.

#### Walking

- I have no pain while walking.
- 1 have some pain while walking but it doesn't increase with distance.
- ② I cannot walk more than 1 mile without increasing pain.
- 3 I cannot walk more than 1/2 mile without increasing pain.
- 4 + cannot walk more than 1/4 mile without increasing pain.
- (5) I cannot walk at all without increasing pain.

#### Personal Care

- ① I do not have to change my way of washing or dressing in order to avoid pain.
- ① I do not normally change my way of washing or dressing even though it causes some pain.
- 2 Washing and dressing increases the pain but I manage not to change my way of doing it.
- 3 Washing and dressing increases the pain and I find it necessary to change my way of doing it.
- 4 Because of the pain I am unable to do some washing and dressing without help.
- ⑤ Because of the pain I am unable to do any washing and dressing without help.

## Lifting

- (1) I can lift heavy weights without extra pain.
- 1 can lift heavy weights but it causes extra pain.
- 2 Pain prevents me from lifting heavy weights off the floor.
- Pain prevents me from lifting heavy weights off the floor, but I can manage if they are conveniently positioned (e.g., on a table).
- Pain prevents me from lifting heavy weights off the floor, but I can manage light to medium weights if they are conveniently positioned.
- 5 I can only lift very light weights.

## Traveling

- I get no pain while traveling.
- 1 get some pain while traveling but none of my usual forms of travel make it worse.
- 2 I get extra pain while traveling but it does not cause me to seek alternate forms of travel.
- 3 I get extra pain while traveling which causes me to seek alternate forms of travel.
- Pain restricts all forms of travel except that done while lying down.
- ⑤ Pain restricts all forms of travel.

#### Social Life

- My social life is normal and gives me no extra pain.
- 1 My social life is normal but increases the degree of pain.
- Pain has no significant affect on my social life apart from limiting my more energetic interests (e.g., dancing, etc).
- 3 Pain has restricted my social life and I do not go out very often.
- 4 Pain has restricted my social life to my home.
- (5) I have hardly any social life because of the pain.

### Changing degree of pain

- My pain is rapidly getting better.
- ① My pain fluctuates but overall is definitely getting better.
- 2 My pain seems to be getting better but improvement is slow.
- My pain is neither getting better or worse.
- My pain is gradually worsening.
- My pain is rapidly worsening.

Back	
Index	
Score	

Index Score =	[Sum of all statements selected	/ (# of sections with a statement selected x 5)] x 100
	and the second second second second second	



## ACM Group, Inc. Use Only sex 3/27/2003

#### Patient Name

Date

This questionnaire will give your provider information about how your neck condition affects your everyday life. Please answer every section by marking the one statement that applies to you. If two or more statements in one section apply, please mark the one statement that most closely describes your problem.

## Pain Intensity

- (1) I have no pain at the moment.
- The pain is very mild at the moment.
- ② The pain comes and goes and is moderate.
- The pain is fairly severe at the moment.
- 4 The pain is very severe at the moment.
- The pain is the worst imaginable at the moment.

## Sleeping

- (1) I have no trouble sleeping.
- ① My sleep is slightly disturbed (less than 1 hour sleepless).
- 2 My sleep is mildly disturbed (1-2 hours sleepless).
- 3 My sleep is moderately disturbed (2-3 hours sleepless).
- My sleep is greatly disturbed (3-5 hours sleepless).
- (5-7 hours sleepless).

## Reading

- ① I can read as much as I want with no neck pain.
- ① I can read as much as I want with slight neck pain.
- 2 | can read as much as I want with moderate neck pain.
- 3 I cannot read as much as I want because of moderate neck pain.
- (4) I can hardly read at all because of severe neck pain.
- (3) I cannot read at all because of neck pain.

#### Concentration

- (1) I can concentrate fully when I want with no difficulty.
- 1 can concentrate fully when I want with slight difficulty.
- ② I have a fair degree of difficulty concentrating when I want.
- 3 I have a lot of difficulty concentrating when I want.
- 4 I have a great deal of difficulty concentrating when I want.
- (5) I cannot concentrate at all.

#### Work

- @ I can do as much work as I want.
- 1 can only do my usual work but no more.
- ② I can only do most of my usual work but no more.
- 3 | cannot do my usual work.
- (4) I can hardly do any work at all.
- ⑤ I cannot do any work at all.

#### Personal Care

- (i) I can look after myself normally without causing extra pain.
- ① I can look after myself normally but it causes extra pain.
- ② It is painful to look after myself and I am slow and careful.
- 3 I need some help but I manage most of my personal care.
- (4) I need help every day in most aspects of self care.
- (5) I do not get dressed, I wash with difficulty and stay in bed.

#### Lifting

- 1 can lift heavy weights without extra pain.
- 1 can lift heavy weights but it causes extra pain.
- ② Pain prevents me from lifting heavy weights off the floor, but I can manage if they are conveniently positioned (e.g., on a table).
- ② Pain prevents me from lifting heavy weights off the floor, but I can manage light to medium weights if they are conveniently positioned.
- 4 I can only lift very light weights.
- (5) I cannot lift or carry anything at all.

#### Driving

- (1) I can drive my car without any neck pain.
- 1 can drive my car as long as I want with slight neck pain.
- 2 I can drive my car as long as I want with moderate neck pain.
- 3 I cannot drive my car as long as I want because of moderate neck pain.
- 4 I can hardly drive at all because of severe neck pain.
- (5) I cannot drive my car at all because of neck pain.

#### Recreation

- 1 am able to engage in all my recreation activities without neck pain.
- 1 am able to engage in all my usual recreation activities with some neck pain.
- 2 I am able to engage in most but not all my usual recreation activities because of neck pain.
- 3 I am only able to engage in a few of my usual recreation activities because of neck pain.
- 4 can hardly do any recreation activities because of neck pain.
- ⑤ I cannot do any recreation activities at all.

#### Headaches

- 1 have no headaches at all.
- 1 have slight headaches which come infrequently.
- 2 I have moderate headaches which come infrequently.
- 3 have moderate headaches which come frequently.
- 4 I have severe headaches which come frequently.
- 3 I have headaches almost all the time.

Neck	
Index	The state of the s
Score	

			The second secon
Index Score = [Sum of all statements selected / (#	of sections with a stater	ment selected x	(5)] x 100