



1971

CATALOG

Finest Archery
Equipment for
The Sportsman Hunter
The Tournament Archer
And Family Fun.





imperial

A tradition of greatness. That's the story behind the Imperial for 1971. For nearly a half century the name YORK has meant better archery equipment — better design, better quality and, therefore, more shooting satisfaction. This bow is certainly a part of that tradition.

The Imperial is exactly right for the real competitor, the archer who is serious about the sport and appreciates maximum performance. This is a tournament bow with a feel that builds confidence.

A bow of unusual beauty, the Imperial has inherent design characteristics necessary for consistent accuracy and flat trajectory. It really delivers and with stability and smoothness you'll find hard to believe. Available for both right and left handed archers.

No. SWR-1 AMO length 68 in. Pulling weights to 50 lbs. For arrows to 32 in. Weighed at 28 in. draw. Recommended brace height: Approx. 8½ in.

No. SWR-2 AMO length 64 in. Pulling weights to 50 lbs. For arrows to 30 in. Weighed at 28 in. draw. Recommended brace height: Approx. 8 in.

The Imperial is equipped with a stabilizer connector and comes with the No.VBC bowcase.

Coronet

The Coronet is unique among fine bows. You will first appreciate its beauty, symmetry and fine woods. Shoot it and then you will know this is a tournament caliber bow at a remarkably low price. You'll watch the arrow hit the target and scarcely know it has left the bow. Only YORK could develop a bow with so much going for it.

The handle section of exotic imported hardwoods has double overlays on both the face and back and the limbs are made with the finest fiberglass supporting select maple laminations. Available for both right and left handed archers.

No. DRR-1 AMO length 66 in. Pulling weights to 50 lbs. For arrows to 32 in. Weighed at 28 in. draw. Recommended brace height: Approx. 8½ in. The Coronet is equipped with a stabilizer connector.

Super Crest

The Super Crest provides exceptional shooting qualities and outstanding features of design at a very low price. Its handle section of harmonious laminations of White Holly and exotic imported hardwoods makes this a bow of unusual beauty.

With longer limbs and the forward placed balance projections the Super Crest shoots smoothly and with a lot of cast. It has particular appeal for target and field archers. Available for both right and left handed shooters.

No. WRZ AMO length 66 in. Pulling weights to 55 pounds. For arrows to 32 in. Weighed at 28 in. draw. Recommended brace height: Approx. 7½ in.

Crest

The Crest is a precisely designed, moderately priced bow with the versatility for hunting, target or field shooting. Combining YORK custom quality with exotic imported hardwoods provides beauty as well as cast and consistently dependable performance. The Crest has rugged stamina and the fine shooting qualities demanded by the experienced archer. Available for both right and left handed shooters.

No. RRS-1 AMO length 64 in. Pulling weights to 55 lbs. For arrows to 30 in. Weighed at 28 in. draw. Recommended brace height: Approx. 7½ in.

Crescent

Here's a value packed, budget priced composite bow that is rugged, dependable and gives real shooting satisfaction too. The Crescent is a reflexed, modified recurve with smoothness, accuracy and graceful beauty far beyond its modest price. It is an excellent first bow for the adult. Available for both right and left handed archers.

No. GBF-1 AMO length 64 in. Pulling weights to 55 lbs. For arrows to 30 in. Weighed at 28 in. draw. Recommended brace height: Approx. 7 in.

Cadet

The Cadet is a handsome, hard hitting bow that is light in the hand and a pleasure to shoot. It's perfect for beginners — a quality composite bow at a remarkably low price. Available for both right and left handed archers.

No. BFB AMO length 60 in. Pulling weights to 40 lbs. For arrows to 28 in. Weighed at 28 in. draw. Recommended brace height: Approx. 6½ in.

Clipper

The Clipper is perfect for team and school archery programs. With an arrow rest on both sides it can be used by either right or left handed shooters. It's a rugged, dependable bow, backed and faced with fiber glass and made with select woods. The Clipper is light in the hand and packed with power.

No. STB AMO length 60 in. Pulling weights to 35 lbs. For arrows to 28 in. Weighed at 28 in. draw. Recommended brace height: Approx. 6½ in.

Thunderbolt

This is the short hunter that has shown the way. York introduced the Thunderbolt in 1959 and it has since become the standard of the industry. Although others have followed you'll not find another short hunting bow that performs like the Thunderbolt. This one draws smoothly without "stack" and shoots with real authority. It has become a favorite weapon among bowhunters.

And now for 1971 the Thunderbolt is better than ever. Look at the rare beauty in the handle section. Placed where it adds strength as well as eye appeal, the high compression phenolic is combined with exotic imported hardwoods. It is carefully contoured for a natural, comfortable feel. This is a high performance bow. Try it. Available for both right and left handed archers.

No. RRH AMO length 54 in. Pulling weights to 70 lbs. For arrows to 30 in. Weighed at 28 in. draw. Recommended brace height: Approx. 7½ in.

Tracker

The Tracker is a 60" hunting weapon that has the stamina and exceptional shooting qualities you'll want for a lot of rugged days in the field. This is a versatile, power packed bow that will deliver shot after shot with precision and comfort.

YORK custom quality and design are combined with exotic imported hardwoods and the finest fiber glass facing and backing. Available for both right and left handed archers.



Trophy

The Trophy hunter is a bow that will put you in the field with satisfying shooting power and dependability at a budget price. This bow will surprise you with its smooth draw, exceptional cast and a minimum of shooting vibration. The beautiful, American Walnut handle section is especially contoured for comfort and stability. Available for both right and left handed shooters.

TRACKER
No. RRS-2 AMO length 60 in. Pulling weights to 55 lbs. For arrows to 30 in. Weighed at 28 in. draw. Recommended brace height: Approx. 7 in.

TROPHY
No. GBF-2 AMO length 60 in. Pulling weights to 55 lbs. For arrows to 30 in. Weighed at 28 in. draw. Recommended brace height: Approx. 7 in.

Quality Craftsmanship in Fiber Glass Bows


A complete selection of lengths and styles make YORK's fiber glass bow line a perfect choice for beginning archers, school archery programs and budget minded bowhunters. Guaranteed unbreakable, these bows have molded saddle-type handles and offer dependability and value beyond compare.

Perfect choice for beginning archers, school Archery classes! Bows in YORK'S Satellite Series are made of tough, durable fiber glass with recurved ends, flat contoured limbs, molded saddle-type handles and built-in arrow rests. Each streamlined beauty is built to precision for perfection in detail, finished in rich, glowing colors. Weather conditions will not affect the performance nor mar the beauty of these hard-shooting bows. Dollar for dollar, feature for feature, you won't find a better bow anywhere!

No. **RG-50** 5 ft. Recurved. Dual arrow rest. 20, 25, 30, 35, 40, 45, 50, 55 lb. pulling weights at 28 in. draw

No. **RG-46** 4 ft. 6 in. Recurved. With sight window. Approximately 25 lb. pulling weight at 24 in. draw


No. **RG-40** 4 ft. Recurved. With sight window. Approximately 20 lbs. at 22 in. draw



Dual purpose . . . tremendous cast for hunting, — fatigue-free smoothness in longer lengths for continuous shooting. Flat style, with extended narrow section above handle for sighting. Finest saddle-type, molded, contoured, handle. Dual arrow rests, for right or left hand Archers. Double looped Dacron string, served at ends and at nocking point. Perfectly tillered. Will not take a set . . . can be left strung without bow damage. Both bow and handle unaffected by normal heat or cold, or moisture.

No. **SG-54** 5 ft. 4 in. Straight bow. 20, 25, 30, 35, 40, 45, 50 lb. pulling weights at 28 in. draw.

No. **SG-50** 5 ft. Straight bow. 20, 25, 30, 35, 40, 45, 50 lb. pulling weights at 28 in. draw.



Fiber glass bows with straight limbs, made especially for the beginner. Here are bows of unusual cast and power, unconditionally guaranteed against breakage. Equipped with molded, contoured handles with dual arrow rest for both right and left handed archers.

No. **JG-48** 4 ft. 8 in. 20, 25, 30, 35, 40 lb. pulling weights at 26 in. draw.

No. **JG-46** 4 ft. 6 in. 20, 25, 30 lb. pulling weights at 26 in. draw.

No. **JG-40** 4 ft. Approximately 20 lbs. at 22 in. draw.

No. **JG-36** 3 ft. 6 in. Approximately 15 lb. at 20 in. draw.

Archery Sets with Laminated Bows




HERE IT IS! A DELUXE HUNTING SET THAT EQUIPS YOU RIGHT. The bow is YORK's 60" Trophy, No. GBF-2 and it's a hard-hitting weapon. Also included are 3 field arrows for practice, 3 hunting arrows for the kill, leather arm guard, shooting tab, target face and instruction booklet. Available in 40-, 45- and 50-pound pulling weights. No. LHS Display Box

The Bowhunter


The Cadet

A BEAUTIFUL AND PRACTICAL SET FOR THE ARCHER WHO HAS DEVELOPED SOME SKILL OR EVEN THE BEGINNER WHO WANTS TO START WITH FINE EQUIPMENT.



Includes Cadet bow, 6 Port Orford Cedar target arrows, leather arm guard, shooting tab, target face and instruction booklet. Available in 25-, 30- and 35-pound pulling weights. No. LTS Display Box

Deluxe Archery Sets



The Columbia

THE COLUMBIA. A COMPLETE TARGET ARCHERY SET FOR ADULTS. Contains the YORK RG-50 fiber glass bow with dual arrow rest, 6 Port Orford Cedar target arrows, leather arm guard, shooting tab, target face and instruction booklet. Available in 25-, 30- and 35-pound pulling weights. No. GTS. Display Box


with Fiber Glass Bows

The Huntsman



HUNTSMAN. WITH THIS BUDGET PRICED HUNTING SET YOU'RE READY TO GO. Includes the YORK RG-50 fiber glass bow, 3 field arrows, 3 hunting arrows, leather arm guard, shooting tab and instruction booklet. Available in 40-, 45- and 50-pound pulling weights. No. GHS. Display Box

Archery Sets



WARRIOR ARCHERY SET FOR THE YOUNGEST AGE GROUP. This set contains a JG-40, 4 ft. YORK solid fiber glass bow with molded handle, — unconditionally guaranteed. Set includes four 24 inch Port Orford Cedar arrows with three feather fletching, replaceable plastic nocks and bullet-type points; a 16 inch paper target in 5 colors; Archery instruction booklet and bow guarantee. Available in display box or blister packaged on card. NO. SGS-40. In Display Box NO. SGS-40-BP. Blister Pkg. on Card

Fiber Glass Bows

LOCKSLEY HALL A COMPLETE SET WITH RECURVED BOW FOR THE YOUNG BEGINNER. Contains a YORK RG-46, 4½ ft. RECURVED solid fiber glass bow with molded handle; four 24 inch Port Orford Cedar arrows with three feather fletching, replaceable plastic nocks and bullet-type points; an arm guard; a leather shooting tab; a quiver a 16 inch paper target in 5 colors; and an Archery instruction booklet. Available in display box or blister packaged on card. NO. RGS-46. In Display Box . NO. RGS-46-BP Blister Pkg. on Card



FRIAR TUCK ARCHERY SET WITH RECURVED BOW FOR THE YOUNGEST AGE GROUP. Contains a YORK RG-40, RECURVED solid fiber glass bow; three 24 inch Port Orford Cedar arrows with three feather fletching; replaceable plastic nocks and bullet-type points; a quiver a 16 inch paper target face in 5 colors; and an Archery instruction booklet. Available in display box or blister packaged on card. NO. RGS-40. In Display Box . NO. RGS-40-BP. Blister Pkg. on Card



Containing Solid Fiber Glass Bows



These three sets in Display Boxes are packed in master cartons of 24 per carton. May be ordered in any quantity

All Blister Packaged Sets are packed 6 to a master carton ONLY.

Practice Arrows

NO. PA SELECT PRACTICE ARROW. Quality Port Orford Cedar shafts, 5/16 inch diameter, finished in clear lacquer and beautifully crested. Fitted with parallel points and replaceable index nocks. Supplied in 24, 25, 26, 27, 28, and 30 inch lengths.

No. PA 1 doz.
 No. PA-1 1 gr.
 No. PA-2 ½ gr.

NO. BA PRACTICE ARROW. Quality Port Orford Cedar shafts, 5/16 inch diameter, finished in clear lacquer and brightly crested. Fitted with parallel type points and replaceable nocks. Supplied in 24, 25, 26, 27, 28, and 30 inch lengths.

No. BA 1 doz.
 No. BA-1 1 gr.
 No. BA-2 ½ gr.

NO. 39FA BEGINNERS' FIELD ARROW of brightly colored Port Orford Cedar shafts with long nosed field points, plastic nocks and 3-feather fletching. Supplied in 28 inch lengths only. Available in gross and half-gross display packs only.

No. 39FA-1 1 gr.
 No. 39FA-2 ½ gr.



NO. JA BEGINNERS' PRACTICE ARROW at a remarkably low price. Brightly colored Port Orford Cedar shafts with wide cresting stripes, knurled on bullet points and replaceable nocks. Supplied in 24, 26 and 28 inch lengths. Available in gross and half-gross display packs only.

No. JA-1 1 gr.
 No. JA-2 ½ gr.

NO. 25A ECONOMY ARROW. Brightly colored Port Orford Cedar shafts, metal points, replaceable nocks and 3-feather fletching. Supplied in 24, 26 and 28 inch lengths only. Available in gross and half-gross display packs only.

No. 25A-1 1 gr.
 No. 25A-2 ½ gr.

NOTE: The JA and 25A arrows are packed in cartons of one length or standard pack assortments of 1 doz. 24", 2 doz. 26" and 3 doz. 28" per half-gross. For any other assortment add 50 cents net per carton. The standard assortment will be shipped unless otherwise specified.



Matched Target Arrows

NO. CQAA PROFESSIONAL QUALITY ALUMINUM ARROW.

For precision shooting these top quality arrows are made from YORK-EASTON aluminum shafting, matched to extremely close tolerance in both weight and spine. Using this material as basic shafts YORK applies points, nocks, select feathers and beautiful crests with extreme care and accuracy. Supplied in 24, 25, 26, 27, 28, 29 and 30 inch lengths. State arrow length and weight of bow when ordering.

No. CQAA doz.

NO. GTF FIBER GLASS TARGET AND FIELD ARROW. These exceptionally durable arrows are made with the finest, lightweight fiber glass shafting, matched to very close tolerance in both weight and spine. Beautifully crested and accurately fletched, they are available in 24, 25, 26, 27, 28, 29 and 30 inch lengths. State arrow length and weight of bow when ordering.

No. GTF doz.
 No. GTF-6 ½ doz.

NO. CA MATCHED TARGET ARROW. These deluxe self arrows are made with choice Port Orford Cedar shafts, 5/16 inch diameter, matched in both weight and spine for consistently accurate shooting. Equipped with parallel target points and replaceable index nocks. Accurately fletched and beautifully crested. Supplied in 24, 25, 26, 27 and 28 inch lengths for bows to 40 pounds. State arrow length and weight of bow when ordering.

No. CA doz.
 No. CA-6 ½ doz.

YORK Quality Arrows BLISTER PACKAGED

- Genuine Port Orford Cedar.
- Brightly colored shafts.
- Beautifully crested.
- Bullet points, replaceable index nocks.
- Accurate fletching with odd cock feather.

Packaged on attractive display card under heavy, clear and protective blister. Available in 28" length only.

No. 6-BPA 6 arrows, per card

Packed 12 cards per carton.



Quality Hunting and Field Arrows

by

YORK



SHP-4 Super Hilbre Broadhead



HP-4 Four Blade Broadhead of mill tempered spring steel.



HP-3 Three Blade Broadhead.



HP-2 Two Blade Broadhead of mill tempered spring steel.



SNS-35 Special Non-skid Point.



- A. ALUMINUM HUNTING ARROW
- B. FIBER GLASS HUNTING ARROW
- C. FINEST QUALITY HUNTING ARROW
- C. FINEST QUALITY FIELD ARROW
- C. HUNTING ARROW LESS POINT
- D. SPECIAL HUNTING ARROW WITH HP-2 POINT
- E. PRACTICE FIELD ARROW
- F. FLU FLU ARROW

A. CHAMPIONSHIP QUALITY HUNTING ARROWS. These highest quality hunting and field arrows by YORK are made from YORK-EASTON aluminum shafting, exactly matched in weight and spine.

No. CQHA Aluminum Hunting Arrows with SHP-4 HP-4 HP-3 or HP-2 hunting points. Lengths 24, 25, 26, 27, 28, 29 and 30 inches.

Specify point in ordering.
No. CQHA doz.
Be sure to specify arrow length and pulling weight of bow.

B. FIBER GLASS HUNTING ARROWS. Highest quality, most durable fiber glass shafting, matched to very close tolerance in both weight and spine. Superbly crested and precision fletched. Available with HP-4, HP-3 or HP-2 points. Lengths 24, 25, 26, 27, 28, 29 and 30 inches.

No. GHA doz.
Specify point, arrow length and bow weight in ordering.

C. FINEST QUALITY MATCHED HUNTING AND FIELD ARROWS. Carefully selected Port Orford Cedar shafts are precision machined to 11/32 in. diameter and matched to minimum variance in weight and spine. Accurately fletched with long, low feathers to reduce planing and add accuracy to long range shots. Replaceable plastic nocks with flared opening for rapid field shooting. Extra long brilliant cresting to aid in recovery. Supplied in 26, 27, 28, 29, and 30 inch lengths.

No. SHA-4 Hunting Arrow with SHP-4 point doz.
No. SHA-46 1/2 doz.

No. HA-4 Hunting Arrow with HP-4 point doz.
No. HA-46 1/2 doz.
No. HA-3 Hunting Arrow with HP-3 point doz.
No. HA-36 1/2 doz.
No. HA-2 Hunting arrow with HP-2 point doz.
No. HA-26 1/2 doz.
No. AR-N Field Arrow with SNS-35 point doz.
No. AR-N6 1/2 doz.
No. HSO As above with end tapered 50° but less point doz.
No. HSO-6 1/2 doz.
State catalog number and length of arrow as well as bow weight

D. SPECIAL HUNTING ARROW. A budget priced hunting arrow of 11/32 in. diam. straight grained Port Orford Cedar. Matched to reasonable tolerance in 5 lb. spine increments. Available only in 29 inch length with HP-2 point.

No. HA-S doz.
No. HA-S6 1/2 doz.
No. HA-SB 4 doz. ctn.
(One spine range per carton — 45-50 or 50-55)

E. PRACTICE FIELD ARROWS. A budget priced field arrow of 11/32 inch diameter, straight grained Port Orford Cedar. Matched to reasonable tolerance in spine. Available in 29 inch length only.

No. BFA With SNS-35 non-skid field point doz.
No. BFA-6 1/2 doz.

F. FLU FLU ARROW. Carefully selected Port Orford Cedar shafts, 11/32 inch diameter with long, brilliant cresting. Colorful, spirally wound feathers provide proper braking action. Supplied with SNS-35 field point in 26, 27, or 28 inch lengths.

No. FFA 1/2 doz.

Specify catalog number, length of arrow and bow weight in ordering.

Fishing Equipment



M-55 Fishing Reel. Made of aluminum with flange mounting bracket. Easily taped to bow and it offers snag proof uncoiling. Complete with 60 feet of 72 lb. test line.



FP-35 Solid Double Barbed Fishing Point. 5/16 inch parallel bore.
DFP-35 Special Fishing Point. Double barbed, tempered point which is detachable for easy extraction of arrow from fish. 5/16 inch diameter, parallel bore.

NO. GFA SPECIAL BOWFISHING ARROW. fishing point has double barbed tip which is removable for easy extraction of arrow from fish. Waterproof, rubber, tempered tip. Lengths 28", 30".
NO. GFA-2 SPECIAL BOWFISHING ARROW. fishing point has double barbed tip which is removable for easy extraction of arrow from fish. Waterproof, rubber, tempered tip. Lengths 28", 30".
*Individuals customarily use fish arrows up to 2 inches longer than their properly fitted target or field arrows.

Hunting Quivers by YORK

Target Quivers by YORK



HQ-88S

HQ-66S

HQ-88S Beautifully hand crafted center back quiver of heavy cloth supported vinyl with large zippered pocket. Special snap and ring arrangement (see illustration) holds quiver securely in center of back when desired. Has unique YORK designed internal provision for separating arrow compartment into 1, 2 or 3 sections .

HQ-66S YORK's finest shoulder-style quiver. Same specifications as HQ-88S but with special secondary strap and snap ring (see illustration) for secure positioning .



Illustrates the center snap extra feature of the versatile HQ-88S.



Illustrates the 2-strap harness featured on the HQ-66S.



HQ-22

HQ-21

HQ-10

HQ-22 Shoulder-style quiver with roomy, zippered pocket. Finely crafted of heavy, cloth supported vinyl. Has arrow divider strap and adjustable shoulder strap. Designed for carrying 8 to 12 arrows. Length 19 inches, top opening 6 x 3-1/2 inches, bottom 3 x 2 inches .

HQ-21 Shoulder-style quiver of heavy weight Walrus grain Ser V Lon. Same size and style as HQ-22. A rugged and budget priced quiver .

HQ-10. Serviceable, beginners, shoulder-style quiver of Walrus grain Ser V Lon. Top-grain smooth cowhide strap with ample adjustment. Length 18 inches, top 3-1/2 inches in diameter, bottom 3-1/2 x 2 inches .



TFQ-P

TFQ

LQ-20

TQ-17

AQ-17


TFQ-P New style belt quiver with large zippered pocket. Handsome and functional, yet durable and rugged. Finely crafted of heavy, cloth supported vinyl. Has arrow divider and double hang straps with snap fasteners for ease in attaching to belt .

TFQ same fine quiver as TFQ-P except with open style accessory pocket .

LQ-20 Large size, quality quiver, finely crafted of heavy, cloth supported vinyl. 20 inches in length with top opening 2-1/2 inches. Has clip for attaching to belt .

TQ-17 Large size target quiver of heavy weight Walrus grain Ser V Lon. Holds 10 to 12 target arrows. Has clip for attaching to belt. Durable and rugged .

WTQ Same as TQ-17 but specifically designed with a complete belt assembly for women and girls' use .



WQ

WQ Ground Quiver for target shooting, detachable head piece made of durable cast aluminum alloy. Has loop for arrows and rack for holding bow .

PQ-10 Pocket Quiver. A firmly riveted and sewn quiver of strap leather and elk-grained cowhide for fitting onto the belt and inserting into the hip pocket. Preferred by men for target Archery because of minimum encumbrance .



AQ-17 Serviceable target quiver of brown Walrus grain Ser V Lon for carrying twelve arrows. Formed stiff leather bottom and loop for attaching to wearer's belt. Length 17 inches, top opening 2-1/2 inches .

ACCESSORIES



AG-23

No. AG-23 — An exclusive Archer's glove, by York. Designed after most careful study. Features the York closed finger ends in improved form. Tooled calfskin back and genuine Cordovan Tanned Cowhide finger ends. Adjustable wrist strap. Sizes: extra large, large, medium, and small. State Size



AG-26

No. AG-26 — Same fine Archer's glove as shown above, except this model features an elastic back. Sizes: extra large, large, medium, and small. State Size



AG-24

No. AG-24 — Archer's Glove. Back is of garment cowhide, with heavy cowhide fingertips. Adjustable wrist strap. Sizes: extra large, large, medium, small. State Size .



Deluxe Bow Case. Made of brown mahogany, leather grained vinyl, heavily padded with foam backing. Soft tan flannel lining. Extra long, heavy duty zipper with locking ring and web zipper guard. For recurved bows up to 5'8" in length. No. PBC



No. AG-15. — Elastic Strap, Single Hook Arm Guard — Made of natural strap leather, lined with imitation leather. Steel center stay for added wrist protection.



No. AG-30 — Hook and Lace Type Arm Guard — Made of firm strap leather completely lined with thin felt. Designed with new offset front which permits greater comfort and free movement of the wrist. Held in place by hooks and lace.



No. AG-10 — Skeleton Type Elastic Strap Arm Guard — Made of lightweight strap leather, line with thin suede sheepskin. Spring steel center stay for adequate wrist protection. Held in place by two elastic straps.



No. AG-22 — Die-cut shooting tabs of elk-grained cowhide. Large or small sizes .

No. AG-21 — Die-cut shooting tabs of genuine Cordovan leather. Large or small sizes .

No. AG-19 — Die Cut Shooting Tab. Made of genuine Cordovan with smooth leather lining. Comfortably fits middle finger. Small, medium and large size.

No. AG-18—Calf Hair Tab with fine leather lining for smooth and clean release. Small, medium, and large sizes.



No. VBC-62 for bows up to 64".
No. VBC-69 for bows up to 69".

Quality Bow Case— Made with heavy but soft, knit lined vinyl for protection of fine bows. Heavy duty zipper has guard and locking ring.



No. HG-40 — Hunting Arm Guard — Made of top grain cowhide lined with thin suede sheepskin. Held in place by three straps and buckles. Two steel center stays for ample wrist protection.

No. HG-50—Full Length Arm Guard — Offers extra protection for beginners and also keeps the hunter's bulky sleeve out of the way of the bowstring. Fine quality, soft leather with 4 adjustable straps.



Target Faces



ANIMAL FACES

Realistic full color, on TOUGHENIZED laminated target face material which resists tears and greatly lengthens life of face.

- No. AF-24 24" Deer
- No. AF-18 18" Fox
- No. AF-12 12" Bob Cat
- No. AF-6 6" Squirrel

DRAWSTRING TARGET FACES

Drawstring faces which can be applied to the target very quickly — no tools required. Made of heavy multi-weather drill signcloth with cloth drawstring bands. Non-glaring, standard colors, in most appropriate shades.

- No. TF-48 — 48 inch
- No. TF-36 — 36 inch
- No. TF-24 — 24 inch

PLAIN TARGET FACES

These heavy multi-weather drill signcloth faces are the same as the TF faces listed above but are supplied flat to be fastened directly to the target.

- No. SF-48 — 48 inch
- No. SF-36 — 36 inch
- No. SF-24 — 24 inch

HEAVY PAPER TARGET FACES

Standard five color target faces on heavy white paper. Accurately graduated rings, with dull, non-glaring colors. Supplied rolled — no folds!

- No. PF-48 — 48 inch
- No. PF-36 — 36 inch
- No. PF-24 — 24 inch
- No. PF-16 — 16 inch



PF Series



FF Series

FIELD ARCHERY TARGET FACES


Black and White Roving Field Faces

Printed on heavy white tag board.

- No. FF-24 — 24 inch
- No. FF-18 — 18 inch
- No. FF-12 — 12 inch
- No. FF-6 — 6 inch

IMPORTANT NOTICE

MG Targets are shipped from the factory in Columbus, Nebraska and are considered separate from all other YORK items on freight allowances. Target shipments of 100 to 200 pounds will be given a freight allowance of up to \$6.50 per hundred pounds. Target shipments weighing more than 200 pounds will be completely prepaid within the Continental United States. Target shipments weighing less than 100 pounds must be shipped collect without any freight allowance being given.



Tournament approved, machine made, hand tied targets of long length Indian Cord grass. Chemically treated for longer life, greater stopping power and resistance to vermin.

- No. MG-48 — 48 in. — 70 lbs.
- No. MG-36 — 36 in. — 40 lbs.
- No. MG-24 — 24 in. — 20 lbs.

Targets and Target Stands



LOW PRICED CORRUGATED BOX TARGETS

No. CT-16. Handy-Target for beginners. To be set-up into 18 inch square by 4 inch thick box, stuffed with wadded papers (rags are better) and taped closed. Standard 5 color 16 inch face on main panel. Sold only in multiples of six

No. CT-16F As above, but set-up and filled with tightly rolled corrugated filler. Sold only in multiples of two...

TARGET STANDS

Made of soft wood so as not to damage arrows. Brackets on outside legs on which to place targets.

- No. T-50 — 5 ft. for 36 inch or or 24 inch targets
- No. T-60 — 6 ft. for 48 in. targets



No. T-50

No. T-60



York Accessory Display

A complete assortment of bowstrings and other popular accessory items. Each is attractively blister packaged or skin packaged on colorful cards. The display rack, suitable for either counter top or peg board, is free with this standard assortment of items:

- 36 ea. No. DS Bowstrings, Dacron, double-loop. (For the most popular bow lengths)
- 12 ea. No. RS Bowstrings, Dacron single-loop. (For the most popular bow lengths)
- 12 ea. No. DBS Bowstring, braided Dacron, double-loop. (6 for 4'6" bow)
- 6 ea. No. FS-60 Hemp Bowstrings.
- 4 ea. No. FP-35 Fish Arrow Points.
- 4 pr. No. BBL Brush Buttons.
- 4 dz. No. PN-16 Nocks.
- 4 dz. No. PN-11 Nocks.
- 4 pkg. No. HP-4 Hunting Points.
- 4 pkg. No. HP-3 Hunting Points.
- 6 dz. No. SNS-35 Field Points.
- 6 dz. No. BP-30 Target Points.
- 4 ea. No. BW Bowstring Wax.

Cat. No. AD-1

Bowstrings

NO. RS BEST QUALITY SINGLE LOOP DACRON BOWSTRINGS.
Served at the arrow nocking area. When the nock-to-nock bow length cannot be accurately determined, it is sometimes better to order single loop strings because the one plain end permits adjustment. Available in four lengths:
No. RS-48 for bow 4'8" to 5'
No. RS-52 for bows 5' to 5'4"
No. RS-56 for bows 5'4" to 5'8"
No. RS-60 for bows 5'8" to 6'

NO. DBS DOUBLE LOOP BRAIDED DACRON BOWSTRINGS.
Available in two lengths for bows not exceeding 35 lb.
No. DBS-40 for 4' bows
No. DBS-46 for 4'6" bows

NO. FS-60 LOW-PRICES HEMP BOWSTRINGS. Braided, single loop. One size, for bows to 6 feet in length.

No. M-45 Tapering Tool, for 5/16" or 11/32" shafts. Cuts 5° taper for broadheads, and 11-1/2° taper for nocks.



No. M-15 Sharpener. 3 overlapping cutting wheels, made of special alloy steel, tempered to a very high degree of hardness. Sharpens 2 and 3 blade broadheads as well as knives to a razor edge. Compact and sturdy.



No. M-30 Rhode Junior Feathering Tool. A precision fletcher with sturdy construction. Supplied with 3 feather indexing unit. Accepts arrow shafts of any size.

No. DS Bowstring, Best Quality, double loop. Made of type "B" Dacron with each strand pre-stretched and pre-waxed. Served at loops and at the center. Specify bow length and weight in order. Please note: The Archery Manufacturers Organization has standardized on bow and bow string lengths. Each bow length is now established by standard procedures which result in a bow string that is 3 inches shorter than the designated length of the bow for which it is intended. For example: a bow marked AMO 60" will require a bow string 57" long, under tension. When replacement strings are needed for older bows made before the adoption of the Archery Industry standards, the old bow string should be measured and this length specified.

Bow Length	Bow Length
No. DS-59 for 5'9" bow	No. DS-52 for 5'2" bow
No. DS-58 for 5'8" bow	No. DS-50 for 5' bow
No. DS-56 for 5'6" bow	No. DS-48 for 4'8" bow
No. DS-54 for 5'4" bow	No. DS-46 for 4'6" bow

No. GB - Selected barred Full-Length Feathers - Ground Bases . . . doz.

No. GD - Selected Dyed-Barred Full-Length Feathers - Ground Bases . doz.

No. M-25 Fletching Cement. Made by Easton especially for aluminum shafts. All purpose - also for wood, glass, leather, cloth, china. 1 3/4 oz. tube.



No. PBT Bow Tip Protectors of tough vinyl plastic. Protect bowtips and hold string in place pair




No. WBQ Hushhh Bow Quiver, featuring the EZE-OFF clip. Easy to install on your bow. No tape, clamps or screw required. Holds 4 arrows pair



AR Arrow Rest. A horizontal feather rest that is ready to apply in seconds with pressure sensitive tape .



No. BBS BRUSH BUTTONS. Small size. Slipped onto bowstring ends, they prevent bowstring and bow limb intersection from hanging on brush in hunting. pair



BBL Same as above but larger size.

SHP-4 Super Hilbre Broadhead with cutlery steel blades, tempered and hardened to hold a razor sharp edge. Lexan ferrule has screw on threads. For 11/32" shafts Pkg. of 3.



HP-4 Four Blade Broadhead Hunting Point. Blade of mill tempered spring steel, can be hand honed to razor sharpness. Barbless. For 11/32 inch shaft. Pkg. of 3 .



HP-3 "Hi Precision" Three Blade Broadhead with fused-on point reinforcement of hammer steel. Barbless. For 11/32" shafts. Pkg. of 3 .



HP-2 Two Blade Broadhead Hunting Point. Blade of mill tempered spring steel, can be hand honed to razor sharpness. Barbless. For 11/32 inch shaft. Pkg. of 3 .



No. NS-35 Special Non-Skid field points, 11/32" bore. . . doz.
No. NS-30 Same as above but 5/16" bore. doz.



No. BS Bowstringer. For safely and easily bracing any bow up to 70 pounds without danger of twisting limbs. Blister packaged on card .



No. STN Nocking Points. Shrinks easily and securely to bowstring with application of heat. Provides positive nocking point. Pkg. of 4



No. BW - Bowstring wax. 1/2-oz. cake.



No. SNS-35 Special Non-skid blunt nosed field points, 11/32" dia. 5° taper bore. doz.



No. SNS-30 Same as above but 5/16" dia. 5° taper bore doz.

No. PP-50 Parallel Arrow Point. 5/16 inch diameter. . doz.



No. BP-30 Bullet-Type Arrow Points. 5/16 inch diameter doz.



No. PN-11 Plastic arrow nocks, 11/32 inch diameter doz.

No. PN-16 Plastic arrow nocks, 5/16 inch diameter doz.


No. PN-32 Plastic arrow nocks, 9/32 inch diameter doz.

No. PN-14 Plastic arrow nocks, 1/4 inch diameter doz.



No. M-10 Calibrated Bowsight with wind-age and elevation adjustment.

No. M-50 Reynolds Bowsight. Improved, removable model with double adjustment. Sight accepts prism, pins or double wire aperture. Equipped with water proof tape for calibrating.



No. NBS Silencer. Light weight, weather resistant neoprene silencers mount concentrically on bowstring and effectively quiet twang. Pr.



A Guide for Selecting Proper Equipment

ARROWS


If the beginner in Archery is to experience the progress which makes for lasting interest and maximum enjoyment of the Sport, he must begin with properly fitted equipment. Skilled and accurate shooting is dependent upon the consistency with which each successive arrow is shot. Consistency is dependent upon the degree of accuracy with which arrows are matched in weight and spine (stiffness) and upon the accuracy with which arrows are fletched (feathered). **For consistent shooting it is also very essential that the pounds of force or thrust behind each arrow be exactly the same.** The "pounds of pull" of a bow is an expression of the pulling force required to draw that bow (pull the bowstring back) to a fixed distance. If the thrust behind each arrow is to be consistent, it will be readily understood that the distance the bow is drawn must be the same for each shot. In Archery the arrow is the gauge which regulates this pulling distance.



To correctly measure the arrow length most suitable for you, place the nock of an arrow in the center of your chest about six inches below the chin. Hold the point end between the palms of your hands. With the arms extended to their full reach, straight in front of you, the point of the arrow should extend to the tips of your fingers. (See Fig. 2). This is the proper method of equipping the archer with target arrows.

For selecting proper length arrows of other types refer to Fig. 1. Select each type of arrow so that the tips of the fingers extend to that point on the arrows indicated by the dotted line.

By all means be sure that you shoot the correct length arrows because the development of real skill depends on this factor and, in addition, unnecessary length adds weight that robs you of velocity.



Now — whether you anchor under your chin (generally preferred by target archers using bow-sights) or with the first finger at the corner of your mouth (for instinctive shooting and hunting) — you have a gauge to regulate your pulling distance. When shooting target arrows you will know that you have reached full draw for each shot when the point is flush with the back of the bow (the bow surface farthest from the eye). Hunting and field arrows will extend from the back of the bow but, when you have the proper length, a part of the instinctive skill quickly developed will enable you to easily gauge the full draw point.



Fig. 2
Determining Arrow Length

BOWS

In choosing any bow do not make the mistake of becoming "over-bowed". Choose one that you can pull to full draw and hold without shaking or straining too much and you will be able to develop proper shooting habits and progress more rapidly than if your bow is too heavy for you. A little tremor or shaking is all right; the muscles used for drawing a bow will develop quite rapidly with routine practice. But, in shooting, it is best to lay the bow down for a while if it becomes difficult to draw and hold for precise aim. It is easy to develop bad shooting habits and you always want to avoid "snap" shooting.


For many beginners, school archery programs and for budget minded bowhunters the YORK line of solid fiber glass bows offers a complete selection of styles and lengths. Review the specifications on these and note that the various models are available at different maximum pulling weights and that each is "weighed" at a certain draw distance. Choose from these, keeping in mind that each is designed for specific applications. Thus, the very young boy or girl will want a 4 ft. bow while the high school or college age beginner will prefer the SG-50 or SG-54 in the 20 to 30 pound range. The bowhunter will want a 45 to 55 pound bow.

To obtain the maximum enjoyment and pleasure from the Sport of Archery choose a YORK composite bow. Laminated of the finest fiber glass and woods the nature of their design and construction is such that these bows provide the highest degree of limb efficiency and shooting smoothness.

Generally speaking, bows 64 inches or longer are best for any phase of the sport involving continuous shooting. However, those archers who shoot 26 inch arrows or less will want to give serious consideration to bows 64 inches or shorter to take full advantage of the limb efficiency built into their bow. The bowhunter will place a high value on the shorter bows for maximum cast and easier handling in the brush.


Your composite bow is precision built and deserves fine care. When not in use keep it unstrung and hung vertically or on a bow rack with pegs supporting both limbs. Apply a coat of good furniture wax occasionally to protect the finish. Be very careful while bracing (stringing) your bow to avoid twisting the limbs.

Recommended brace heights are given for each bow as an approximation in the catalog specifications. This distance is measured from the bowstring to the deepest cut in the handle, sometimes called the pivot point. See Fig. 3. Proper brace height for each model will vary with different archers and shooting styles and should be adjusted, by twisting the bowstring, to obtain maximum freedom from string noise, wrist slap and erratic arrow flight. Your bow will shoot noticeably smoother when braced to the correct height.



AMO Nomenclature

Fig. 3



AMO Nomenclature

Over 40 years of designing experience and production know-how, as well as the most modern materials and technology are behind the YORK equipment you select.

Archery — for family fun and the sportsman hunter — can provide you with many years of recreational pleasure.



The TOTAL Line

Quality Merchandise
Outstanding Design
Superb Packaging

For nearly a half century the name YORK has meant *better* archery equipment... Better for the archer... Better for the man who sells them.

YORK is the TOTAL line... the complete line with the right equipment for bowhunters, beginners, tournament archers and school programs. And, with beautiful, full-view packaging, it's right for the modern merchandiser.



Backed by York's 49 Year Tradition of Quality Equipment

The York Guarantee

Every YORK product is guaranteed to be free from defects in workmanship or materials. The experience of 49 years has developed a team of designing skill and production know-how at YORK that is unsurpassed in the Archery Industry. It is this team that makes the YORK Guarantee possible. Any YORK item which appears defective, and shows no evidence of mishandling or misuse, should be sent prepaid direct to YORK Archery, Independence, Missouri, for replacement or repair.

The TOTAL Line . . .



By the Nation's Oldest Manufacturer of
Quality Archery Equipment
Precisely Designed. . .Quality Built. . .Superbly Packaged



WOODCRAFT EQUIPMENT COMPANY

P. O. Box 110 — Phone 816-252-9612
Independence, Missouri 64051

YORK Archery
Suggested Retail Prices, 1971

COMPOSITE BOWS

SWR-1	ea.	\$175.00
SWR-2	ea.	175.00
DRR-1	ea.	90.00
WRZ	ea.	65.00
RRS-1	ea.	49.50
GBF-1	ea.	39.50
BFB	ea.	29.50
STB	ea.	24.50
RRH	ea.	75.00
RRS-2	ea.	49.50
GBF-2	ea.	39.50

FIBER GLASS BOWS

RG-50	ea.	15.95
RG-46	ea.	10.50
RG-40	ea.	8.50
SG-54	ea.	14.00
SG-50	ea.	12.50
JG-48	ea.	7.00
JG-46	ea.	6.50
JG-40	ea.	4.50
JG-36	ea.	2.95

SETS IN DISPLAY BOXES

LHS	ea.	49.50
LTS	ea.	39.50
GHS	ea.	23.95
GTS	ea.	17.95
SGS-40	ea.	6.50
RGS-40	ea.	10.50
RGS-46	ea.	12.50

SETS, BLISTER PACKAGED

SGS-40-BP	ea.	6.50
RGS-40-BP	ea.	10.50
RGS-46-BP	ea.	12.50

(minimum shipment of 6 or multiples of 6)

PRACTICE ARROWS

PA	dz.	8.00
PA-1	gr.	86.00
PA-2	h/gr.	44.00
BA	dz.	6.50
BA-1	gr.	65.00
BA-2	h/gr.	34.50
39FA-1	gr.	56.00
39FA-2	h/gr.	30.00
JA-1	gr.	52.50
JA-2	h/gr.	28.25
25A-1	gr.	43.20
25A-2	h/gr.	23.60
6-BPA	ea.*	3.00

*Shipped only in multiples of 12.
NOTE: The JA and 25A arrows are packed in cartons of one length or standard pack assortment of 1/24", 2/26" and 3/28" per half gross, or any other assortment and 50¢ per carton.

ATCHED TARGET ARROWS

QAA	dz.	34.50
TF	dz.	28.50
TF-6	h/dz.	15.00
A	dz.	14.00
A-6	h/dz.	7.75

HUNTING & FIELD ARROWS

CQHA	dz.	\$39.50
GHA	dz.	32.50
SHA-4	dz.	21.00
SHA-46	h/dz.	11.25
HA-4	dz.	18.00
HA-46	h/dz.	9.75
HA-3	dz.	17.50
HA-36	h/dz.	9.50
HA-2	dz.	17.00
HA-26	h/dz.	9.25
ARN	dz.	14.00
ARN-6	h/dz.	7.75
HSO	dz.	12.50
HSO-6	h/dz.	7.00
HAS	dz.	14.50
HAS-6	h/dz.	8.00
HA-SB	4 dz.	54.00
BFA	dz.	10.00
BFA-6	h/dz.	5.75
FFA	h/dz.	12.00

HUNTING QUIVERS

HQ-88S	ea.	16.50
HQ-66S	ea.	15.50
HQ-22	ea.	8.95
HQ-21	ea.	4.50
HQ-10	ea.	3.00

TARGET QUIVERS

TFQ-P	ea.	8.50
TFQ	ea.	6.50
LQ-20	ea.	4.50
TQ-17	ea.	2.95
WTQ	ea.	2.95
AQ-17	ea.	1.25
WQ	ea.	3.00
PQ-10	ea.	2.00

BOWCASES

PBC	ea.	13.50
VBC	ea.	9.50

ARM GUARDS

AG-30	ea.	1.50
HG-40	ea.	3.50
AG-10	ea.	2.75
AG-15	ea.	1.00
HG-50	ea.	4.50

GLOVES & TABS

AG-23	ea.	2.75
AG-26	ea.	3.50
AG-24	ea.	1.75
AG-22	ea.	.40
AG-21	ea.	.60
AG-19	ea.	1.00
AG-18	ea.	1.50

BOWFISHING EQUIPMENT

GFA	ea.	3.75
GFA-2	ea.	3.15
DFP-35	ea.	1.50
FP-35	ea.	.90
M-55	ea.	4.25

TARGETS

MG-48	ea.	\$38.50
MG-36	ea.	22.50
MG-24	ea.	13.50

BOX TARGETS

CT-16	ea.	1.50
CT-16F	ea.	3.50

TARGET STANDS

T-60	ea.	7.50
T-50	ea.	7.25

BOWSTRINGS

DS	ea.	1.50
RS	ea.	1.00
DBS-40	ea.	.60
DBS-46	ea.	.60
FS-60	ea.	.45

ACCESSORY DISPLAY

AD-1	ea.	110.90
------	-----	--------

SIGN CLOTH TARGET FACES

TF-48	ea.	6.50
TF-36	ea.	5.00
TF-24	ea.	3.50
SF-48	ea.	5.00
SF-36	ea.	3.50
SF-24	ea.	2.00

PAPER TARGET FACES

PF-48	ea.	1.75
PF-36	ea.	.95
PF-24	ea.	.60
PF-16	ea.	.25

FIELD FACES

FF-24	ea.	.35
FF-18	ea.	.20
FF-12	ea.	.15
FF-6	ea.	.06

ANIMAL FACES

AF-24	ea.	.95
AF-18	ea.	.50
AF-12	ea.	.30
AF-6	ea.	.09

HUNTING POINTS

SHP-4	pkg of 3	2.50
HP-4	pkg. of 3	1.75
HP-3	pkg of 3	1.75
HP-2	pkg of 3	1.50

FIELD & TARGET POINTS

NS-35	dz.	.90
NS-30	dz.	.90
SNS-35	dz.	.90
SNS-30	dz.	.90
PP-50	dz.	.75
BP-30	dz.	.50

BOWTIP PROTECTORS

PBT	pr.	.20
-----	-----	-----

BOWSIGHTS

M-10	ea.	1.50
M-50	ea.	13.50

ARROW REST

AR	ea.	.75
----	-----	-----

FEATHERS

GB	dz.	\$1.00
GD	dz.	1.25

BOW QUIVER

WBQ	pr.	2.95
-----	-----	------

BOWSTRINGER

BS	ea.	3.00
----	-----	------

ARROW NOCKS

PN-11	dz.	.50
PN-16	dz.	.50
PN-32	dz.	.50
PN-14	dz.	.50

BRUSH BUTTONS, TOOLS

BBS	pr.	.90
BBL	pr.	1.00
BW	ea.	.25
M-45	ea.	4.50
M-15	ea.	2.50
M-30	ea.	7.95
M-25	ea.	.75

NOCKING POINTS

STN	pkg of 4	.75
-----	----------	-----

BOWSTRING SILENCER

NBS	pr.	1.00
-----	-----	------