

FONTANA CASING INVENTORY

Inventory Totals are Subject to Change

Tuesday, January 09, 2018

Outside Diameter	Wall	Piece Count	Length	Total Feet	Theoretical Weight	Steel Type	Blank	Screen Type	Slot Opening	End Type	Comment(s)
6.625	0.134	16	40.0	640	5,945	LCS	XX			WB	
6.625	0.141	1	40.0	40	391	LCS	XX			PE	
6.625	0.141	24	40.0	960	9,374	LCS	XX			WB	
6.625	0.164	7	40.0	280	3,169	LCS	XX			WB	
8.625	0.134	2	20.0	40	486	LCS	XX			WB	
10.75	0.134	7	40.0	280	4,254	LCS	XX			WB	
10.75	0.188	3	48.0	144	3,046	LCS	XX			WB	
12	0.134	1	20.0	20	340	LCS	XX			WB	
12.75	0.134	5	20.0	100	1,806	LCS	XX			WB	
12.75	0.134	5	40.0	200	3,611	LCS	XX			WB	
12.75	0.141	13	40.0	520	9,874	LCS	XX			WB	
12.75	0.375	2	20.0	40	1,982	LCS	XX			WB	
14	0.188	2	48.0	96	2,655	LCS	XX			WB	
15.25	0.134	3	40.0	120	2,596	LCS	XX			WB	
16	0.188	2	40.0	80	2,540	LCS	XX			PE	
16	0.188	2	48.0	96	3,048	LCS	XX			WB	
17.375	0.134	4	20.0	80	1,974	LCS	XX			WB	
17.375	0.134	4	40.0	160	3,948	LCS	XX			WB	
17.375	0.164	3	40.0	120	3,617	LCS	XX			WB	
17.375	0.188	3	20.0	60	2,065	LCS	XX			WB	
17.375	0.188	4	40.0	160	5,507	LCS	XX			WB	
17.375	0.250	1	20.0	20	914	LCS	XX			WB	
17.375	0.250	6	40.0	240	10,974	LCS	XX			WB	
17.375	0.375	1	20.0	20	1,362	LCS	XX			PE	
17.375	0.375	5	40.0	200	13,617	LCS	XX			PE	
18	0.134	4	40.0	160	4,091	LCS	XX			PE	
18	0.164	10	20.0	200	6,248	LCS	XX			WB	
18	0.164	24	40.0	960	29,991	LCS	XX			WB	
18	0.171	1	40.0	40	1,302	LCS	XX			PE	
18	0.171	18	40.0	720	23,444	LCS	XX			WB	

18	0.188	28	40.0	1120	39,950	LCS	XX			WB	
18	0.219	1	40.0	40	1,664	LCS	XX			WB	
18	0.220	2	40.0	80	3,342	LCS	XX			PE	
19.78125	0.188	5	40.0	200	7,868	LCS	XX			WB	
20	0.134	1	40.0	40	1,137	LCS	XX			PE	
20	0.188	1	20.0	20	793	LCS	XX			WB	
20	0.188	2	20.0	40	1,587	LCS	XX			PE	
20	0.188	1	40.0	40	1,587	LCS	XX			PE	
20	0.188	1	48.0	48	1,904	LCS	XX			WB	
20.625	0.250	1	10.0	10	544	2507	XX			COLLAR	STAINLESS STEEL
20.625	0.250	1	15.0	15	816	2507	XX			COLLAR	STAINLESS STEEL
20.625	0.250	1	17.0	17	925	2507	XX			COLLAR	STAINLESS STEEL
20.625	0.250	23	20.0	460	25,025	2507	XX			COLLAR	STAINLESS STEEL
21	0.375	3	40.0	120	9,912	LCS	XX			BE X BE	MIDWELD
21	0.375	1	40.0	40	3,304	LCS	XX			BE X BE	
21.78125	0.134	10	40.0	400	12,392	LCS	XX			WB	
21.78125	0.164	5	40.0	200	7,573	LCS	XX			WB	
21.78125	0.164	11	40.0	440	16,660	LCS	XX			WB x WB	
21.78125	0.250	2	20.0	40	2,300	LCS	XX			PE	
21.78125	0.250	1	40.0	40	2,300	LCS	XX			WB	SPLICE
24	0.134	6	40.0	240	8,197	LCS	XX			WB	
24	0.188	2	40.0	80	3,815	LCS	XX			WB	
24	0.188	7	42.0	294	14,019	LCS	XX			WB	
24	0.250	1	20.0	20	1,268	LCS	XX			PE	
24	0.250	2	42.0	84	5,327	LCS	XX			WB	
25.75	0.134	5	40.0	200	7,332	LCS	XX			WB	
25.75	0.188	4	40.0	160	8,190	LCS	XX			WB	
25.75	0.250	2	40.0	80	5,447	LCS	XX			WB	
25.75	0.312	4	40.0	160	13,562	LCS	XX			WB	
25.75	0.375	1	20.0	20	2,033	LCS	XX			PE	
25.75	0.375	1	40.0	40	4,065	LCS	XX			WB	
25.75	0.375	1	40.0	40	4,065	LCS	XX			PE	
26	0.250	1	30.0	30	2,063	LCS	XX			PE	
26	0.250	3	40.0	120	8,250	LCS	XX			PE	
26	0.250	1	45.0	45	3,094	LCS	XX			PE	
30	0.134	2	40.0	80	3,419	LCS	XX			PE	
30	0.250	5	40.0	200	15,887	LCS	XX			PE	

30	0.250	6	40.0	240	19,064	LCS	XX			BE X BE	
30	0.312	1	25.0	25	2,473	LCS	XX			BE X BE	
30	0.312	7	30.0	210	20,774	LCS	XX			BE X BE	
30	0.375	3	25.0	75	8,899	LCS	XX			PE	
30	0.375	3	30.0	90	10,678	LCS	XX			PE	
31.875	0.188	24	20.0	480	30,458	LCS	XX			PE	
31.875	0.188	2	20.0	40	2,538	LCS	XX			WB	
31.875	0.188	6	40.0	240	15,229	LCS	XX			WB	
31.875	0.250	2	20.0	40	3,378	LCS	XX			PE	
31.875	0.250	2	40.0	80	6,755	LCS	XX			WB	
31.875	0.276	1	40.0	40	3,726	LCS	XX			WB	
31.875	0.312	2	40.0	80	8,414	LCS	XX			WB	
31.875	0.320	3	42.0	126	13,588	LCS	XX			WB	
31.875	0.375	1	20.0	20	2,523	LCS	XX			WB	SPLICE
31.875	0.375	2	40.0	80	10,093	LCS	XX			PE	
31.875	0.375	5	40.0	200	25,232	LCS	XX			WB	
31.875	0.500	1	40.0	40	6,702	LCS	XX			PE	
36	0.250	1	40.0	40	3,818	LCS	XX			WB	
36	0.250	6	40.0	240	22,909	LCS	XX			PE	
36	0.375	1	25.0	25	3,567	LCS	XX			BE X BE	
36	0.375	1	30.0	30	4,280	LCS	XX			BE X BE	
36	0.375	1	40.0	40	5,707	LCS	XX			WB	
36	0.375	2	40.0	80	11,414	LCS	XX			PE	
38	0.375	2	25.0	50	7,534	LCS	XX			BE X PE	
38	0.375	1	25.6	25.6	3,858	LCS	XX			BE X PE	
38	0.375	1	29.6	29.6	4,460	LCS	XX			BE X PE	
38	0.375	1	30.0	30	4,521	LCS	XX			BE X PE	
40	0.3125	1	25.0	25	3,311	LCS	XX			PE	
43.875	0.250	1	40.0	40	4,659	LCS	XX			WB	
43.875	0.375	1	20.0	20	3,484	LCS	XX			PE	
43.875	0.375	1	25.0	25	4,355	LCS	XX			PE	
43.875	0.375	1	30.0	30	5,227	LCS	XX			PE	
44	0.500	1	20.0	20	4,646	LCS	XX			BE X BE	
48	0.375	1	20.0	20	3,815	LCS	XX			PE	
48	0.375	4	40.0	160	30,518	LCS	XX			PE	
49.5	0.375	2	20.0	40	7,870	LCS	XX			PE	ONE PIECE WITH SPLICE
49.5	0.375	2	40.0	80	15,740	LCS	XX			PE	

49.875	0.250	1	39.0	39	5,167	LCS	XX			WB	
49.875	0.250	1	40.0	40	5,300	LCS	XX			PE	
49.875	0.250	1	40.0	40	5,300	LCS	XX			WB	
54	0.3125	1	20.0	20	3,584	LCS	XX			PE	
54	0.375	2	25.0	50	10,738	LCS	XX			PE	
55.875	0.3125	1	20.0	20	3,709	LCS	XX			PE	
60	0.3125	1	20.0	20	3,984	LCS	XX			PE	
				Tonnage	392						