

R 06.83 snoring
R 11.0 nausea
R 11.10 vomiting, unspecified
R 11.11 vomiting without nausea
R 11.12 projectile vomiting
R 11.2 nausea with vomiting
R 15.9 Other specified elimination disorder, with fecal symptoms
R 15.9 Unspecified elimination disorder, with fecal symptoms
R 25.1 tremor
R 27.0 ataxia
R 27.8 lack of coordination
R 29.6 repeated falls
R 35.1 nocturia
R 35.8 polyuria
R 37 sexual function unspecified
R 40.0 somnolence
R 40.1 stupor
R 40.3 persistent vegetative state
R 40.4 transient alteration of awareness
R 41.0 other specified delirium
[R 41.0](#) Disorientation, unspecified
[R41.1](#) Anterograde amnesia
R41.2 Retrograde amnesia
[R41.3](#) Other amnesia
[R41.4](#) Neurologic neglect syndrome
R41.80 Age related cognitive decline
[R41.82](#) Altered mental status, unspecified
[R41.83](#) Borderline intellectual functioning
[R41.840](#) Attention and concentration deficit
[R41.841](#) Cognitive communication deficit
[R41.842](#) Visuospatial deficit
[R41.843](#) Psychomotor deficit
[R41.844](#) Frontal lobe and executive function deficit
[R41.89](#) Other symptoms and signs involving cognitive
R42 dizziness
[R44.0](#) Auditory hallucinations
[R44.1](#) Visual hallucinations
[R44.2](#) Other hallucinations
[R44.3](#) Hallucinations, unspecified
[R44.8](#) Other symptoms and signs involving general sensations and perceptions
[R44.9](#) Unspecified symptoms and signs involving general sensations and perceptions
[R45.0](#) Nervousness
[R45.1](#) Restlessness and agitation
[R45.2](#) Unhappiness
[R45.3](#) Demoralization and apathy
[R45.4](#) Irritability and anger
[R45.5](#) Hostility
[R45.6](#) Violent behavior
[R45.7](#) State of emotional shock and stress, unspecified
[R45.8](#) Other symptoms and signs involving emotional state
[R45.81](#) Low self-esteem
[R45.82](#) Worries
[R45.83](#) Excessive crying of child, adolescent or adult
[R45.84](#) Anhedonia

[R45.850](#) Homicidal ideations
[R45.851](#) Suicidal ideations
[R45.86](#) Emotional lability
[R45.87](#) Impulsiveness
[R45.89](#) Other symptoms and signs involving emotional state
[R46.0](#) Very low level of personal hygiene
[R46.1](#) Bizarre personal appearance
[R46.2](#) Strange and inexplicable behavior
[R46.3](#) Overactivity
[R46.4](#) Slowness and poor responsiveness
[R46.5](#) Suspiciousness and marked evasiveness
[R46.6](#) Undue concern and preoccupation with stressful events
[R46.7](#) Verbosity and circumstantial detail obscuring reason for contact
[R46.81](#) Obsessive-compulsive behavior
[R47.01](#) Aphasia
[R47.02](#) Dysphasia
[R47.1](#) Dysarthria and anarthria
[R47.81](#) Slurred speech
[R47.82](#) Fluency disorder in conditions classified elsewhere
[R47.89](#) Other speech disturbances
[R47.9](#) Unspecified speech disturbances
[R48.0](#) Dyslexia and alexia
[R48.1](#) Agnosia
[R48.2](#) Apraxia
[R48.3](#) Visual agnosia
[R48.8](#) Other symbolic dysfunctions
[R48.9](#) Unspecified symbolic dysfunctions
[R49.0](#) Dysphonia
[R49.1](#) Aphonia
[R49.21](#) Hypernasality
[R49.22](#) Hyponasality
[R49.8](#) Other voice and resonance disorders
[R49.9](#) Unspecified voice and resonance disorder
[R53.1](#) Weakness
[R53.2](#) Functional quadriplegia
[R53.81](#) Other malaise
[R53.82](#) Chronic fatigue, unspecified
[R53.83](#) Other fatigue
R54 Age-related physical disability
[R62.0](#) Delayed milestone in childhood
[R62.50](#) Unspecified lack of expected normal physiological development in childhood
[R62.51](#) Failure to thrive (child)
[R62.52](#) Short stature (child)
[R62.59](#) Other lack of expected normal physiological development in childhood
[R62.7](#) Adult failure to thrive
[R63.0](#) Anorexia
[R63.1](#) Polydipsia
[R63.2](#) Polyphagia
[R63.3](#) Feeding difficulties
[R63.4](#) Abnormal weight loss
[R63.5](#) Abnormal weight gain
[R63.6](#) Underweight
[R63.8](#) Other symptoms and signs concerning food and fluid intake
R64 Cachexia.
[R68.11](#) Excessive crying of infant (baby)
[R68.12](#) Fussy infant (baby)
[R68.13](#) Apparent life-threatening event in infant (ALTE)

[R68.19](#) Other nonspecific symptoms peculiar to infancy
[R68.2](#) Dry mouth, unspecified
[R68.3](#) Clubbing of fingers
[R68.81](#) Early satiety
[R68.82](#) Decreased libido
[R68.83](#) Chills (without fever)
[R68.84](#) Jaw pain
[R68.89](#) Other general symptoms and signs
[R78.0](#) Finding of alcohol in blood
[R78.1](#) Finding of opiate drug in blood
[R78.2](#) Finding of cocaine in blood
[R78.3](#) Finding of hallucinogen in blood
[R78.4](#) Finding of other drugs of addictive potential in blood
[R78.5](#) Finding of other psychotropic drug in blood
[R78.6](#) Finding of steroid agent in blood
[R78.71](#) Abnormal lead level in blood
[R78.79](#) Finding of abnormal level of heavy metals in blood
[R78.81](#) Bacteremia
[R78.89](#) Finding of other specified substances, not normally found in blood
[R78.9](#) Finding of unspecified substance, not normally found in blood
R99 Ill-defined and unknown cause of mortality