

GREENE

GALVANIZED STAIRS

www.greenestairs.com

217-375-4244



Greene Galvanized Stairs

41774 Main Street; PO Box 191

East Lynn IL 60932

Phone: 217-375-4244 Fax: 217-375-4245

Web: www.greenestairs.com

QUALITY. EXPERIENCE. SERVICE.

Revised 1/10/18

ORIGINAL



SIDEWALL STAIRS

- Embossed stair treads provide a clean, slip-resistant surface
- Round handrail for a comfortable, secure grip
- Step mounts 6" from wall to reduce eave drip and provide wider walkway
- Minimal drilling required with standard 32", 42" or 44" bin sheets
- Designed for bins with an 18'-105' diameter
- Filler, twin, end and intermediate platform options provide flexibility for customized configurations

MANWALK

Manwalks feature 24" width between handrails with a 4" integrated kickboard. Can span 10' - 48' lengths.

CONVEYOR SUPPORT

Clear span up to 40', available in 36", 42", 48" widths. Choose 17" or 27" depth with 24" walkway.

LOOP TOWERS

4'x4' freestanding tower and accessories to support loop tube systems.



Safety and easy access are important considerations for any grain operation. Come to the leader in accessories for grain systems to maximize safety and efficiency of your grain storage.

EASY STEP

EASY STEP SIDEWALL STAIRS

Easy Step Sidewall Stairs are designed for bins with 24' or larger diameter, featuring a 24" wide step and lower rise per step than our original stairs, making it easier to get to the eave of your bin. Contact us for details on the wider walkways and additional safety features.



EASY STEP ROOF SAFETY PACKAGES

We offer safety accessories for every bin roof and budget. All Easy Step Roof Products now feature a 1.5" round handrail. Easy Step Safety Walkarounds provide sure footing around any size fill hole. Easy Step Roof Stairs feature a sectional design to fit any size bin. Easy Step Peak Handrails, Easy Step Roof Ladder Handrails, and Easy Step Walkarounds are simple and economical additions to provide added safety when working on the roof.



**All products feature G-90 galvanized steel for long-lasting performance.
Bolt-together construction allows easy installation on new bins and retrofit applications.
Products are compatible with most brands of bins from 18' diameter.**


COMMERCIAL

A-SERIES FOUNDATION DECK

- Designed for mounting to the concrete stem wall of the bin for access to the bin door, particularly over tunnels

A-SERIES SIDEWALL DECK

- Commercial walkway option around the sidewall of the bin
- Can be configured to fit bins with 2 or 3 stiffeners



A-SERIES MID ROOF DECK

The A-Series Roof Deck was designed for simplified installation and allows for stair transitions compliant with accepted safety standards. Designed to AS1657-2003 and OSHA standards for safety and reliability.



A-SERIES ROOF STAIRS

- Computer designed and load rated to AS1657-2003 and OSHA Standards
- Allows for rest landings on the roof every 18 steps or per applicable local standards
- Compatible with A-Series Arrest Landings and A-Series Roof Decks for commercial applications

Dedicated to producing quality products to improve the safety, accessibility, and efficiency of grain bins and grain handling systems for over 40 years.