






































SCE 450 PACKING LIST

Q.TY	DESIGNATION	SKETCH	Length [m] [ft]	Broad [m] [ft]	Height [m] [ft]	Weight [t] [kips]
1	JIB SECTION 0		11,54	1,70	2,58	8,57
			37,85	5,56	8,45	18,89
1	JIB SECTION 1		11,89	1,50	2,43	5,46
			39,02	4,92	7,98	12,03
1	JIB SECTION 2		11,91	1,50	2,50	4,20
			39,08	4,92	8,19	9,25
1	JIB SECTION 3		6,11	1,50	2,47	1,69
			20,05	4,92	8,10	3,73
1	JIB SECTION 4		6,08	1,50	2,15	1,52
			19,95	4,92	7,04	3,34
1	JIB SECTION 5		4,14	1,50	2,12	0,90
			13,57	4,92	6,97	1,98
1	JIB SECTION 6		6,03	1,50	2,12	1,17
			19,79	4,92	6,97	2,57
1	JIB SECTION 7		4,09	1,50	2,10	0,68
			13,41	4,92	6,89	1,51
1	JIB SECTION 8		6,02	1,50	2,07	0,81
			19,76	4,92	6,78	1,77
1	JIB SECTION 9		4,05	1,50	1,70	0,48
			13,29	4,92	5,56	1,07
1	JIB SECTION 10		5,93	1,50	1,69	0,59
			19,45	4,92	5,53	1,31

Q.TY	DESIGNATION	SKETCH	LENGHT [m] [ft]	BOARD [m] [ft]	HEIGHT [m] [ft]	WEIGHT [t] [kips]
1	JIB SECTION 11		3,98	1,50	1,68	0,35
			13,06	4,92	5,50	0,77
1	JIB SECTION 12		5,84	1,50	1,67	0,39
			19,14	4,92	5,48	0,86
1	TIP (JIB 13)		1,81	0,68	0,51	0,17
			5,94	2,23	1,67	0,37
1	COUNTERJIB 0		7,33	1,53	2,55	3,62
			24,06	5,02	8,37	7,98
1	COUNTERJIB 1		11,95	1,69	0,90	2,41
			39,21	5,53	2,95	5,32
1	COUNTERJIB 1 WITH BALCONY		11,95	2,49	1,69	2,84
			39,20	8,18	5,53	6,26
1	COUNTERJIB 2		3,60	1,68	0,83	1,08
			11,80	5,51	2,72	2,39
1	COUNTERJIB 2 WITH BALCONY		3,64	2,43	1,73	1,28
			11,94	7,99	5,67	2,83
2	TIE RODS		6,65	0,14	0,35	0,36
			21,83	0,46	1,15	0,78
			3,66	0,14	0,35	0,22
			11,99	0,46	1,15	0,49
			0,66	0,11	0,26	0,06
			2,17	0,34	0,85	0,13

Q.TY	DESIGNATION	SKETCH	LENGHT [m] [ft]	BOARD [m] [ft]	HEIGHT [m] [ft]	WEIGHT [t] [kips]
1	SLEWING GROUP		2,69	2,25	2,41	7,39
			8,81	7,38	7,90	16,29
1	CABIN		4,18	1,44	2,30	2,50
			13,70	4,72	7,55	5,51
1	CABIN BALCONY AND RESISTORS		3,95	2,41	2,23	0,63
			12,96	7,91	7,30	1,39
1	MAIN TROLLEY		2,48	1,83	1,29	0,65
			8,13	5,99	4,25	1,43
1	AUXILIARY TROLLEY		1,82	1,74	1,29	0,55
			5,96	5,71	4,25	1,21
1	TROLLEY WINCH		1,63	0,84	0,75	0,67
			5,35	2,77	2,46	1,48
1	HOISTING WINCH		2,86	1,97	1,95	6,00
			9,37	6,47	6,39	13,22
7	COUNTERWEIGHT A		1,15	0,40	2,93	3,10
			3,77	1,31	9,61	6,83
1	COUNTERWEIGHT B		1,15	0,40	2,46	2,60
			3,77	1,31	8,07	5,73
1	HOOK BLOCK		1,90	0,42	1,64	0,86
			6,23	1,37	5,36	1,88
	TOWER TS22		2,40	2,24	5,90	5,03
			7,87	7,35	19,36	11,08

	TOWER TS24		2,45	2,27	5,90	6,14
			8,04	7,45	19,36	13,53
1	TRANSFER TTS22-TS24		2,45	2,27	5,90	6,08
			8,04	7,45	19,36	13,40
4	FOUNDATION LEG TS22		0,51	0,52	2,00	0,38
			1,66	1,71	6,56	0,84
4	FOUNDATION LEG TS24		0,53	0,55	2,00	0,49
			1,74	1,80	6,56	1,07