

PPE KITS



Marketed By Xboom Utilities Pvt Ltd.

CERTIFIED & LAB TESTED



- CE
- SITRA
- MATERIAL LAB TEST
- ISO
- STERILED





1. FULL BODY COVER

a. This is worn for complete body protection from head to wrist to foot.

b. It is made up of 70 GSM Laminated Non-woven fabric.

c. Quality compliant with below standards:

i. ASTM F 1670/F 1670M-08(2014)

ii. SITRA Certified



2. OVERALL COVER HOOD:

- a. This is worn after putting on the 3 Ply Disposable Face mask for protection of eyes and face.
- b. A transparent PVC sheet is provided as protective eye wear.
- c. It is made up of 70 GSM Laminated Non-woven fabric.
- d. Quality compliant with below standards:
 - i. ASTM F 1670/F 1670M-08 (2014)
 - ii. SITRA Certified



3. PLY DISPOSABLE FACE MASK

- a. Type – 3 Ply
- b. Fabric – Nonwoven
- c. All layers are stitched together no tear and gaps
- d. Outer layer – SS Spun Bound
- e. Middle Layer – SS Spun melt
- f. Inner Layer – SS Hydrophilic
- g. Quality compliant with below standards:
 - i. PPE Regulation (EU) 2016/425



4. PROTECTIVE GLOVES

- a. Nitrile
- b. Non-sterile, powder-free
- c. Gloves preferably reach outer forearm
- d. Size – Medium/Large
- e. Quality compliant with below standards:
 - i. PPE Regulation (EU) 2016/425
 - ii. EN 420:2003 + A1:2009
 - iii. ISO 374-1:2016 + A1:2018



5. PROTECTIVE OVER-BOOTS

a. These are below the knee till the foot.

b. These are generally worn above/below the Overall-cover hood for added protection.

c. These are made up of 70 GSM laminated Non-woven fabric.

d. Quality compliant with below standards:

i. ASTM F 1670/F 1670M-08 (2014)

ii. SITRA Certified



6. DISPOSAL BAG

- a. This is worn over the overall cover hood for added protection.
- b. It reaches up-to knees from neck.
- c. It is made up of 70 GSM Laminated Non-woven fabric.
- d. Quality compliant with below standards:
 - i. ASTM F 1670/F 1670M-08 (2014)
 - ii. SITRA Certified



7. APRON TILL KNEES- OPTIONAL

- a. This is worn over the overall cover hood for added protection.
- b. It reaches up-to knees from neck.
- c. It is made up of 70 GSM Laminated Non-woven fabric.
- d. Quality compliant with below standards:
 - i. ASTM F 1670/F 1670M-08 (2014)
 - ii. SITRA Certified

Medical Blue Colour Also Available



MAILING ADDRESS

212, 2nd main, 6th Cross, JHBCS
Layout

EMAIL ADDRESS

contact@xboom.in

PHONE NUMBER

08048757701



Contact Information