



1973 CATALOG
• 50th ANNIVERSARY



CORONET

DRR-1



The CORONET is a Tournament caliber bow at a remarkably low price. It features shooting qualities for which YORK is famous. The handle section of exotic hardwoods and contrasting overlays gives the CORONET a beauty that continues to attract a big tournament audience. Available right or left handed. **No. DRR-1**—66 inches. Draw weights 25 to 45 lbs. Brace height 8½ inches. Draw limit 32 inches. Stabilizer bushing installed.

SUPERCREST

WRZ



The SUPER CREST is a wise choice for the target or field archer. The handle section is made with exotic hardwoods and American Walnut and is contoured for a comfortable feel and stability. Available right or left handed. **No. WRZ**—66 inches. Draw weights 25 to 45 pounds. Brace height 8 inches. Stabilizer bushing installed. Draw limit 32 inches.

CREST

RRS-1



For versatility, beauty and fine shooting qualities, its hard to beat the CREST. The CREST shoots with the authority and performance archers demand. The handle section of select imported hardwoods gives the CREST eye catching beauty. Available right or left handed. **No. RRS-1**—64 inches. Draw weights 25-45 lbs. Brace Height 8 inches. Draw limit 30 inches. **Also available in 66 inch length. Allow 3 weeks for delivery.**

CRESCENT

GBF-1



Here's a budget priced bow with a contoured American Walnut handle that gives real shooting satisfaction. The CRESCENT has smoothness and beauty far beyond its modest price. An excellent first bow for the adult and highly recommended for camps and schools. Available right or left handed. **No. GBF-1**—66 inches. Draw weights 20-45 pounds. Brace height 8 inches. Draw limit 30 inches.

CADET

BFB



The CADET is a handsome bow that is a pleasure to shoot. A quality composite bow with a contoured handle of American Walnut. It is highly recommended for camps and schools. Available right or left handed.

No. BFB—62 inches. Draw weights 15 to 35 lbs. Brace height 7 inches. Draw limit 28 inches.

THUNDER BOLT

RRH



The THUNDERBOLT is the "short hunter" that has become the favorite among bow hunters. No other short hunting bow out-performs it. The handle is constructed of phenolic combined with exotic hardwoods carefully contoured for shooting smoothness and feel. Available right or left handed.

No. RRH—54 inches. Draw weights 40-65 lbs. Brace height 7½ inches. Draw limit 30 inches.

TRACKER

RRS-2



The TRACKER is a compact size bow that is power packed for a lot of rugged days in the field. YORK quality design combined with exotic hardwoods makes this bow a hunting beauty. Available right or left handed.

No. RRS-2—56 inches. Draw weights 40-55 lbs. Brace height 8 inches. Draw limit 30 inches.

TROPHY


GBF-2



The TROPHY hunter is a bow with hard hitting power and dependability at a budget price. This bow will surprise you with its exceptional cast. The handle section is made with American Walnut especially contoured for shooting comfort. Available right or left handed.

No. GBF-2—62 inches. Draw weights 40-55 lbs. Brace height 7 inches. Draw limit 30 inches.

DESCRIPTION OF ARROWS



MATCHED TARGET ARROWS

No. CQAA ALUMINUM TARGET ARROW. For precision shooting these top quality arrows are made from EASTON-SWIFT aluminum shafting, matched to extremely close tolerance in both weight and spine. Using this material as basic shafts, YORK applies points, nocks, select feathers and beautiful crests with extreme care and accuracy. Supplied in 24, 25, 26, 27, 28, 29 and 30 inch lengths. **State arrow length and weight of bow when ordering.**

No. CQAA doz.

No. GTF FIBER GLASS TARGET ARROW. These exceptionally durable arrows are made with the finest, lightweight fiber glass shafting, matched to an exacting tolerance in both weight and spine. Beautifully crested, and accurately fletched, they are available in 24, 25, 26, 27, 28, 29 and 30 inch lengths. **State arrow length and weight of bow when ordering.**

No. GTF doz.

No. CA MATCHED CEDAR TARGET ARROW. These deluxe arrows are made with choice Port Orford Cedar shafts, 5/16 inch diameter, and matched for consistently accurate shooting. They are equipped with parallel target points and plastic nocks, accurately fletched and beautifully crested in six standard color combinations. Supplied in 26, 28 and 30 inch lengths for bows to 40 pounds. **State arrow length and weight of bow when ordering.**

No. CA doz.

ALL PURPOSE ARROWS

No. BA PRACTICE ARROW. Quality Port Orford Cedar shafts, 5/16 inch diameter, finished in clear lacquer and brightly crested in six standard color combinations. These arrows are ideal for camps and schools. Fitted with parallel type points and plastic nocks. Supplied in 24, 26, 28 and 30 inch lengths.

No. BA 1 doz.

No. BA-1 1 gr.

No. BA-2 1/2 gr.

No. 39FA BEGINNERS' FIELD ARROW of brightly colored Port Orford Cedar shafts with non-skid field points, plastic nocks and 4 inch fletching. Supplied in 28 inch lengths only. **Available in gross and half-gross display packs only.**

No. 39FA-1 1 gr.

No. 39FA-2 1/2 gr.

No. JA BEGINNERS' PRACTICE ARROW at a remarkably low price. Brightly colored Port Orford Cedar shafts with colorful cresting. Bullet points and plastic nocks. Supplied in 24, 26, and 28 inch lengths. **Available in gross and half-gross display packs only.**

No. JA-1 1 gr.

No. JA-2 1/2 gr.

No. 25A ECONOMY ARROW. Brightly colored Port Orford Cedar shafts with bullet points, plastic nocks and 3 inch fletching. Supplied in 24, 26 and 28 inch lengths only. **Available in gross and half-gross display packs only.**

No. 25A-1 1 gr.

No. 25A-2 1/2 gr.

MATCHED HUNTING AND FIELD ARROWS

ALUMINUM HUNTING ARROWS. These aluminum hunting arrows are made from EASTON-SWIFT aluminum shafting, exactly matched in weight and spine. They're beautifully crested and precision fletched with 5 inch helical feathers. Lengths 29, 30 and 31 inches. Specify points in ordering.

CQHA-SHP-4 Super Hilbre Point doz.

CQHA-HP-4 Arrowmate 4-blade point doz.

CQHA-HP-3 Hi-Precision 3-blade Point doz.

CQHA-HP-2 Arrowmate 2-blade point doz.

Always specify point, arrow length and draw weight of bow when ordering.

FIBER GLASS HUNTING ARROWS. Highest quality, most durable fiber glass shafting, matched to exacting tolerance in both weight and spine. Beautifully crested and precision fletched with 5 inch helical feathers. Lengths of 29, 30 and 31 inches. Specify points in ordering.

GHA-SHP-4 Super Hilbre Point doz.

GHA-HP-4 Arrowmate 4-blade doz.

GHA-HP-3 Hi-Precision 3-blade point doz.

GHA-HP-2 Arrowmate 2-blade doz.

Always specify point, arrow length and draw weight of bow when ordering.

MATCHED CEDAR HUNTING AND FIELD ARROWS. Carefully selected Port Orford Cedar shafts are precision machined to 11/32 diameter and matched to 5 pound tolerance in weight and spine. They are accurately fletched with 5 inch helical feathers and have replaceable plastic nocks. Supplied in 29 and 31 inch lengths.

Arrows Less Points.

H50 Matched Cedar arrow cut to length and with 5° taper, doz.

Field Arrows.

ARN Matched Cedar arrow with 125 grain field point, doz.

Hunting Arrows with Points Attached.

SHA-4 Matched cedar arrow with Super Hilbre Point, doz.

SHA-46 1/2 doz.

HA-4 Matched cedar arrow with Arrowmate 4 Point, doz.

HA-46 1/2 doz.

HA-3 Matched cedar arrow with Hi Precision 3-blade Point, doz.

HA-36 1/2 doz.

HA-2 Matched cedar arrow with Arrowmate 2 Point, doz.

HA-26 1/2 doz.

Always specify point, arrow length and draw weight of bow when ordering.

SPECIAL HUNTING ARROWS. Budget priced hunting arrows are of 11/32 inch diameter Port Orford Cedar. They are matched to 5 pound tolerance in weight and spine increments. Colors are yellow and olive drab with 5 inch helical fletch. Available only in 29 inch length with HP-2 Arrowmate 2-blade point.

No. HA-S doz.

No. HA-S6 1/2 doz.

No. HA-SB 4 doz. ctn.

(One spine range per carton — 45-50 or 50-55.)

Same special hunting arrow as above but full length and less points.

HA-FL doz.

HA-FLB 4 doz. ctn.

Practice Field Arrows. A budget priced field arrow of 11/32 inch diameter, it is made of Port Orford Cedar. Arrow is matched to 5 pound tolerance in weight and spine. Arrows are only available in 29 inch long yellow shaft and are spined for 40 to 50 pound bows.

No. BFA with SNS-35 non-skid field point, doz.


No. BFA-B 4 doz. ctn.

FLU FLU ARROW. Arrows are constructed of carefully selected 11/32 inch diameter Port Orford Cedar shafts. Colorful six feather fletching provides proper braking action. Supplied with SNS-35 field point in 29 inch length only.

No. FFA 4 to a box

Specify catalog number, length of arrow and bow weight in ordering.

QUALITY CRAFTSMANSHIP IN FIBER GLASS BOWS




The bows in YORK'S Satellite Series are made of tough durable fiber glass with recurved ends, flat contoured limbs, molded saddle-type handles and built-in arrow rests. Each Bow is precision built and finished in rich glowing colors. Weather conditions will not mar the beauty or affect the performance.

No. RG-50 5 foot. Recurved. Dual arrow rest. 20, 25, 30, 35, 40, 45, 50 and 55 pound pulling weights at 28 inch draw.

No. RG-46 4 foot, 6 inches. Recurved with sight window. Approximately 25 pound pulling weight at 24 inch draw.

No. RG-40 4 foot. Recurved with sight window. Approximately 20 pounds at 22 inch draw.




These YORK fiber glass bows are especially recommended for camp and school use. They are less sensitive to shoot than recurved bows and they're easier to string and unstring. The bows feature a flat style with an extended narrow section above the handle for sighting and, of course, the finest saddle-type molded and contoured handle. Dual arrow rest for right or left hand archers.

Double looped Dacron served at ends and at nocking point. The bows are perfectly tillered and will not take a set. They can be left strung without bow damage. Both bow and handle are unaffected by normal heat, cold or moisture.

No. SG-54 5 foot, 4 inch straight bow. 20, 25, 30, 35, and 40 pound pulling weights at 28 inch draw.

No. SG-50 5 foot straight bow. 20, 25, 30, 35 and 40 pound pulling weights at 28 inch draw.




These straight limb fiber glass bows are made especially for the beginner archer. Here are bows of unusual cast and power, unconditionally guaranteed against breakage. They are equipped with molded, contoured handles with dual arrow rests for both right and left hand archers. Especially good for camp or school use, these bows are less sensitive to shoot than the recurved bows, helping beginners through the early stages of learning good shooting form. The straight glass bows are easier to string and unstring as well.

No. JG-46 4 foot, 6 inch bow. 20, 25 and 30 pound pulling weights at 26 inch draw.

No. JG-40 4 foot. Approximately 20 pounds at 22 inch draw.

No. JG-36 3 foot, 6 inch bow. Approximately 15 pounds at 20 inch draw.

LAMINATED BOW SETS



THE TROPHY HUNTER

This is the set for the advanced bow hunter. The bow is YORK'S 62 inch TROPHY HUNTER. Included in the set are 3 field arrows for practice and 3 hunting arrows. Accessories include a leather arm guard, shooting tab, target face and instruction booklet. Available in 40, 45 and 50 pound pulling weights.

No. LHS Display Box.




THE CADET

Here is a beautiful and practical set for the archer who has developed some skill or even the beginner who wants to start with fine equipment. The set includes the BFB CADET bow, 6 Port Orford Cedar target arrows, vinyl arm guard, shooting tab, target face and instruction booklet. Available in 25, 30 and 35 pound pulling weights.

No. LTS Display Box.

DELUXE FIBER GLASS BOW SETS



THE COLUMBIA

For the target archer, the COLUMBIA contains the YORK RG-50 fiber glass bow with dual arrow rest, 6 Port Orford Cedar target arrows, vinyl arm guard, shooting tab, target face and instruction booklet. Available in 25, 30 and 35 pound pulling weights.

No. GTS Display Box.




THE HUNTSMAN

A first quality budget-priced hunting set, the HUNTSMAN includes the YORK RG-50 fiber glass bow, 3 field arrows, 3 hunting arrows, leather arm guard, shooting tab and instruction booklet. Available in 40, 45 and 50 pound pulling weights.

No. GHS Display Box.


FIBER GLASS BOW SETS



WARRIOR ARCHERY SET FOR THE YOUNGEST AGE GROUP. This set contains a JG-40, 4 foot YORK solid fiber glass bow with molded handle—unconditionally guaranteed and includes four 24 inch Port Orford Cedar arrows with replaceable plastic nocks and bullet-type points, target face, archery instruction booklet and bow guarantee. Available in display box or blister packaged on card.

No. SGS-40. In Display Box. Any amount may be ordered.


No. SGS-40-BP. Blister package on Card. Minimum of 6 or multiples of 6.



FRIAR TUCK ARCHERY SET WITH RECURVED BOW FOR THE YOUNGEST AGE GROUP. Contains a YORK RG-40 RECURVED solid fiber glass bow; three 24 inch Port Orford Cedar arrows; replaceable plastic nocks and bullet-type points; quiver; target face; and instruction booklet. Available in display box or blister packaged on card.

No. RGS-40 In Display Box. Any amount may be ordered.

No. RGS-40-BP Blister Package on Card. Minimum of 6 or multiples of 6.



LOCKSLEY HALL. A COMPLETE SET WITH RECURVED BOW FOR THE YOUNG BEGINNER. Contains a YORK RG-46, 4 1/2 foot RECURVED solid fiber glass bow with molded handle; four 24 inch Port Orford Cedar arrows; replaceable plastic nocks and bullet-type points; arm guard; shooting tab; quiver; target face; and instruction booklet. Available in display box or blister packaged on card.

No. RGS-46. In Display Box. Any amount may be ordered.

No. RGS-46-BP. Blister Package on Card. Minimum of 6 or multiples of 6.

BOW FISHING

M-55 FISHING REEL

Made of aluminum with flange mounting bracket. Easily taped to bow and it offers snag proof uncoiling. Complete with 60 feet of 72 pound test line.each

No. GFA SPECIAL BOWFISHING ARROW. Shaft is solid fiber glass, 5/16 inch diameter. Special fishing point has double barbed, tempered tip which is removable for easy extraction of arrow from fish. Waterproof, rubber, 3-vane fletching. Brilliantly crested. Drilled holes provided for line at point and at nock. Length, 30 inch only.

No. GFA 2 SPECIAL BOWFISHING ARROW. Same as No. GFA except point is not tempered, does not have removable barbed tip. Length 30 inches.

Handwritten notes: 7/5/54, 7/5/54, 5/16 inch



FP-35 Solid Double Barbed Fishing Point. 5/16 inch parallel bore.each

DFP-35 Special Fishing Point. Double barbed, tempered point is detachable for easy extraction from fish. 5/16 inch diameter, parallel bore.each

HQ-88 QUIVER



Beautifully hand crafted center back quiver of heavy duty vinyl with large zippered pocket. Special snap ring arrangement (see illustration) holds quiver securely in center of back when desired. Has internal provision for separating arrow compartment into 1, 2, or 3 sections.

HQ-22 QUIVER



Shoulder-style quiver with roomy, zippered pocket. Finely crafted of heavy duty vinyl. Has arrow divider strap and adjustable shoulder strap. Designed for carrying 8 to 12 arrows. Length, 19 inches, top opening, 6 x 3 1/2 inches, bottom, 3 x 2 inches.

HQ-21 QUIVER



Shoulder-style quiver of heavy weight vinyl. Same size and style as HQ-22. A rugged and budget priced quiver.

TFQ-P QUIVER



New style belt quiver with large zippered pocket. Handsome and functional, yet durable and rugged. Finely crafted of heavy duty vinyl. Quiver has arrow divider and double hang straps with snap fasteners for ease in attaching to belt.

TFQ QUIVER



Same fine quiver as TFQ-P except this one has open style accessory pocket.

LQ-20 QUIVER



Large size, quality quiver finely crafted of heavy duty vinyl. 20 inches in length with top opening 2 1/2 inches. Has clip for attaching to belt.

HQ-66 QUIVER



YORK'S finest shoulder-style quiver. Same specifications as HQ-88 but with special secondary strap and snap ring (see illustration) for secure positioning.



Illustrates the center snap extra feature of the versatile HQ-88.



Illustrates the 2-strap harness featured on the HQ-66.

HQ-10 QUIVER



Serviceable beginner's shoulder-style quiver of heavy duty vinyl. Long, fully adjustable shoulder strap. Length 18 inches, top 3 1/2 inches in diameter, bottom, 3 1/2 x 2 inches.

AQ-17 QUIVER



Serviceable target quiver of vinyl for carrying 12 arrows. Formed stiff leather bottom and loop for attaching to wearer's belt. Length 17 inches, top opening 2 1/2 inches.

WQ GROUND QUIVER



Ground Quiver for target shooting, detachable head piece made of durable cast aluminum alloy. Quiver has loop for arrows and rack for holding bow.

PQ-10 POCKET QUIVER



A firmly riveted and sewn quiver of strap leather and elk-grained cowhide for fitting onto the belt and inserting into the hip pocket. Preferred by men for target Archery because of minimum encumbrance.

ACCESSORIES



No. AG-23. YORK'S exclusive archer's glove with closed finger ends. Tooled calfskin and Cordovan Tanned Cowhide. Adjustable strap. Extra large, large, medium and small. **State size.**



No. AG-26 Completely new elastic back glove with tips of fine cowhide. Adjustable strap. Extra large, large, medium and small. **State size.**



No. AG-24 Archer's glove of garment cowhide, with heavy cowhide fingertips. Adjustable strap. Extra large, large, medium, small. **State size.**



No. AG-30 Hook and Lace Arm Guard of heavy vinyl. Offset front allows comfort and free wrist movement.



No. AG-10 Skeleton Type Elastic Strap Arm Guard made of heavy-weight leather. Suede sheepskin lining. Center steel stay for wrist protection.



No. AG-15 Elastic strap single hook arm guard of heavy vinyl, imitation suede lined. Steel center stay for wrist protection.



No. AG-20 Same style as AG-15 but with elastic straps.



No. HG-40 Hunting Arm Guard of cowhide lined with suede sheepskin. Three elastic straps and buckles. Protective steel stay for wrist protection.



Quality Bow Case. Made with heavy but soft, knit lined vinyl for protection of fine bows. Heavy duty zipper has guard and locking ring.
No. VBC-62 for bows to 64 inches.
No. VBC-69 for bows up to 69 inches.



No. AG-22 Die-cut shooting tabs of cowhide. Small, medium and large.

No. AG-21 Die-cut shooting tabs of Cordovan leather. Small, medium and large.

No. AG-17 Same quality as AG-22 but made in Western style. Small, medium, large.



No. AG-19 Die-cut shooting tab made of Cordovan with smooth leather lining. Fits middle finger comfortably. Small, medium and large.



No. AG-18 Calf hair tab with fine leather lining for smooth, clean release. Small, medium and large.



No. HG-50 Full length arm guard. Gives extra protection to beginners and keeps sleeve away from bowstring. Fine leather. Four adjustable straps.

TARGET STANDS AND FACES



DRAWSTRING TARGET FACES

Drawstring faces which can be applied to target quickly, no tools required. Made of a spun-woven, synthetic material that far outlasts sign cloth regardless of weather or usage. Sewn cloth drawstring band. Non-glaring standard colors in appropriate shades.

- No. TF-48** — 48 inch
- No. TF-36** — 36 inch
- No. TF-24** — 24 inch

PLAIN TARGET FACES

These heavy faces are the same as above but are supplied square and unskirted for direct fastening to target.

- No. SF-48** — 48 inch
- No. SF-36** — 36 inch
- No. SF-24** — 24 inch



ANIMAL FACES

Realistic full color, on TOUGHENIZED laminated target face material which resists tears and greatly lengthens life of face.


- No. AF-24** 24" Deer
- No. AF-18** 18" Fox
- No. AF-12** 12" Bob Cat
- No. AF-6** 6" Squirrel



HEAVY PAPER TARGET FACES

Standard five color target faces on heavy white paper. Accurately graduated rings, with dull, non-glaring colors. Supplied rolled, no folds.

- No. PF-48** — 48 inch
- No. PF-36** — 36 inch
- No. PF-24** — 24 inch
- No. PF-16** — 16 inch



FIELD ARCHERY TARGET FACES

Black and white roving field faces. Printed on heavy white tag board.

- No. FF-24** — 24 inch
- No. FF-18** — 18 inch
- No. FF-12** — 12 inch
- No. FF-6** — 6 inch



LOW PRICED CORRUGATED BOX TARGETS

No. CT-16 Handy target for beginners. To be set up into 18 x 18 x 4 inch box, stuffed with papers or rags and taped closed. Standard 5 color, 16 inch face on main panel. Sold only in multiples of six.

No. CT-16F As above, but set-up and filled with tightly rolled corrugated filler. Sold only in multiples of two.



TARGET STANDS

Stands are made of soft philippine mahogany to protect arrows.

- No. T-50** 5 ft. for 36 inch or 24 inch targets.
- No. T-60** 6 ft. for 48 inch targets.



MG TARGET

Tournament approved, machine made, hand tied targets of long length Indian Cord grass. Chemically treated for longer life, greater stopping power and resistance to vermin.

- No. MG-48** — 48 inches — 70 pounds
- No. MG-36** — 36 inches — 40 pounds
- No. MG-24** — 24 inches — 20 pounds

IMPORTANT NOTICE! MG target freight allowances differ from other York items. Targets are shipped from Columbus, Nebraska with these allowances:

- 0 to 100 pounds — Shipped collect, no freight allowed.
- over 100 pounds — Up to \$6.50 per hundred pounds allowed.

ACCESSORIES




A COMPLETE MERCHANDISER DISPLAY UNIT

A complete package that includes 13 basic fast turnover items and the display. It's colorful and effective. The display is 3 feet wide, 22 inches deep and 5 feet high.

No. AD-2 Merchandiser Unit. Display and following items are shipped in one carton:

- 6 No. **SGS-40 BP** Sets
- 6 No. **RGS-40 BP** Sets
- 6 No. **RGS-46 BP** Sets
- 6 No. **RS-52** Bowstrings
- 6 No. **DBS-40** Bowstrings
- 6 No. **DBS-46** Bowstrings
- 6 No. **FS-60** Bowstrings
- 6 No. **BW** Bowstring Wax
- 6 No. **AG-22** Shooting Tabs
- 6 Pkg. of 3 ea. 16" Target Faces
- 6 No. **AG-15** Arm Guards
- 6 No. **AQ-17** Quivers
- 2 No. **JA-2** 1/2 Gr. Arrows (1 for backup)


M-30



No. M-30 Rhode Junior Feathering Tool. A precision fletcher with sturdy construction. Supplied with 3 feather indexing unit. Accepts arrow shafts of any size.

No. BS Bowstringer. For safely and easily bracing any bow up to 70 pounds without danger of twisting limbs. Blister packaged on card.

BS



No. M-15 Sharpener. 3 overlapping cutting wheels, made of special alloy steel, tempered to a very high degree of hardness. Sharpens 2 and 3 blade broadheads as well as knives to a razor edge. Compact and sturdy.



No. M-45 Tapering Tool. For 5/16 or 11/32 inch shafts. Cuts 5° taper for broadheads, and 11 1/2° taper for nocks.



No. GB — Selected barred full-length feathers.

Ground Basesdoz.

No. GD — Selected dyed, barred full-length feathers.

Ground Basesdoz.



No. M-25 Fletching Cement. Made by Easton especially for aluminum shafts. All purpose, also for wood, glass, leather, cloth and china. 1 3/4 oz. tube.



No. DS Bowstring. Quality, double loop Dacron. Served at loops and at the center. Specify bow length and weight in order.

No. DS Bowstrings. Specify AMO standard lengths.

- 52" 64"
- 54" 66"
- 56" 68"
- 58" 69"
- 60" 70"
- 62"

No. RS BEST QUALITY SINGLE LOOP DACRON BOWSTRINGS. Served at the arrow nocking area. If nock-to-nock bow length cannot be determined exactly, order single loop strings, plain end permits adjustment. Available in four lengths.

No. RS-1 for bow 56 to 60 inches

No. RS-2 for bow 60 to 64 inches

No. RS-3 for bow 64 to 68 inches

No. RS-4 for bow 68 to 70 inches

No. DBS DOUBLE LOOP BRAIDED DACRON BOWSTRINGS. Available in two lengths for bows not exceeding 35 pounds.

No. DBS-5 for 48 inch bows

No. DBS-6 for 56 inch bows

No. FS LOW PRICE HEMP BOWSTRINGS. Braided, single loop. One size, for bows to 70 inches in length.



No. SHP-4 Super Hibre Broadhead with cutlery steel blades, tempered and hardened to hold a razor sharp edge. Lexan ferrule has screw on threads. For 11/32 inch shafts Pkg. of 3



No. HP-4 Four Blade Broadhead Hunting Point. Blade of mill tempered spring steel, can be hand honed to razor sharpness. Barbless. For 11/32 inch shaft Pkg. of 3



No. HP-3 "Hi Precision" Three Blade Broadhead with fused-on point reinforcement of hammer steel. Barbless. For 11/32 inch shafts Pkg. of 3



No. HP-2 Two Blade Broadhead Hunting Point. Blade of mill tempered spring steel, can be hand honed to razor sharpness. Barbless. For 11/32 inch shaft Pkg. of 3



No. PBT Bow Tip Protectors of tough vinyl plastic. Protect bowtips and hold string in placepair.

ACCESSORIES



No. WBQ Hushhh Bow Quiver, featuring the EZE-OFF clip. Easy to install on your bow. No tape, clamps or screw required. Holds 4 arrowspair.



No. AR Arrow Rest. A horizontal feather rest that is ready to apply in seconds with pressure sensitive tape.each



No. BBS BRUSH BUTTONS. Small size. Slipped onto bowstring ends, they prevent bowstring and bow limb intersection from hanging on brush in huntingpair.



No. BBL Same as above but larger size.pair



No. BW Bowstring wax. 1/2 oz. cake.each



No. STN Nocking Points. Shrinks easily and securely to bowstring with application of heat. Provides positive nocking point. Pkg. of 4



No. SNS-35 Special Non-skid blunt nosed field points, 11/32" diameter. 5° taper bore. doz.



No. PP-50 Parallel Arrow Point 5/16 inch outside diameter. doz.



No. BP-30 Bullet-Type Arrow Points. 5/16 inch inside diameter. doz.



No. PN-11 Plastic arrow nocks. 11/32 inch diameter. doz.

No. PN-16 Plastic arrow nocks, 5/16 inch diameter. doz.

No. PN-32 Plastic arrow nocks, 9/32 inch diameter. doz.


No. PN-14 Plastic arrow nocks, 1/4 inch diameter. doz.



No. M-50 Reynolds Bow-sight. Improved, removable model with double adjustment. Sight accepts prism, pins or double wire aperture. Equipped with water proof tape for calibrating.each



No. NBS Silencer. Light weight, weather resistant neoprene silencers mount concentrically on bowstring and effectively quiet twang.pair



No. M-10 Calibrated Bow-sight with windage and elevation adjustment.each

A GUIDE FOR SELECTING PROPER EQUIPMENT

ARROWS


If the beginner in Archery is to experience the progress which makes for lasting interest and maximum enjoyment of the Sport, he must begin with properly fitted equipment. Skilled and accurate shooting is dependent upon the consistency with which each successive arrow is shot. Consistency is dependent upon the degree of accuracy with which arrows are matched in weight and spine (stiffness) and upon the accuracy with which arrows are fletched (feathered). For consistent shooting it is also very essential that the pounds of force or thrust behind each arrow be exactly the same. The "pounds of pull" of a bow is an expression of the pulling force required to draw that bow (pull the bowstring back) to a fixed distance. If the thrust behind each arrow is to be consistent, it will be readily understood that the distance the bow is drawn must be the same for each shot. In Archery the arrow is the gauge which regulates this pulling distance.



To correctly measure the arrow length most suitable to you, place the nock of an arrow in the center of your chest about six inches below the chin. Hold the point end between the palms of your hands. With the arms extended to their full reach, straight in front of you, the point of the arrow should extend to the tips of your fingers. (See Fig. 2). This is the proper method of equipping the archer with target arrows.

For selecting proper length arrows of other types refer to Fig. 1. Select each type of arrow so that the tips of the fingers extend to that point on the arrows indicated by the dotted line.

By all means be sure that you shoot the correct length arrows because the development of real skill depends on this factor and, in addition, unnecessary length adds weight that robs you of velocity.



Now — whether you anchor under your chin (generally preferred by target archers using bow-sights) or with the first finger at the corner of your mouth (for instinctive shooting and hunting) — you have a gauge to regulate your pulling distance. When shooting target arrows you will know that you have reached full draw for each shot when the point is flush with the back of the bow (the bow surface farthest from the eye). Hunting and field arrows will extend from the back of the bow but, when you have the proper length, a part of the instinctive skill quickly developed will enable you to easily gauge the full draw point.

BOWS

In choosing any bow do not make the mistake of becoming "over-bowed". Choose one that you can pull to full draw and hold without shaking or straining too much and you will be able to develop proper shooting habits and progress more rapidly than if your bow is too heavy for you. A little tremor or shaking is all right; the muscles used for drawing a bow will develop quite rapidly with routine practice. But, in shooting, it is best to lay the bow down for a while if it becomes difficult to draw and hold for precise aim. It is easy to develop bad shooting habits and you always want to avoid "snap" shooting.

For many beginners, school archery programs and for budget minded bowhunters the YORK line of solid fiber glass bows offers a complete selection of styles and lengths. Review the specifications on these and note that the various models are available at different maximum pulling weights and that each is "weighed" at a certain draw distance. Choose from these, keeping in mind that each is designed for specific applications. Thus, the very young boy or girl will want a 4 ft. bow while the high school or college age beginner will prefer the SG-50 or SG-54 in the 20 to 30 pound range. The bowhunter will want a 45 to 55 pound bow.

To obtain the maximum enjoyment and pleasure from the Sport of Archery choose a YORK composite bow. Laminated of the finest fiber glass and woods the nature of their design and construction is such that these bows provide the highest degree of limb efficiency and shooting smoothness.



Generally speaking, bows 64 inches or longer are best for any phase of the sport involving continuous shooting. However, those archers who shoot 26 inch arrows or less will want to give serious consideration to bows 64 inches or shorter to take full advantage of the limb efficiency built into their bow. The bowhunter will place a high value on the shorter bows for maximum cast and easier handling in the brush.

Your composite bow is precision built and deserves fine care. When not in use keep it unstrung and hung vertically or on a bow rack with pegs supporting both limbs. Apply a coat of good furniture wax occasionally to protect the finish. Be very careful while bracing (stringing) your bow to avoid twisting the limbs.

Recommended brace heights are given for each bow as an approximation in the catalog specifications. This distance is measured from the bowstring to the deepest cut in the handle, sometimes called the pivot point. See Fig. 3. Proper brace height for each model will vary with different archers and shooting styles and should be adjusted, by twisting the bowstring, to obtain maximum freedom from string noise, wrist slap and erratic arrow flight. Your bow will shoot noticeably smoother when braced to the correct height.

Over 50 years of designing experience and production know-how, as well as the most modern materials and technology are behind the YORK equipment you select.

Archery — for family fun and the sportsman hunter — can provide you with many years of recreational pleasure.



On September 16, 1972, Ken Smith, Sr., president of Woodcraft Equipment Company, passed away unexpectedly. His untimely passing, at age 60, was not only a loss to his family and friends, but a loss of magnitude to the entire archery world.

Modern-day archery and Ken Smith sort of grew up together. Ken Smith pioneered and developed a number of the specialized production machines. Among the most notable, a machine for twisting, waxing, and reinforcing a single loop bow string that has been in use for 30 years. He designed a pull-trusion process for fiber glass staves. To completely encase a bow and arrow set in a plastic blister, he designed and built a machine large enough to produce a blister package covering a 54 inch bow.

In the 39 years Ken Smith, Sr., owned and operated Woodcraft Equipment Company, he worked not only to manufacture a fine product, but also for the overall advancement of archery as a sport and pastime for people of all ages. YORK, the trade name for Woodcraft products, has come to mean the ultimate in archery quality for the skilled and novice alike.

The management of Woodcraft Equipment Company has passed to the capable hands of Ken Smith, Jr. Together with his loyal and experienced staff, he will continue to carry out Ken Smith, Sr.'s goal of producing the best archery equipment money can buy.

THE TOTAL LINE



YORK is the TOTAL line . . . the complete line with the right equipment for bowhunters, beginners, tournament archers and school programs. Offered in beautiful full-view packaging, it's right for the modern merchandiser.

**Quality Merchandise
Outstanding Design
Superb Packaging**
For half a century the name YORK has meant **better** archery equipment . . . Better for the archer . . . Better for the man who sells it.
YORK'S 50 year tradition of producing quality archery equipment is your assurance of complete satisfaction.



The York Guarantee

Every YORK product is guaranteed to be free from defects in workmanship or materials. The experience of 50 years has developed a team of designing skill and production know-how at YORK that is unsurpassed in the Archery Industry. It is this team that makes the YORK Guarantee possible. Any YORK item which appears defective, and shows no evidence of mishandling or misuse, should be sent prepaid direct to YORK Archery, Independence, Missouri, for replacement or repair.



50 YEARS OF SERVICE TO THE ARCHER
P. O. BOX 110 • INDEPENDENCE, MISSOURI 64051 • (816) 252-9612