

Supplemental Label

12/17/2013

Cuprofix® Ultra 40 Disperss®
Dry Flowable Fungicide/Bactericide

DOC ID 537275

New York State Department of Environmental Conservation

Division of Materials Management

ivision of Materials Managemen Pesticide Product Registration

EPA Reg. No. 70506-201

This Supplemental Label Expires on August 5, 2016 and must not be used or distributed after this date.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Follow all applicable directions, restrictions and precautions on the federally-registered label.

This Supplemental Label contains new or supplemental instructions for use of this product which do not appear on the package material. Follow the instructions carefully.

This label and product label must be in the possession of the user at the time of pesticide application.

Read the Limitation of Warranty and Liability on the container labeling before buying or using this product. If terms are not acceptable, return the unopened package at once to Seller for full refund of purchase price paid. Otherwise, use by Buyer or other User constitutes acceptance of the terms of the Limitation of Warranty and Liability on the container label.

DISEASE CONTROL IN KALE

DISEASE	RATE IN LBS CUPROFIX ULTRA 40 DISPERSS/A	USE INSTRUCTIONS
Black Leaf Spot (Alternaria) Black Rot (Xanthomonas) Downy Mildew	0.75 – 1.25 lbs/A (0.30 - 0.50 lbs metallic copper)	Apply at 7 – 10 day intervals. Begin applications after transplants are set in the field or shortly after emergence of field seeded crops or when conditions favor disease development. Use higher rates when conditions favor disease.

RESTRICTIONS

Do not apply more than 6.6 lbs of Cuprofix Ultra 40 Disperss (2.65 lbs metallic copper) per acre per year.

Do not apply more than once every 7 days.

Rev. 07/22/2013

United Phosphorus, Inc. 630 Freedom Business Center, Suite 402 King of Prussia, PA 19406 1-800-438-6071