

Effective May 15, 2014

WHOLESALE PRICE LIST



SOS PRODUCTS COMPANY, INC.
PO Box 47~401 West Fourth Street
East Greenville PA 18041 USA
215-679-6262 / 800-345-6300
215-679-0700 / 800-2-FAX-SOS (232-9767)
Web Site: <http://www.sos-prod.com>
E-Mail: info@sos-prod.com

FEATURING OVER 180 DIFFERENT PRODUCTS!

FLUXES & SOLDERS
PVC CEMENTS & PRIMERS
PIPE DOPES & THREAD SEALANTS
DRAIN & CESSPOOL CLEANERS
PUTTY & EPOXIES
SILICONE SEALANTS
BOILER & HEATING SYSTEM
SEALERS, CEMENTS & CLEANERS
ANTIFREEZE (NON-TOXIC)
PLUG & PATCHING CEMENTS
CUTTING & LUBE OILS
CLEANING PRODUCTS
HAND WIPES & VINYL GLOVES
TOILET & URINAL WAX RINGS
PRO BOLTS (BRASS & PLATED)
SAND CLOTHS
ROOF FLASHINGS (ASSORTED TYPES)

NEW
Prepaid Freight Terms!
See Terms & Conditions
Page 17




PRODUCT INDEX

	Page	Group		Page	Group
ABS-DWV Cement	3	2	Plumber's Sand Cloth Roll	15	15
Acid, Flux, Pro Solder Brushes	15	15	Plumber's "Super Red Cut" Sand Cloth	15	15
Airout	8	8	Powdered Hand Cleaner	11	11
All-Purpose Cement	3	2	Pro Bolts	13, 14	14
All-Purpose Degreaser, Biodegradable	10	11	Brass	13	14
Aluminum Paint	11	12	Plated	14	14
Anchor Kits	14	14	Brass Bolt w/ Plated Accessories	13	14
Anti-Freeze (Inhibited) (-55, -100, -200)	8	8	Nylon	14	14
Anti-Freeze (Inhibited) for Aluminum	8	8	Supers, Brass	13	14
Anti-Freeze Inhibitor	8	8	Supers, Brass w/ Plated Accessories	13	14
Anti-Freeze Test Kits	8	8	3-1/2" Brass	13	14
Asphalt Paint	12	12	1/4" Brass w/ Double Nuts & Washers	13	14
Atomic Heat	9	8	Pro Flux 95, Lead Free	1	1
Bactifeed	5	4	Pro Lube	10	9
Baffles, Hanging	10	10	Pro Solder, Tin / Lead	1	1
Bearing Assembly Lube	10	9	PVC Cements:		
Blastout	5	4	Blue "Wet & Dry"	2	2
Boiler Colloid Liquid	8	8	Medium Body Clear	2	2
Boiler Putty	7	7	Regular Body Clear	2	2
Boiler Stopleak Liquid	6	6	Heavy Duty Clear	2	2
Boiler Stopleak Powder	6	6	Heavy Duty Gray	2	2
Bolts: See Pro Bolts			PVC Primer Cleaner - Clear or Purple	3	2
CPVC Cement	3	2	PVC Cable Saw	15	15
Caulking Gun	15	15	Refractometer	8	8
Cesspool & Septic Tank Cleaner	5	4	Retort Cement	7	7
Cherry Aire	9	8	Roof Coating	6	5
Chimney Cleaner	8	8	Roof Flashings	16	17
Citrus Hand Soap	11	11	Roof N Flashing Cement	6	5
Closet Screws	14	14	Rootout	5	4
Cold Weather PVC Cement	2	2	Rope Seal	5	3
Combo Cement, All-Purpose	7	7	Runners, A-9 for Fire King Chambers	16	16
Combo Cement, Non-Freezing	7	7	Rust Blaster	10	11
Combustion Chambers	16	16	Silicone Grease	10	9
Condenser Coil Cleaner, Acid	10	11	Solder Flux Gel, Lead Free	2	1
Condenser Coil Cleaner, Non-Acid	10	11	S.O.S. #8 Yellow Pipe Dope	3	3
Contact Cleaner	11	11	S.O.S. #10 Blue Pipe Dope	3	3
Cutting Oil, Clear & Dark	9	9	Soot Blaster	9	8
Drain Pipe Cleaner	5	4	Soot Destroyer Powder	9	8
Epoxy Putty	5	5	Soot Destroyer Spray	9	8
Fast Steam	8	8	Spanner Flange	14	14
Fin/Coil Cleaner	10	11	Speed Clean Spray	11	11
Fire Resistant Mortar	7	7	Speed Metal	6	5
Fitting Brushes, Wire & Plastic Handle	15	15	Speed Seal	6	5
Fresh Aire	9	8	Spray Paints	12	12
Furnace Cement, Black & Gray	7	7	Sprinkler Flux, Lead Free	2	1
Gloves, Clear Vinyl	15	15	Standardization Discount Program	17	
Greaseout	5	4	Stove Gasket Cement	7	7
Heat Proof Grease	10	9	Super Silicone Sealant	6	5
Heavy Duty Degreaser	11	11	Super Silicone Sealant Hi-Temp (red)	6	5
Hot Stop	1	1	Surgeout	8	8
Instant Galvanize	11	11	Tank Bolts	13	14
Kling Cutting Oil Spray	9	9	Teflock Blue Pipe Dope	4	3
Leak Detector	11	11	Teflon* Pipe Dope	4	3
Lime Solvent	9	8	TFE Penetrating Oil Spray	10	9
Liquid Caustic Drain Opener	5	4	Terms & Conditions	17	
Liquid Lube	9	8	Thik Dope	4	3
Liquid Solder Flux, Lead Free	1	1	Toilet Bolt Caps	14	14
Liquid Flux #2, Lead Free	2	1	Toilet Bowl & Porcelain Cleaner	11	11
Lube Oil	9	9	Tube & Tile Caulk	6	5
Odorout Powder	11	11	Tube Cleaning Brushes	15	15
Odorout Spray	11	11	Urinal Urethane Wax Gasket	12	13
Oil Absorber	11	11	Water Detector	11	11
"One Hour" Boiler Cleaner, Dry Steam	8	8	Water Flushable Paste Flux	2	1
"One Hour" Liquid Weld	6	6	Water Line Tape (pink)	4	3
"One Hour" Powder Weld	6	6	Water Out	9	8
Oxy-Fix	5	4	Wax Rings (Calk)	12	13
P.D.Q. Penetrating Oil Spray	10	9	Super 8 Calk	12	13
Paste Solder Flux-			Polyflange Calk	12	13
Ammoniated - Lead Free	1	1	Easy Rings (Super 8 & Polyflange)	12	13
Paste Solder Flux-			Pro-Pak Calk, Bagged Rings	12	13
Greenless - Lead Free	1	1	Jumbo Rings (Super 8 & Polyflange)	12	13
Greenless - Lead Free Hot Weather	1	1	4" Polyflange Calk	12	13
Patching Cement	7	7	Urethane Calk (Super 8 & Polyflange)	12	13
Penetrate "77"	10	9	Calk w/ Bolt Kit (Super 8 & Polyflange)	12	13
Pep-Fuel Oil Conditioner	9	8	Waterstop Plugs	1	1
Pipe Dope	3	3	Weld-Tite	7	7
Pipe Dope Brush	15	15	Wipes	11	11
Pipe Dope Tape - Bulk & Non-Bulk	4	3	Wipes - Rough N Tough	11	11
Pipe Joint Lube	10	9	Wipes Rack	11	11
Plastic Pipe Cleaner	3	2	Yellow Gas Line Tape	4	3
Plasti Putty	6	5			
Plastik-Fix Epoxy	6	5			
Plug - Water Stopping Cement	7	7			
Plumber's Open Mesh Abrasive Cloth	15	15			

*Dupont Trademark

1 FLUXES, SOLDERS AND ACCESSORIES

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
*PRO SOLDER® 50/50 Tin-Lead Solder with S.O.S. Flux in paste form. Free Brush. <i>Not for use on potable water lines.</i>	PS-4CX	4 OZ.*C	24	14	6.56
	PS-1/2X	1/2 LB.	12	7	10.56
	PS-1X	1 LB.	12	13	20.26
	PS-3X	3 LB.	12	43	56.76
*C - Carded Blister Pak					
*PRO SOLDER 40® 40/60 Tin-Lead Solder with S.O.S. Flux in paste form. Free Brush. <i>Not for use on potable water lines.</i>	PS-405	1/2 LB.	12	8	6.18
	PS-401	1 LB.	12	13	12.01
	PS-403	3 LB.	12	42	26.58
*PRO FLUX® 95 LEAD-FREE Cleans, fluxes, tins in one easy operation. SAVES SOLDER. <i>Perfect for use on potable water lines.</i>	P95-1/2	1/2 PT.*B	25	18	12.89
*B - brush included					
*PASTE SOLDER FLUX GREENLESS® LEAD-FREE Odorless Self-Cleaning All-Weather	SFG-T	1 OZ. tube	144	14	1.10
	SFG-1/8	2 OZ.	48	10	2.60
	SFG-2B	2 OZ.*B	48	9	3.50
	SFG-1/4	1/4 PT.*B	24	16	6.09
	SFG-1/2	1/2 PT.*B	50	31	8.05
SFG-1	1 PT.	24	28	12.85	
HOT WEATHER FORMULA	SFG-1/2 HW	1/2 PT.*B	50	31	8.03
	SFG-1HW	1 PT.	24	28	12.61
	*B - brush included				
HOTSTOP™ Heat Sink Liquid. Removes heat. Protects sensitive areas from heat while soldering, brazing. Odorless, biodegradable, non-staining, non-toxic. Free trigger spray.	HS-32	1 QT.	12	26	17.47
WATERSTOP™ Dissolvable pipe plugs keeps the soldering area free from water by blocking water in pipe. Dissolves after use with heat.	WS-1/2	1/2"	12	1	11.62
	WS-3/4	3/4"	12	2	11.62
*PASTE SOLDER FLUX LEAD-FREE "Ammoniated" for the tough jobs. Self-Cleaning.	SFA-1/4	1/4 PT.	50	17	3.74
	SFA-1/2	1/2 PT.	50	32	4.75
	SFA-1	1 PT.	24	28	7.77
*LIQUID SOLDER FLUX LEAD-FREE "Regular" Self-Cleaning Liquid Flux for all metals except Aluminum & S.S.	LSF-1/4	1/4 PT.	24	11	6.47
	LSF-1	1 PT.	12	21	8.40



***QUANTITY DISCOUNT of 5% on 10 or more cases of any combination of fluxes and/or solders in Category #1.**

1 FLUXES, SOLDERS AND ACCESSORIES

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
*LIQUID FLUX #2 LEAD-FREE					
Self-Cleaning. Solders S.S. & all metals except Aluminum.	SSF-1/4	1/4 PT.	24	8	6.60
	SSF-1	1 PT.	12	19	9.42
*SOLDER FLUX GEL LEAD-FREE					
Non-Drip, Non-Runny, Self-Cleaning Gel Flux.	GEL-1/4	1/4 PT.	24	10	7.77
	GEL-1/2	1/2 PT.	24	18	12.98
*SPRINKLER FLUX LEAD-FREE					
Self-Cleaning. Recommended for fire sprinkler systems. Meets CDA ASTM Standards.	SPR-4	1/4 PT.	24	8	6.29
	SPR-8	1/2 PT.	24	14	10.69
*WATER FLUSHABLE PASTE FLUX LEAD-FREE					
All-Climate. Non-Separating. Meets CDA STM 1.0 ASTM B-813	WFF-2	1.7 OZ.	48	8	3.10
	WFF-4	4 OZ.	24	7	5.08
	WFF-8	8 OZ.	24	15	7.62
	WFF-16	1 LB.	12	13	12.25



***QUANTITY DISCOUNT of 5% on 10 or more cases of any combination of fluxes and/or solders in Category #1.**

2 PLASTIC PIPE CEMENTS & CLEANERS

***PVC CEMENT CLEAR REGULAR-BODY							
Fast setting PVC Cement for pipe & fittings up to Schedule 40 & up to 4" diameter. ASTM SPEC. #D2564		PVC-4R	1/4 PT.*D	24	9	4.64	
		PVC-8R	1/2 PT.*D	24	15	6.42	
		PVC-16R	1 PT.*D	12	14	10.41	
		PVC-32R	1 QT.*D	12	27	19.10	
		PVC-GR	1 GAL.	4	35	57.62	
			*D - jumbo dauber				
***PVC CEMENT CLEAR							
Medium to fast setting cement for up to Schedule 40 PVC pipe & fittings for use up to 8" diameter. ASTM SPEC. #D2564		PVC-C4	1/4 PT.*D	24	9	5.15	
		PVC-C8	1/2 PT.*D	24	15	6.58	
		PVC-C16	1 PT.*D	12	14	11.24	
		PVC-C32	1 QT.*D	12	27	16.06	
		PVC-CG	1 GAL.	4	35	60.30	
			*D - jumbo dauber				
***COLD WEATHER PVC CLEAR							
For PVC pipe & fittings up to Schedule 40 & up to 6". Withstands shipping & storage temperatures below zero to -10°F. (-23°C.) ASTM SPEC. #D2564		OPVC-8	1/2 PT.*D	24	15	9.77	
		OPVC-16	1 PT.*D	12	14	14.39	
		OPVC-32	1 QT.*D	12	27	24.07	
			*D - jumbo dauber				
***PVC CEMENT HEAVY DUTY							
CLEAR OR GRAY	CLEAR	GRAY					
A heavy duty cement for Schedule 40 & 80 PVC pipe & fittings for use up to 12" diam. ASTM SPEC. #D2564		PVC-4H	PVC-G4	1/4 PT.*D	24	9	6.60
		PVC-8H	PVC-G8	1/2 PT.*D	24	12	9.77
		PVC-16H	PVC-G16	1 PT.*D	12	15	14.12
		PVC-32H	PVC-G32	1 QT.*D	12	26	24.09
		PVC-GH	PVC-128	1 GAL.	4	33	86.26
			*D - jumbo dauber				
***PVC CEMENT BLUE "WET & DRY"							
Extremely "Fast-Setting" for Irrigation piping and swimming pool installations.		PVC-16I	1 PT.*D	12	14	14.45	
		PVC-32I	1 QT.*D	12	27	24.09	
		PVC-GI	1 GAL.	4	35	80.23	
			*D - jumbo dauber				



*****QUANTITY DISCOUNTS AVAILABLE for Category #2.**

2 PLASTIC PIPE CEMENTS & CLEANERS

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
---------	-----------	------	-----------	---------------	-----------------

***ABS-DWV CEMENT

REGULAR-HEAVY DUTY
Black. Fast-setting cement for ABS-DWV pipe and fittings up to Schedule 80, 8" diameter ASTM SPEC. #D2235.



ABS-4B	1/4 PT.*D	24	8	4.86
ABS-8B	1/2 PT.*D	24	10	6.42
ABS-16B	1 PT.*D	12	13	10.30
ABS-32B	1 QT.*D	12	25	17.67
ABS-GB	1 GAL.	4	35	48.53

*D - jumbo dauber



***CPVC CEMENT

Plastic Cement for hot water. For use on CPVC pipe & fittings up to 6" diameter.



CPV-4	1/4 PT.*D	24	8	7.52
CPV-8	1/2 PT.*D	24	15	10.60
CPV-16	1 PT.*D	12	16	17.67
CPV-32	1 QT.*D	12	26	27.61

*D - jumbo dauber




***ALL PURPOSE CEMENT

For joining PVC, CPVC, ABS & Styrene pipe and fittings. Non-pressure only.

APC-4	1/4 PT.*D	24	8	6.75
APC-8	1/2 PT.*D	24	15	9.64
APC-16	1 PT.*D	12	16	15.88
APC-32	1 QT.*D	12	26	28.71

*D - jumbo dauber



***PVC PRIMER CLEANER

CLEAR OR PURPLE

For use with All Purpose Cement, CPVC, ABS, PVC, Styrene. Specify Clear or Purple. ASTM SPEC.#F656



	CLEAR	PURPLE			
	APP-4C	APP-4	1/4 PT.*D	24	8
	APP-8C	APP-8	1/2 PT.*D	24	15
	APP-16C	APP-16	1 PT.*D	12	14
	APP-32C	APP-32	1 QT.*D	12	25
	APP-GC	APP-G	1 GAL.	4	30

*D - jumbo dauber



***PLASTIC PIPE CLEANER

"ALL PURPOSE SURFACE CLEANER"
For removing foreign matter and dirt from ABS, CPVC, PVC, Styrene pipe and fittings.

PPC-4	1/4 PT.*D	24	8	4.86
PPC-8	1/2 PT.*D	24	15	5.94
PPC-16	1 PT.*D	12	14	9.97
PPC-32	1 QT.*D	12	24	13.66
PPC-G	1 GAL.	6	49	44.64

*D - jumbo dauber



***QUANTITY DISCOUNTS AVAILABLE for Category #2.

3 THREAD SEALANTS, PIPE DOPE TAPE & ROPE SEAL

S.O.S. #8

All-Purpose Pipe Dope, Yellow, Slow-Dry, Fuel oil, Gasoline, Kerosene, LP Gas, Water, Steam, etc.

SOS-8	1/2 PT.*B	25	21	12.21
SOS-16	1 PT.*B	12	19	20.48

*B - brush included



S.O.S. #10 BLUE

Brush-on all purpose, easy cleanup for metal and plastic, thread & gasket sealant. Quick-setting, Non-hardening.

SOS10-4	1/4 PT.*B	24	12	8.78
SOS10-8	1/2 PT.*B	25	21	14.76
SOS10-16	1 PT.*B	12	19	23.56

*B - brush included



PIPE DOPE

Non-Settling. Contains no lead. For water, steam, air etc.

PD-2	2 OZ. tube	144	21	2.31
PD-4	1/4 PT.*B	50	25	3.56
PD-SC	1/2 PT.*B	25	21	5.37
PD-16	1 PT.	24	38	8.27
PD-5	1/2 GAL.*H	6	36	25.48
PD-1G	1 GAL.*H	4	58	43.05
PD-5G	5 GAL.*H	1	68	192.28

*B - brush included *H - handle



3 THREAD SEALANTS, PIPE DOPE TAPE & ROPE SEEL

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
THIK DOPE	THD-SC	1/2 PT.*B	25	21	5.54
No-Drip, No-Spill	THD-16	1 PT.	24	40	8.27
Formula for leak-proof pipe joining for water, steam, air, etc.	THD-5	1/2 GAL.*H	6	36	19.10
	THD-1G	1 GAL.*H	4	57	42.04
	THD-5G	5 GAL.*H	1	68	174.46

*B - brush included *H - handle



TEFLON® PIPE DOPE	TFD-4	1/4 PT.*B	24	11	7.90
"World's Finest"	TFD-SC	1/2 PT.*B	25	23	15.16
A heavy duty universal paste thread sealant with Dupont Teflon. Non-toxic, seals & lubes most materials.	TFD-16	1 PT.*B	12	19	25.23
	TFD-32	1 QT.	12	35	50.93
	TFD-G	1 GAL.*H	4	52	178.29
	TFD-5G	5 GAL.*H	1	68	725.82

® Dupont Trade Mark

*B - brush included *H - handle



TEFLOCK™	TEFLOCK-4	1/4 PT *B	24	11	8.16
Grit-Free, Hi-Performance BLUE sealant with Teflon.® For plastic and metal piping. Odorless, soft-set. Easy clean up with dry cloth.	TEFLOCK-8	1/2 PT *B	24	23	13.38
	TEFLOCK-16	1 PT *B	12	19	21.78

*B - brush included



PIPE DOPE TAPE BULK-PACKED

*PIPE DOPE TAPE BULK	TFEC-1	1/2" x 260"	200	5	1.12
Bulk -packed tape in plastic dispensers. TFE tape seals all types of pipe threaded connections. Meets SPEC MIL-T-27730A. For use on oxygen systems.	TFEC-2	1/2" x 520"	200	6	1.74
	TFEC-3	1/2" x 1296"	200	19	4.86
	TFEC-4	3/4" x 260"	140	8	1.80
	TFEC-5	3/4" x 520"	140	10	2.68
	TFEC-6	1" x 520"	144	12	3.19



*YELLOW GAS LINE THREAD TAPE	TFEC-1Y	1/2" x 260"	144	5	4.97
Bulk-packed YELLOW PTFE tape seals all types of gas lines. Natural gas, propane and butane lines. Meets Mil. Spec. T-27730A.					



***QUANTITY DISCOUNT of 10% on 6 or more cases for one or assorted sizes of BULK Pipe Dope Tape.**

PIPE DOPE TAPE (NON-BULK)

**PIPE DOPE TAPE	PDT-1	1/2"x60" *C	72	3	1.65
TFE tape for sealing all types of pipe threaded connections.	PDT-2	1/2"x260"*C	48	2	2.49
	PDT-4	1/4"x1296"	12	2	8.58
	PDT-6	1/2"x260"	12	2	1.65
	PDT-7	1/2"x520"	12	2	1.85
Meets performance requirements of specification MIL -T-27730A.	PDT-8	1/2"x750"	12	3	8.98
For use on oxygen systems.	PDT-9	3/4"x260"	12	2	2.51
	PDT-10	3/4"x520"	12	3	3.19
	PDT-11	3/4"x750"	12	2	12.06
	PDT-12	1"x200"	12	2	3.48
	PDT-13	1"x500"	12	3	7.02
	PDT-14	1"x750"	12	3	17.12

*C Carded Blister Paks



**PINK WATER LINE THREAD TAPE	PDT-1P	1/2" x 260"	50	5	3.70
Heavier than standard white tapes. Premium high density PTFE tape ensures leak free joints. Meets Mil. Spec. T-27730A.					



****QUANTITY DISCOUNT of 30% on 12 or more cases for one or assorted sizes of Pipe Dope Tape and/or Rope Seel EXCEPT on carded items.**

3 THREAD SEALANTS, GASKET & PACKING MATERIALS

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
**ROPE SEEL Packing & gasket material in easy to use rope form.	RS-1	3/32"x24" *C	48	2	3.74
	RS-2	3/32"x100"	12	2	8.65
	RS-3	3/32"x240"	12	3	17.25
	RS-4	3/32"x600"	12	5	25.48
	RS-5	5/32"x180"	12	4	31.68
	RS-6	5/32"x420"	12	9	38.30
	RS-7	7/32"x180"	12	3	48.66

*C - Carded Blister Pak



****QUANTITY DISCOUNT of 30% on 12 or more cases for one or assorted sizes of Pipe Dope Tape and/or Rope Seel EXCEPT on carded items.**

4 DRAIN & SEWAGE SYSTEM CLEANERS

BLASTOUT [®] World's most powerful blockage opener. UN packaging. Broad Form Vender Product Liability available. FOR PROFESSIONAL USE ONLY NOT FOR RETAIL SALE	BL-1	1 QT.	12	52	16.13
	BL-H	1/2 GAL.**	6	50	28.42
	BL-G	1 GAL.**	4	64	46.20
** pour spout					
BACTIFEED Activator for cesspools & septic tanks.	BAC	9 OZ.	12	9	13.24
CESSPOOL AND SEPTIC TANK CLEANER Dissolves organic matter and grease in sluggish, clogged septic tanks, cesspools & grease traps.	CES-5	5 LB.	6	33	36.43
	CES-15	15 LB.*H	1	15	77.09
	CES-25	25 LB.*H	1	25	136.29
	CES-37	37 LB.*H	1	37	156.62
*H - handle					
DRAIN PIPE CLEANER Dissolves in hot or cold water to remove grease, hair, paper, lint, etc.	DPS-1	13 OZ.	24	28	6.31
	DPS-2	26 OZ.	12	25	12.12
GREASEOUT Biodegradable, Non-acid, Non-caustic. Clears grease, clogged cesspools, septic tanks, drain lines.	GR-32	1 QT.	12	40	24.55
	GR-G	1 GAL.	6	75	81.55
	GR-5G	5 GAL.*H	1	65	370.63
	GR-55G	55 GAL.	1	598	2841.54
*H - handle					
LIQUID CAUSTIC DRAIN CLEANER (ALL-IN-ONE FORMULA FOR KITCHEN & BATH) Professional caustic cleaner maximum strength, non-acid dissolves fat, hair, grease, organic matter. Pours through standing water, will not harm disposals, pipes, or porcelain.	LCDO-1	1 QT.	12	35	8.34
	LCDO-G	1GAL.	4	40	27.43
ROOTOUT Eliminates roots.	RO-2	2 LB.	12	28	22.92
	RO-50	50 LB.*H	1	54	459.69
*H - handle					
OXY-FIX™ Restores septic drainfields and cesspools. Hi-power porosity restorer.	OXYFIX-1	9 LB.	4	38	74.40
	OXYFIX-5	46 LB.*H	1	47	270.62
*H - handle					

MASSACHUSETTS APPROVED!

5 PUTTY, EPOXY, CAULK & COLD SOLDER COMPOUNDS

*EPOXY PUTTY - 5 MINUTE The "ORIGINAL" Patented "World's Finest" one -step, easy to use. No weighing or measuring. Metal -Hard Repairs. White or gray.	EP-2	GRAY	2 OZ.	48	10	4.84
	EP-4	GRAY	4 OZ.	48	16	8.78
	EP-4X	GRAY	4 OZ.	24	8	8.91
	EP-4W	WHITE	4 OZ.	48	16	8.78

***QUANTITY DISCOUNT of 5% on 5 or more cases of Epoxy Putty and/or Plastic Fix.**



5 PUTTY, EPOXY, CAULK & COLD SOLDER COMPOUNDS

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
*PLASTIC FIX EPOXY For ABS, PVC, CPVC and other plastic repairs	PLASTIK-4	4 OZ.	24	8	9.22
*QUANTITY DISCOUNT of 5% on 5 or more cases of Epoxy Putty and/or Plastic Fix.					
PLASTI-PUTTI®	PP-1	14 OZ.	48	50	2.64
"World's Finest" non-hardening, non-crumbling, bacteria-proof putty. Meets Fed. SPEC TT-P 1536	PP-3	3 LB.	12	39	7.02
	PP-5	5 LB.	12	62	13.73
	PP-15	15 LB.*H	4	62	32.21
	PP-25	25 LB.*H	1	25	46.55
		*H - handle			
ROOF 'N' FLASHING CEMENT	ROC-T	11 OZ.*C	12	9	6.62
	ROC-Q	1 QT.	12	30	12.25
All Weather, Wet or Dry	ROC-G	1 GAL.*H	6	51	30.65
ASBESTOS-FREE	ROC-5G	5 GAL.*H	1	38	140.07
		*H - handle *C - cartridge			
ROOF COATING	ROP-H	1/2 GAL.	12	52	10.30
All Weather, Wet or Dry	ROP-G	1 GAL.*H	6	50	16.87
ASBESTOS-FREE		*H - handle			
SPEED METAL	SM-4	1/4 PT.	12	7	8.01
A ready mix metal repair and filler.	SM-8	1/2 PT.	12	12	11.66
	SM-16	1 PT.	12	22	19.10
SPEED SEEL	SPS-8	1/2 PT.	12	12	10.71
Caulks soil pipe and 1001 repairs.	SPS-16	1 PT.	12	23	17.58
	SPS-Q	1 QT.	12	40	33.09
TUB & TILE CAULK	TTC-6	WHITE 6 OZ.	12	7	5.59
All -purpose professional latex caulk with silicone.	TTCLR-6	CLEAR 6 OZ.	12	7	5.59
	TTC-11	WHITE 10.7 OZ.*C	12	13	8.01
		*C - cartridge			
SUPER SILICONE SEALANT	SSS-11W	WHITE 10.6 OZ.*C	12	11	
50 year durability , 100% silicone, high performance sealing compound. NSF, USDA, FDA approval. Meets all federal specifications. Temperature range -65°F to 450°F.	SSS-11C	CLEAR 10.6 OZ.*C	12	11	
		*C - cartridge		1 Case	8.78
				10 Cases	7.90
	SSS-3C	CLEAR 3 OZ. *c	12	8	4.40
	SSS-3W	WHITE 3 OZ. *c	12	8	4.40
		*c - Carded Blister Pak			
HI-TEMP RED SILICONE 600°F	SSS-RHT	RED 10.3 OZ.*C	12	11	11.55
Insulates thermally for fired heaters, boilers, ovens, flues up to 600°F.		*C - cartridge			

NEW SMALLER SIZE!!

6 BOILER & HEATING SYSTEM STOPLEAKS

BOILER STOPLEAK LIQUID	BSL-1	1 QT.	12	35	14.65
With corrosion inhibitor. OIL FREE FORMULA.	BSL-4	1 GAL.	6	70	42.39
BOILER STOPLEAK POWDER	BSP-1	1 LB.	12	12	17.18
Forms a tough metallic weld at crack.					
"ONE HOUR" LIQUID WELD	OLW-1	1 QT.	12	30	21.87
Stopleak for Hydronic Systems. OIL FREE FORMULA.					
"ONE HOUR" POWDERED WELD	OPW-1	1 LB.	12	17	19.23
For Steam or Hot Water Heating Boilers					



7 BOILER & REFRACTORY CEMENTS (ASBESTOS FREE, FIBERGLASS FREE)

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH	
BOILER PUTTI						
For sealing joints where hi-temp is not a factor.	BP-5	5 LB.	12	68	21.69	
	BP-15	15 LB.*H	4	61	59.09	
NON-ASBESTOS	BP-25	25 LB.*H	1	25	104.68	
		*H - handle				
COMBO CEMENT - ALL PURPOSE						
3000 All purpose Retort and Furnace Cement.	CC-5	1/2 GAL.*H	6	52	15.86	
	CC-13	1 GAL.*H	4	62	29.35	
NON-ASBESTOS HEAVY-DUTY	CC-25	2 GAL.*H	1	25	55.73	
		*H - handle				
NON-FREEZING COMBO CEMENT ALL PURPOSE						
Non -Freezing 3000 All-Purpose Retort & Furnace Cement.	CCNF-5	1/2 GAL.*H	6	52	18.72	
	CCNF-13	1 GAL.*H	4	56	36.28	
NON-ASBESTOS HEAVY-DUTY	CCNF-25	2 GAL.*H	1	25	70.49	
		*H - handle				
FURNACE CEMENT						
	BLACK	GRAY				
3000	FC-11B		10.7 OZ.*C	12	14	4.77
Hi-Temp	FC-1/2B	FC-1/2G	1/2 PT.	48	50	3.56
Black or Gray	FC-1B	FC-1G	1 PT.	24	47	6.47
NON-ASBESTOS	FC-5B	FC-5G	1/2 GAL.*H	6	52	16.08
HEAVY-DUTY	FC-13B	FC-13G	1 GAL.*H	4	59	29.50
	FC-25B	FC-25G	2 GAL.*H	1	26	57.75
			*H - handle			*C - cartridge
RETORT CEMENT 3000						
For setting fire-brick, combustion chambers. NON-ASBESTOS	RC-13		1 GAL.*H	4	55	26.69
	RC-25		2 GAL.*H	1	25	52.60
	RC-50		5 GAL.*H	1	50	123.82
			*H - handle			
FIRE RESISTANT MORTAR						
Black high heat mortar for sealing openings in wood-frame construction as well as repairing fireplaces. Withstands temps. up to 2000 deg F. NON-ASBESTOS	FRM-1		10 OZ.*C	12	18	4.55
			*C - cartridge			
STOVE GASKET CEMENT						
Hi-temp adhesive for gasket rope.	SGC-1/2		1/2 PT. *B	25	18	7.99
			*B - brush included			
WELD-TITE						
Hi-temp liquid adhesive for fiber chambers.	WT-1		1 PT.	24	32	8.45
PATCHING CEMENT						
Professional Grade, fast setting, hi-strength anchoring cement for bolts, lags, masonry, with 3 times the bonding strength.	PATCH-3	3 LB.*H	6	18	11.64	
			1 case	25 cases	9.59	
	PATCH-10	10 LB.*H	4	43	25.06	
			1 case	25 cases	20.92	
	PATCH-50	50 LB.*H	1	53	80.48	
		*H - handle		1 pail	67.52	
				25 pails		
SOS PLUG™						
Instant setting hydraulic cement, stops leaks in basement walls and floors. Stops leaks in masonry surfaces. Sets in 3 to 5 minutes. Good for interior or exterior use. Hi-power professional formula.	PLUG-3	3 LB.*H	6	18	12.83	
			1 case	25 cases	10.30	
	PLUG-10	10 LB.*H	4	43	26.53	
			1 case	25 cases	21.63	
	PLUG-50	50 LB.*H	1	53	91.65	
		*H - handle		1 pail	75.17	
				25 pails		



8

BOILER & HEATING SYSTEM CLEANERS

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
FAST STEAM					
Prevents boilers from surging and priming with a built-in color code indicator. Starts working immediately, is environmentally and bio-safe, removes oil and grease, eliminates scale, no blow-off or draining.	FAST-1	1 LB.	12	15	15.71
SURGEOUT					
Boiler Treatment Stops surging, priming, foaming and corrosion. Color coded for accurate dosage and performance.	SO-1	1.5 OZ.	24	18	12.12
AIROUT					
For air bound Hydronic systems. OIL FREE.	AR-1	1/2 GAL.	6	29	22.22
	AR-2	1 GAL.	4	37	42.37
SOS ANTI-FREEZE (INHIBITED) " -55° F. "					
NON -TOXIC Stops freezing of Heating, Cooling and Fresh Water Systems. Burst Protection to -55°F.	AFBG-1	1 GAL.	6	52	24.31
	AFBG-5	5 GAL.*H	1	45	117.92
	AFBG-55	55 GAL.	1	509	1203.42
		*H - handle			
SOS ANTI-FREEZE (INHIBITED) " -100° F."					
NON -TOXIC. Stops freezing of Heating, Cooling and Fresh Water Systems. Burst Protection to -100° F. Freeze Protection to -66°F.	AF-G1	1 GAL.	6	52	35.38
	AF-5G	5 GAL.*H	1	46	169.55
	AF-55G	55 GAL.	1	514	1697.39
		*H - handle			
SOS ANTI-FREEZE (INHIBITED) " -200° F."					
NON -TOXIC Stops freezing of Heating, Cooling and Fresh Water Systems. Burst Protection to -200° F. Dilute as needed.	AFCN-1	1 GAL.	6	55	44.81
	AFCN-5	5 GAL.*H	1	54	221.10
	AFCN-55	55 GAL.	1	522	2105.86
		*H - handle			
SOS ALUMINUM ANTI-FREEZE " -100° F" (INHIBITED)					
NON-TOXIC Stops freezing in aluminum boiler systems. Burst Protection to -100° F. Dilute as needed.	AFG-1AL	1 GAL.	6	55	29.55
	AF-5AL	5 GAL.*H	1	47	147.42
	AF-55AL	55 GAL.	1	515	1146.05
		*H - handle			
SOS ANTI-FREEZE TEST KITS					
Designed to check cold protection and inhibitor levels. 6 bottles per case, 10 test strips per bottle.	AFTK-1		6	1	21.16
SOS ANTI-FREEZE INHIBITOR					
To recharge SOS Anti-Freeze systems & protect uninhibited systems.	AFI-8	8 OZ.	12	7	12.21
REFRACTOMETER					
A very accurate check of Anti-Freeze concentration.	REFRACTO		1	2	224.11
BOILER CLEANER "ONE HOUR" "Dry Steam" OIL FREE FORMULA					
	OHC-1	1 LB.	12	15	16.26
BOILER COLLOID					
The "Original" boiler cleaner and rust inhibitor. OIL FREE FORMULA	BC-1	1 QT.	12	34	16.24
	BC-4	1 GAL.	6	70	47.78
	BC-5	5 GAL.*H	1	50	241.49
	BC-55	55 GAL.	1	450	1857.39
		*H - handle			
CHIMNEY CLEANER					
Creosote and soot remover for wood and coal stoves, fireplaces & furnaces.	CHC-2	2 LB.	12	27	17.29



8 BOILER & HEATING SYSTEM CLEANERS

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
LIME SOLVENT (with pH test kit) The "Original" - removes lime, rust, scale, plaster, concrete from waste & water systems, heating & air conditioning equipment.					
	LS-1	1 QT.	12	32	14.10
	LS-4	1 GAL. *	4	40	35.13
		* pour spout			
FOR PROFESSIONAL USE ONLY NOT FOR RETAIL SALE					
LIQUID LUBE (with TEFLON®) Zone valve lubricant for hydronic systems. OIL FREE FORMULA.					
	LL-1	1 QT.	12	30	15.80
ATOMIC HEAT™ 10 in 1 fuel oil treatment. Controls waxing and gelling. Totally disperses water, clears burner nozzles, deicer, cleans filters and pumps. Eliminates soot, keeps flames clean, prevents corrosion and reduces smoke.					
	AH-1	1 PT.	12	27	9.26
PEP Removes gum & sludge from fuel tanks, lines, etc. De-icer. Space-Age formula.					
	PEP-1	1 QT.	12	20	16.17
	PEP-4	1 GAL.	4	32	50.09
	PEP-5	5 GAL.*H	1	38	220.51
	PEP-55	55 GAL.	1	340	1783.64
		*H - handle			
SOOT BLASTER® Throw in Plastic Pack directly into fire box. Clean, easy-to-use.					
	SBL-2	100 GMS.	48	13	3.34
	SBL-BP	100 GMS. *C	24	15	6.82
		*C - Carded Blister Pak (2 Soot Blaster sticks per pack)			
SOOT DESTROYER POWDER Unique formula designed for oil, gas & wood heating units.					
	SD-1	1 LB.	24	27	8.82
SOOT DESTROYER SPRAY Easy removal of soot from heating systems, space heaters, stoves using oil, kerosene, gas, wood & L.P.					
	SDS-1	12 OZ. AEROSOL	12	12	12.34
WATER OUT For fuel oil tanks. Absorbs water, removes gum & sludge.					
	WO-1	1 QT.	12	27	18.59
	WO-4	1 GAL.	6	72	63.14
	WO-5	5 GAL.*H	1	53	284.80
	WO-55	55 GAL.	1	675	2605.00
		*H - handle			
CHERRY AIRE™ Heavy Duty Fuel Oil Deodorant					
	CA-4	4 OZ.	12	6	9.26
FRESH AIRE™ Odor Neutralizer					
	FA-4	4 OZ.	12	6	9.81



9 CUTTING, LUBE & PENETRATING OILS

CUTTING OIL						
Specify CLEAR for hand threading & non-ferrous metal.	CLEAR	DARK				
	CO-1C	CO-1D	1 PT.	24	25	9.22
	CO-2C	CO-2D	1 QT.	12	26	12.43
	CO-4C	CO-4D	1 GAL.	6	51	30.80
DARK for high speed machines.	CO-5C	CO-5D	5 GAL.*H	1	37	125.29
	CO-55C	CO-55D	55 GAL.	1	465	1040.23
			*H - handle			
KLING CUTTING OIL SPRAY Heavy-bodied, emulsion-cutting oil which clings to metal wherever it is sprayed. Contains XR-12 coolant.						
	KCO-1		13-1/4 OZ. AEROSOL	12	14	12.52
LUBE OIL For electric motors						
	LO-4		4 OZ.	24	7	5.19
	LO-8		8 OZ.	24	14	6.34



9 CUTTING, LUBE & PENETRATING OILS

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
BEARING ASSEMBLY LUBE Non-detergent lube oil will never gum or stick.	BAL-1	8 OZ.	24	14	7.35
P.D.Q. PENETRATING SPRAY "Creeps" under frozen surface.	PDQ-1	11-1/2 OZ. AEROSOL	12	14	12.72
PENETRATE "77" A deodorized penetrant which Penetrates Darn Quick.	P77-1/2	1/2 PT.	24	11	8.43
PIPE JOINT LUBE Use for pipe joints with rubber, plastic, or synthetic rubber gaskets.	NSF PJL-32 PJL-G	1 QT. 1 GAL.	12 4	25 17	9.31 34.72
PLUMBER'S HEAT-PROOF GREASE Lubricates valves, ball-cocks, stems of valves, etc.	HPG	2 OZ.	24	4	3.70
SILICONE GREASE 100% pure silicon grease. Ideal for rubber, plastic & synthetics. Non-petroleum based.	SG-1	1.5 OZ.	24	4	2.68
PRO LUBE® Lube Oil with telescopic spout.	PL-4	4 OZ.*D *D - display carton	24	6	6.38
TFE PENETRATING OIL® Made with Dupont Teflon®	TPO-1	13 OZ. AEROSOL	12	16	10.27



10 HANGING BAFFLES

ECONOMIZER BAFFLE 2600° F "Fused Quartz" hanging baffle complete with hardware and chain.	HB-12	12"	1	12	22.00
	HB-14	14"	1	14	22.00
	HB-16	16"	1	16	22.00
	HB-18	18"	1	18	22.00



11 CLEANING & MAINTENANCE COMPOUNDS

ALL-PURPOSE DEGREASER Environmentally safe non-aerosol. Non-toxic, non-flammable, biodegradable.	BIO-1 BIO-G	1 PT.*** 1 GAL.	12 4	15 35	6.03 19.60
		***trigger pump included			
NON-ACID CONDENSER COIL CLEANER For air conditioners	ALCON-4	1 GAL.	4	38	22.42
FOAMING ACID CONDENSER COIL CLEANER For air conditioners	CON-4	1 GAL.	4	40	23.56
FIN/COIL CLEANER For refrigeration condensers. Citrus formula.	COIL-1	20 OZ. AEROSOL	12	20	13.11
RUST BLASTER Kills rust and stains. For use with water softeners, sinks, tubs toilet bowls, tile, stone, water heaters, piping, flush boxes, etc.	RB-1	20 OZ.	12	18	6.49



11 CLEANING & MAINTENANCE COMPOUNDS

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
CONTACT CLEANER Electrical grade. Leaves no residue, controlled evaporation.	CC-1	16 OZ. AEROSOL	12	15	11.42
HEAVY DUTY DEGREASER Removes grease and dirt.	HDD-1	16 OZ. AEROSOL	12	15	12.72
INSTANT GALVANIZE Rust-proofs any metal.	IG-A	17 OZ. AEROSOL	12	15	12.94
LEAK DETECTOR NON-FREEZING. Large bubbles appear instantly at point of leak.	LD	4 OZ.	24	8	5.28
	LD-8	8 OZ.***	12	8	10.16
	LD-16	16 OZ.***	12	15	15.77
	LD-G	1 GAL.	4	36	35.60
***trigger pump included					
ODOROUT POWDER Stops fuel oil odor, absorbs stains.	OP-1	1 LB.*S *S - shaker top	12	15	9.61
ODOROUT SPRAY Stops fuel odor.	OS-1	13 OZ. AEROSOL	12	16	10.54
OIL ABSORBER Spread on spill; sweep clean.	OA-1	23 OZ.*S	12	18	11.75
	OA-10	10 LB.*H	1	10	18.19
	OA-50	50 LB.	1	50	49.85
*S - shaker top *H - handle					
SPEED CLEAN SPRAY Cleans & burnishes in one step	SC-1	16 OZ. AEROSOL	12	17	11.64
TOILET BOWL & PORCELAIN CLEANER Removes hardwater, rust, gray & yellow stains from porcelain & metal.	TBPC-1	1 QT.	12	28	9.28
WATER DETECTOR PASTE Detects water in fuel tanks.	WD-2	2 OZ.	12	6	9.15
CITRUS HAND SOAP All natural ingredients.	CHS-16	15 OZ.	12	15	8.69
	CHS-G	1 GAL.*P *P - pump dispenser	4	34	45.41
POWDERED HAND CLEANER Removes dirt; prevents dryness.	PHC	1-1/2 LB.*S *S - shaker top	12	20	10.34
SUPER HAND WIPES 70 Pre-moistened citrus scented towels in dispenser. Hi-power formula.	WIPES	12" X 10"	6	14	23.67
REMOVES PLASTIC PIPE CEMENTS, GREASE, PAINTS, SEALANTS					
ROUGH 'N' TOUGH WIPES Dual sided rugged pre-moistened hand cleaning towels that removes plastic pipe cements, sealants, grease, paint and other tough soils. One side is Rough, the other side is Smooth.	RTWIPES	12" X 10"	6	14	22.99
WIPESRACK Receive a FREE display rack to hold all your WIPES or RTWIPES! To qualify, you must purchase 5 cases of either our WIPES or our RTWIPES and you must mark on your purchase order WIPESRACK.	WIPESRACK	1 rack holds 30 cannisters	80		



12 PAINTS

ALUMINUM PAINT Chrome finish	AL-Q	1 QT.	12	30	12.72
	AL-4	1 GAL.	6	50	38.08



12

PAINTS

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
---------	-----------	------	-----------	---------------	-----------------

ASPHALT PAINT Fast drying, glossy finish.	AS-1	1 QT.	12	26	13.60
	AS-4	1 GAL.	6	32	50.29




SPRAY PAINT Spray Paint and Enamel.	Aluminum	AL-1	12-3/4 OZ. AEROSOL	12	13	10.08
	Gloss Black	BK-1				
	Flat Black	FB-1				




13


TOILET BOWL CALKS


SUPER 8 CALK "World's Finest" packed in a Crush-proof plastic pak and boxed.	WG-8	PRO SIZE	48	31	2.20	
25-YEAR DURABILITY						



POLYFLANGE[®] CALK Fits 3" DWV & 4" Soil Pipe. Packed in Crush-proof plastic pak and boxes.	WG-P	PRO SIZE	24	17	2.75	
25-YEAR DURABILITY						




EASY BOWL CALK Economy-sized SUPER 8 CALK	EASYRING	ECONO SIZE	48	20	1.21	
Economy-sized POLYFLANGE [®] CALK Meets Federal Spec. TTP-1536A and A-A-3110.	EASYHORN	ECONO SIZE	24	11	1.54	

PRO-PAK[®] CALK SUPER 8 CALK in plastic bag	PRO -8	PRO SIZE	48	42	2.09	
POLYFLANGE [®] CALK in plastic bag	POLYPRO	PRO SIZE	24	32	2.66	


"4" POLYFLANGE[®] CALK With plastic horn (For 4" Waste Lines Only) Packed in Crush-Proof Plastic-Pak and boxed.	WXP	PRO SIZE	24	17	2.51	
------------------------------------------------------------------------------------------------------------------------------------	-----	----------	----	----	------	---------------------------------------------------------------------------------------



SUPER SIZE CALK Extra thick Super 8 Calk	JUMBORING	JUMBO SIZE	48	40	2.82	
Extra thick Polyflange [®] Calk	JUMBOHORN	JUMBO SIZE	24	25	3.32	

URINAL URETHANE CALK Giant Size fits 2" Urinal Outlet.	URN	PRO SIZE	24	13	3.70	
------------------------------------------------------------------	-----	----------	----	----	------	---------------------------------------------------------------------------------------




URETHANE CALK SUPER 8 CALK with Urethane	WG8UR	PRO SIZE	48	31	4.07	
POLYFLANGE [®] CALK with Urethane For floor and most wall bowls.	WGPUR	PRO SIZE	24	17	4.18	

CALKS WITH BOLTS

SUPER 8 CALK w/ PRO BOLT KIT[®] Super 8 wax ring packed w/ PB4BX (2 solid brass "Break-A-Way" PRO BOLTS [®] , 2 nickel-plated washers, 2 nickel-plated nuts, 2 "Fast-Set" washers.)	WG8BKX	PRO SIZE	48	32	4.47	
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------	----------	----	----	------	---------------------------------------------------------------------------------------



POLYFLANGE[®] CALK w/ PRO BOLT KIT[®] Fits 3" DWV & 4" soil pipe Polyflange [®] wax ring packed w/ PB4BX (2 solid brass "Break-A-Way" PRO BOLTS [®] , 2 nickel-plated washers, 2 nickel-plated nuts, 2 "Fast-Set" washers.)	WGPBKX	PRO SIZE	24	18	4.97	
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------	----------	----	----	------	---------------------------------------------------------------------------------------



BOLTS, TOILET ACCESSORIES, ANCHOR KITS & SCREWS

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
---------	-----------	------	-----------	---------------	-----------------

SOLID BRASS BOLTS - BRASS ACCESSORIES

PRO BOLT® ALL BRASS 2 brass "Break-A-Way" PRO BOLTS, 2 brass washers, 2 brass nuts & 2 "Fast-Set" washers.	PB-4B	1/4" x 2-1/4"	100 bags	11	2.90
			200 bags		2.82
			500 bags		2.73
			1000 bags		2.68



	PB-5B	5/16" x 2-1/4"	100 bags	15	3.59
			200 bags		3.54
			500 bags		3.50
			1000 bags		3.43



Packed 10 Bags per Master Bag, 10 Master Bags per Carton.

EXTRA LONG PRO BOLT® ALL BRASS 2 brass 3-1/2" PRO BOLTS, 2 brass washers, 2 brass nuts & 2 "Fast-Set" washers.	PB4B-3	1/4" x 3-1/2"	100 bags	15	3.08
	PB5B-3	5/16" x 3-1/2"	100 bags	20	5.70



Packed 10 Bags per Master Bag, 10 Master Bags per Carton.

PRO BOLT® DOUBLE NUT ALL BRASS 2 brass "Break-A-Way" PRO BOLTS, 4 brass washers & 4 brass nuts.	PB4B-4	1/4" x 2-1/4"	100 bags	15	2.95
--------------------------------------------------------------------------------------------------------------	--------	---------------	----------	----	------



Packed 10 Bags per Master Bag, 10 Master Bags per Carton.

SUPER PRO BOLT® ALL BRASS ALL BRASS bolt with captive washer integral part already on the bolt. 2 brass "Break-A-Way" PRO BOLTS with 2 captive washers, 2 brass nuts & 2 brass washers.	SPB-4B	1/4" x 2-1/4"	100 bags	13	3.06
			200 bags		2.93
			500 bags		2.82
			1000 bags		2.73



	SPB-5B	5/16" x 2-1/4"	100 bags	17	3.74
			200 bags		3.70
			500 bags		3.56
			1000 bags		3.54



Packed 10 Bags per Master Bag, 10 Master Bags per Carton.

TANK BOLTS BRASS-ALL BRASS 2 brass TANK BOLTS, 2 wing nuts, 2 brass nuts, 4 steel washers, 4 rubber washers.	TB-5	5/16" x 3-1/2"	25 bags	7	5.06
---------------------------------------------------------------------------------------------------------------------------	------	----------------	---------	---	------



SOLID BRASS BOLTS - PLATED ACCESSORIES

PRO BOLT® BRASS ALL BRASS BOLT with PLATED ACCESSORIES. 2 brass "Break-A-Way" PRO BOLTS, 2 steel washers, 2 nickel-plated nuts, 2 "Fast-Set" washers.	PB-4BX	1/4" x 2-1/4"	100 bags	11	2.55
			200 bags		2.42
			500 bags		2.33
			1000 bags		2.24



	PB-5BX	5/16" x 2-1/4"	100 bags	15	3.19
			200 bags		3.12
			500 bags		3.08
			1000 bags		3.06



Packed 10 Bags per Master Bag, 10 Master Bags per Carton.

SUPER PRO BOLT® BRASS ALL BRASS bolt with captive washer integral part already on the bolt. 2 brass "Break-A-Way" PRO BOLTS with 2 captive washers, 2 nickel-plated nuts, 2 steel washers.	SPB-4BX	1/4" x 2-1/4"	100 bags	13	2.71
			200 bags		2.55
			500 bags		2.40
			1000 bags		2.33



	SPB-5BX	5/16" x 2-1/4"	100 bags	17	3.28
			200 bags		3.12
			500 bags		3.06
			1000 bags		2.95



Packed 10 Bags per Master Bag, 10 Master Bags per Carton.

NOTE: All Pro Bolts may be combined for quantity pricing where applicable.

14

BOLTS, TOILET ACCESSORIES, ANCHOR KITS & SCREWS

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
---------	-----------	------	-----------	---------------	-----------------

BRASS-PLATED STEEL BOLTS

PRO BOLT[®] PLATED

2 plated steel PRO BOLTS[®], 2 steel round washers, 2 nickel-plated nuts & 2 "Fast-Set" washers.

PB-4S	1/4" x 2-1/4"	100 bags	10	1.19
		200 bags		1.10
		500 bags		.49
		1000 bags		.95
PB-5S	5/16" x 2-1/4"	100 bags	14	1.41
		200 bags		1.36
		500 bags		1.34
		1000 bags		1.32

Packed 10 Bags per Master Bag, 10 Master Bags per Carton.



NOTE: All Pro Bolts may be combined for quantity pricing where applicable.

NYLON PRO BOLTS

PRO BOLT[®] NYLON

One pair of Nylon Closet Bolts with two nuts & two washers combined. Strong and corrosion proof.

PB5N	2-1/2" x 5/16"	100 pair	5	1.10
------	----------------	----------	---	------



TOILET ACCESSORIES

TOILET BOLT CAPS

White bolt caps with snap-on plastic inserts. Packaged in plastic bags.


PBCAPW		12	2	1.56
--------	--	----	---	------



SPANNER FLANGE

For repairing broken toilet flanges. Kit contains screws, washers & anchors.

SPAN-1		12	3	5.90
--------	--	----	---	------



ANCHOR KITS

ANCHOR KITS

With Combination Head; One "Slow Spiral" Carbide Masonry Bit.

1/4" Contains: 100 Plastic Anchors; 100 No. 10 x 1-1/4" sheet metal screws per kit.	ANC-1/4	1/4" X 1-1/4" 1/4" drill bit	12	13	12.85
-------------------------------------------------------------------------------------	---------	---------------------------------	----	----	-------

3/16" Contains: 100 Plastic Anchors; 100 No. 8 x 1" sheet metal screws per kit.	ANC-3/16	3/16" X 1" 3/16" drill bit	12	9	11.90
---------------------------------------------------------------------------------	----------	-------------------------------	----	---	-------

5/16" Contains: 50 Plastic Anchors; 50 No. 14 x 1-1/2" sheet metal screws per kit.	ANC-5/16	5/16" X 1-1/2" 5/16" drill bit	12	13	17.03
------------------------------------------------------------------------------------	----------	-----------------------------------	----	----	-------



CLOSET SCREWS

SOLID BRASS CLOSET SCREWS

2 Brass screws, 2 nickel-plated nuts & 2 brass-plated oval washers.

CS4B20	1/4" x 2-1/2"	50	5	2.31
		50	6	2.73
CS5B20	5/16" x 2-1/2"	50	6	3.21
		50	6	3.98




15 BRUSHES, SAND CLOTH, GLOVES CAULK GUNS, CABLE SAWS & STRAPS

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
---------	-----------	------	-----------	---------------	-----------------

BRUSHES

ACID BRUSH Multi-purpose-for applying many different compounds.	AB-5	5-3/4"	144	2	.42
PIPE DOPE BRUSH	PDB-7	7"	36	2	1.52
WIRE HANDLE	WFB-1/2	1/2"	36	3	3.96
Fitting Brush	WFB-3/4	3/4"	36	3	4.18
Cleans copper fittings.	WFB-1	1"	36	3	4.71
	WFB-1-1/4	1-1/4"	12	2	5.46
	WFB-1-1/2	1-1/2"	12	2	5.74
	WFB-2	2"	12	2	6.49
PLASTIC HANDLE	PFB-1/2	1/2"	36	4	5.15
Fitting brush	PFB-3/4	3/4"	36	4	5.46
Cleans copper fittings.	PFB-1	1"	36	4	5.72
	PFB-1-1/4	1-1/4"	12	2	6.75
	PFB-1-1/2	1-1/2"	12	2	7.59
	PFB-2	2"	12	3	8.16
TUBE CLEANING BRUSHES	TCB-1/2	1/2"	36	2	4.25
Cleans Copper Tubing O D.	TCB-3/4	3/4"	36	3	4.75
	TCB-1	1"	36	4	5.21



SAND CLOTH

PLUMBERS SAND CLOTH ROLL 120 Grit. Cleans & polishes pipe & fittings for joining. High quality.	PSC-10	1-1/2" x 10 yd	24	11	8.65
	PSC-25	1-1/2" x 25 yd	12	16	18.88
PLUMBERS OPEN MESH SAND CLOTH	POM-5	1-1/2" x 5 yd	10	3	11.33
Abrasive Cloth 180 Grit.	POM-10	1-1/2" x 10 yd	10	6	18.83
Waterproof, high quality.	POM-25	1-1/2" x 25 yd	10	12	25.83
PLUMBERS "SUPER RED CUT" SAND CLOTH ROLL	PSCR-10	1-1/2" x 10 yd	24	11	8.78
Cleans & polishes pipe & fittings.	PSCR-25	1-1/2" x 25 yd	12	13	19.18



VINYL GLOVES

CLEAR VINYL GLOVES To help keep hands free from dirt, dust and chemicals while on the job. Chemical, grease & oil resistant. Powered for ease of use.	GLOVEL	LARGE	100	1	9.24
	GLOVEXL	EXTRA LARGE	100	2	9.24
		10 case price	1000	10	9.02



CAULK GUN

CAULKING GUN For use with cartridge applications.	GUN		12	15	8.27
-------------------------------------------------------------	-----	--	----	----	------

MADE WITH PRIDE IN THE U.S.A.



PVC CABLE SAW

PVC CABLE SAW (Heavy Duty) Cuts PVC Plastic Pipe, up to 4". Good for hard-to-reach areas.	PVCSAW		12	2	8.84
-----------------------------------------------------------------------------------------------------	--------	--	----	---	------




16 COMBUSTION CHAMBERS & A9 RUNNERS

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
---------	-----------	------	-----------	---------------	-----------------

Information and prices for 155-156 COMBUSTION CHAMBERS & A-9 RUNNERS available on request.

17 ROOF FLASHINGS

*S.O.S. ALUMINUM FLASHING	RFA-1	1-1/4 - 1-1/2"	12	5	7.70
Single die-formed base with hi-performance EPDM collar.	RFA-2	2"	12	5	12.63
Collar lock-formed to base.	RFA-3	3"	12	8	13.86
	RFA-4	4"	12	11	16.81
*S.O.S. GALVANIZED FLASHING	RFG-1	1-1/4 - 1-1/2"	12	10	7.15
Single die-formed base with hi-performance EPDM collar.	RFG-2	2"	12	10	10.10
Collar lock-formed to base.	RFG-3	3"	12	14	10.96
	RFG-4	4"	12	19	14.17
*S.O.S. NEO-POLY FLASHING	RFNP-1	1-1/4 - 1-1/2"	12	5	6.05
With an Elastomer collar molded onto a thermoplastic base.	RFNP-2	2"	12	5	8.95
	RFNP-3	3"	12	7	9.11
	RFNP-4	4"	12	9	10.21
*S.O.S. ALL- RUBBER FLASHING	RFR-1	1-1/4 - 1-1/2"	12	8	9.20
Injection-molded one-piece EPDM all-rubber Flashing.	RFR-2	2"	12	8	9.66
	RFR-3	3"	12	12	11.75
	RFR-4	4"	12	14	14.70
*S.O.S. COPPER FLASHING	RFC-1	1-1/4 - 1-1/2"	12	10	47.23
One-piece die-formed base with EPDM collar lock-formed to base.	RFC-2	2"	12	10	49.43
	RFC-3	3"	12	18	56.85
	RFC-4	4"	12	20	61.62



***Roof Flashing Discounts:**
1-5 dozen: Priced per above
6-24 dozen: Sheet Price less two 10%'s NET
25 dozen +: Sheet Price less three 10%'s NET

***** TERMS & CONDITIONS *****

1. **TERMS**

A 2% Cash Discount is allowed if the invoice is paid in full by the 10th of the following month. Invoices dated the 25th - 31st are due by the 10th of the month after the following month.

2. **FREIGHT TERMS**

FACTORY AND WAREHOUSE: Orders totaling **\$1200.00** or more are **PREPAID**.

NEW

3. **FREIGHT CHARGES**

All PREPAID orders are shipped via methods designated by SOS Products. If customer requires a different shipping method to be used, customer shall pay any difference in the freight rates. All orders that do not meet our PREPAID freight terms of \$1200 will be shipped via the most economical routing and the freight charges shall be billed on the invoice to the customer.

4. **DAMAGES**

If cartons are delivered by carrier in damaged condition, obtain notation on Freight Bill so you may file claim for the damage. Since damage may be concealed, all cartons should be opened within two weeks of receipt and contents carefully inspected. Claims for concealed damage must be filed with two weeks from date of delivery. SOS Traffic Department will assist customers who lack the facilities for filing freight claims by contacting us and supplying notated receipt.

5. **FULL CASE QUANTITIES:**

SOS does not break cases for any reason. Only full case quantities will be sent.

6. **RETURN GOODS POLICY:**

All merchandise returned will be subject to the following charges:

WITH SOS INVOICE NUMBER - NO RESTOCKING CHARGE

WITHOUT SOS INVOICE NUMBER - 15% RESTOCKING CHARGE

All returns must be:

- 1) Within 2 years of the date of purchase with the exception of products purchased as per our "Guaranteed Sales Policy".
- 2) In resalable condition (no markings on package - clean, unmarred merchandise) in standard carton quantities only.
- 3) The item must have a Return Goods Authorization (R.G.A.) number, obtained prior to shipment and written on the outside of the freight prepaid shipping carton. Merchandise returned without a Return Goods Authorization number will be refused.

Any merchandise not returned according to SOS Returned Goods Policy will be held pending customer disposition.

7. **SPECIAL ORDERS & DROP SHIPMENTS**

All special orders must be in accordance with standard packaging. SOS must be given an irrevocable purchase order to initiate special orders or drop shipments.

8. **WARRANTY**

SOS warrants all products to be free from defects in material and workmanship. SOS's liability is limited to replacing OR crediting the value (at our option) of any product(s) proven defective when returned freight prepaid to the factory. Defective merchandise must be accompanied by a Return Goods Authorization (R.G.A.) number, obtained prior to shipment and written on the outside of the shipping carton. Merchandise returned deemed not under warranty will be held pending customer disposition. No other warranty is expressed or implied. SOS neither assumes nor authorizes any person(s) to assume any liability in connection with the sale of its products.

9. **MINIMUM ORDER: \$100.00**

10. **NOTE: ALL PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.**

11. **MATERIAL SAFETY DATA SHEET INFORMATION:**

Material Safety Data Sheets are available for every SOS product.

12. **SOS STANDARDIZATION DISCOUNT PROGRAM**

The Standardization Discount will be computed according to the following schedule:

20 or more SOS Products	5% Discount
15 to 19 SOS Products	4% Discount
10 to 14 SOS Products	3% Discount
5 to 9 SOS Products	2% Discount

Wholesalers who purchase the required number of different SOS Products as per above schedule will receive the Standardization Discount on every invoice for the current year and following year. **NOTE:** Different sizes of the same product are considered one product.

NOTE: The Standardization Discount does not apply to SOS Wax Rings, Special Priced items or Promotional Priced Items.