



GROVE CONCRETE & SUPPLY, INC.
 18426 DURAND AVENUE P.O. BOX 363
 UNION GROVE, WISCONSIN 53182
 (262) 878-2030 FAX (262) 878-4222
 GroveConcrete.com

- NOTES:**
1. 502.5 GAL 9.09 GAL PER 1"
 1030 GAL 18.72 GAL PER 1"
 2. REINFORCED CONCRETE 4,000 PSI MIN. (2.31 CUBIC YARDS).
 3. ALL BAFFLES & FILTERS TO BE INSTALLED TO MEET STATE & LOCAL CODES.
 4. THIS TANK IS BUILT IN COMPLIANCE OF SECT. 905.40 IL. PRIVATE SEWAGE CODE.

**SEPTIC / PUMP
 SEPTIC / SEPTIC
 1030/502**

**FOR ANY MODIFICATIONS CALL
 GROVE CONCRETE**

DRAWN BY: RAY		DATE: 2/25/16
SCALE: NTS	EST. WIEGHT: 9,240 LBS.	VERSION: 00002
DWG. # 1030-502-VER2		ILL. APPROVAL # 114 NOT WIS. APPROVED

THIS DRAWING AND THE INFORMATION CONTAINED HEREON IS THE EXCLUSIVE PROPERTY OF GROVE CONCRETE & SUPPLY, INC., AND SHALL NOT BE REPRODUCED, USED, OR DISCLOSED TO OTHERS EXCEPT AS AUTHORIZED THROUGH WRITTEN CONCENT FROM GROVE CONCRETE & SUPPLY, INC.