

SAFETY DATA SHEET

Revision Date 13-Apr-2023 Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name Powdered Power Blaze

Other means of identification

Product Code NL229 Synonyms None

Details of the supplier of the safety data sheet

Company Name Nyco Products Company

5332 Dansher Road, Countryside, IL 60525 (708) 579-8100 nycoproducts.com

Emergency telephone number

Emergency Telephone (800) 800-8090

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Acute toxicity - Oral | Category 5 |
|---|---------------------------|
| Acute toxicity - Dermal | Category 3 |
| Acute toxicity - Inhalation (Dusts/Mists) | Category 4 |
| Skin corrosion/irritation | Category 1 Sub-category B |
| Serious eye damage/eye irritation | Category 1 |

Label elements

Emergency Overview

Danger

Hazard statements

May be harmful if swallowed Harmful if inhaled Causes severe skin burns and eye damage



AppearanceWhite Powder granulesPhysical statePowderOdorNil

Precautionary Statements - Prevention

Wear protective gloves/protective clothing/eye protection/face protection

Use only in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

Call a POISON CENTER or doctor/physician if you feel unwell

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Drink plenty of water

Immediately call a POISON CENTER or doctor/physician

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Disposal should be in accordance with applicable regional, national and local laws and regulations

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity 0 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No. | Weight-% | Trade Secret |
|--|-------------|----------|--------------|
| Sodium Carbonate | 497-19-8 | 10-30 | * |
| Sodium Metasilicate | 6834-92-0 | 3-7 | * |
| Nonylphenol Polyethylene Glycol Ether | 127087-87-0 | 1-5 | * |
| Dodecylbenzenesulfonic Acid, Sodium Salt | 68081-81-2 | 1-5 | * |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice Immediate medical attention is required.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If irritation persists or burns occur, get medical attention.

Eye contact Do not rub affected area. Rinse immediately with plenty of water, also under the eyelids, for

at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Keep eye wide open while rinsing.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Call a physician or poison control center immediately.

Ingestion Rinse mouth. Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth

to an unconscious person. Call a physician or poison control center immediately.

Self-protection of the first aiderUse personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat

symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Evacuate personnel to safe areas. Keep people

away from and upwind of spill/leak. Use personal protective equipment as required.

Environmental precautions

Environmental precautions Do not allow into any storm sewer drains, lakes, streams, ponds, estuaries, oceans or other

surface water bodies. Should not be released into the environment. Dispose of according to

all local city, state and federal rules and regulations.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or

tarp to minimize spreading. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up

Use personal protective equipment as required. Cover powder spill with plastic sheet or tarp

to minimize spreading and keep powder dry. Avoid creating dust. Clean contaminated surface thoroughly. Dam up. Take up mechanically, placing in appropriate containers for

disposal. After cleaning, flush away traces with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation,

wear suitable respiratory equipment. Use only with adequate ventilation and in closed

systems.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Keep containers tightly closed in a dry, cool and

well-ventilated place. Keep in properly labeled containers.

Incompatible materials Incompatible with strong acids and bases. Incompatible with oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---------------------------|-----------|------------------------------------|--------------------------|
| Tetrasodium Pyrophosphate | = | (vacated) TWA: 5 mg/m ³ | TWA: 5 mg/m ³ |
| 7722-88-5 | | | _ |

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Skin and body protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or

smoke. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable

gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Powder

Appearance White Powder granules

Color White Odor Nil

Odor threshold No Information available

Property Values Remarks • Method

pH 11.5 - 12.0 (1% solution)

Specific Gravity

Not Applicable

Viscosity

Not Applicable

Melting point/freezing point

No Information available

Flash point None

Boiling point / boiling range Not Applicable

Evaporation rate No Information available

Flammability (solid, gas)

No data available

Flammability Limits in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No Information available
No Information available
No Information available

Water solubility Complete

Partition coefficient
Autoignition temperature
Decomposition temperature
No Information available
No Information available

Other Information

Density Lbs/Gal Not Applicable VOC Content (%) Not Applicable

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Exposure to air or moisture over prolonged periods.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Harmful if inhaled. Inhalation of dust in high concentration may cause irritation of respiratory

system.

Eye contact Avoid contact with eyes. Corrosive. Causes severe eye damage.

Skin Contact Avoid contact with skin. Corrosive. Contact with skin may cause severe irritation and burns.

Ingestion May be harmful if swallowed. Ingestion causes acute irritation and burns to the mucous

membranes of the mouth, trachea, esophagus and stomach.

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|--|--|--------------------------------------|
| Sodium Carbonate 497-19-8 | = 4090 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | = 2300 mg/m ³ (Rat) 2 h |
| Sodium Metasilicate 6834-92-0 | = 1153 mg/kg (Rat) | - | - |
| Nonylphenol Polyethylene Glycol Ether 127087-87-0 | = 1310 mg/kg (Rat) = 2590 mg/kg (Rat) | = 2 mL/kg (Rabbit) = 1780 μL/kg (Rabbit) | - |
| Dodecylbenzenesulfonic Acid, Sodium Salt 68081-81-2 | > 1000 mg/kg (Rat) | > 2000 mg/kg (Rat) | - |

Information on toxicological effects

Symptoms No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Corrosivity Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to

eyes.

SensitizationNo Information available.Germ cell mutagenicityNo Information available.CarcinogenicityNo Information available.Reproductive toxicityNo Information available.STOT - single exposureNo Information available.STOT - repeated exposureNo Information available.

Chronic toxicity Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw

necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure.

Possible risk of irreversible effects.

Aspiration hazard No Information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0 % of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

 ATEmix (oral)
 2,661.70

 ATEmix (dermal)
 871.40

 ATEmix (inhalation-dust/mist)
 1.1792

12. ECOLOGICAL INFORMATION

Ecotoxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|------------------------------|--------------------------------|--|---|
| Sodium Chloride 7647-14-5 | - | 5560 - 6080: 96 h Lepomis | 340.7 - 469.2: 48 h Daphnia magna |
| 7647-14-5 | | macrochirus mg/L LC50 flow-through | mg/L EC50 Static 1000: 48 h Daphnia magna mg/L |
| | | 12946: 96 h Lepomis macrochirus | EC50 |
| | | mg/L LC50 static | 2030 |
| | | 6020 - 7070: 96 h Pimephales | |
| | | promelas mg/L LC50 static | |
| | | 7050: 96 h Pimephales promelas | |
| | | mg/L LC50 semi-static | |
| | | 4747 - 7824: 96 h Oncorhynchus | |
| | | mykiss mg/L LC50 flow-through | |
| | | 6420 - 6700: 96 h Pimephales | |
| | | promelas mg/L LC50 static | |
| Sodium Carbonate | 242: 120 h Nitzschia mg/L EC50 | 300: 96 h Lepomis macrochirus | 265: 48 h Daphnia magna mg/L |
| 497-19-8 | | mg/L LC50 static | EC50 |
| | | 310 - 1220: 96 h Pimephales | |
| | | promelas mg/L LC50 static | |
| Sodium Metasilicate | - | 210: 96 h Brachydanio rerio mg/L | 216: 96 h Daphnia magna mg/L |
| 6834-92-0 | | LC50 semi-static | EC50 |
| | | 210: 96 h Brachydanio rerio mg/L | |
| 0 11 0 11 1 | | LC50 | 0504 404 D 1 : " |
| Sodium Sulfate | - | 3040 - 4380: 96 h Lepomis | 2564: 48 h Daphnia magna mg/L EC50 |
| 7757-82-6 | | macrochirus mg/L LC50 static | |
| | | 13500: 96 h Lepomis macrochirus mg/L LC50 | 630: 96 h Daphnia magna mg/L EC50 |
| | | 13500 - 14500: 96 h Pimephales | [|
| | | promelas mg/L LC50 | |
| | | 6800: 96 h Pimephales promelas | |
| | | mg/L LC50 static | |

No Information available.

Bioaccumulation

Bioaccumulative potential.

| Chemical Name | Partition coefficient |
|---------------------------------------|-----------------------|
| Nonylphenol Polyethylene Glycol Ether | 5.669 |
| 127087-87-0 | |

Other adverse effects No Information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste Status |
|------------------|-----------------------------------|
| Sodium Carbonate | Corrosive |
| 497-19-8 | |

14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT Not regulated

TDG Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies

Sudden release of pressure hazard

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

Reactive Hazard

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | SARA 313 - Threshold Values % |
|---|-------------------------------|
| Nonylphenol Polyethylene Glycol Ether - 127087-87-0 | 1.0 |
| SARA 311/312 Hazard Categories | |
| Acute health hazard | Yes |
| Chronic Health Hazard | Yes |
| Fire hazard | No |

No

No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product has been evaluated and does not require warning labeling under California Proposition 65.

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|--------------------------------------|------------|---------------|--------------|
| Trisodium Phosphate 10101-89-0 | X | X | X |
| Tetrasodium Pyrophosphate 7722-88-5 | X | X | Х |
| Sodium Trimetaphosphate 7785-84-4 | - | X | Х |

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

| 16. OTHER INFORMATION | | | | |
|-----------------------|------------------|----------------|--------------------|------------------------------------|
| NFPA_ | Health hazards 3 | Flammability 0 | Instability 0 | Physical and Chemical |
| HMIS_ | Health hazards 3 | Flammability 0 | Physical hazards 0 | Properties - Personal protection B |
| | | | , | |

Issue Date 13-Apr-2023 Revision Date 13-Apr-2023 Revision Note

No Information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet